



BUILT-IN APPLIANCES



GENERATION FUTURE







GENERATION FUTURE

Creative design solutions and meticulous attention to detail make each one of our Hoover built-in appliances special and unique.

We invest heavily in research and development and select only the best quality materials and beautiful design aesthetics to give you appliances that have been expertly made to blend seamlessly into your home.

Our appliances combine stylish, beautiful looks, with powerful technological performance, so whether you're cooking, chilling, cleaning dishes or doing the laundry you'll get outstanding results every time.



OVENS THAT DELIVER OUTSTANDING COOKING PERFORMANCE

SUPER-SIZE OVEN CAVITY 78 LITRES CAPACITY

Hoover Prodigie single ovens range in size from 73-78 litres and offer an additional 45% more space than a traditional Multifunction oven but within the standard dimensions.

The Prodigie can be used as one large cooking zone with five shelf positions and is capable of handling up to five different recipes at any one time.




A DOUBLE OVEN IN A SINGLE CAVITY

The super-size flexi oven offers the space and power of a professional model but with all of the functionality of four separate ovens.

Prodige can be used as one large cooking zone, while the bottom and top cavities can be used as completely separate cooking areas. The large single cavity can also be converted into a double oven by means of a fully insulated divider and with two separate fans in the top and bottom of the oven, plus independent temperature & cooking controls, you can achieve the full flexibility only normally available from a double oven.

LED VISION

A unique lighting system consisting of 14 tiny LED lights located within the oven door, delivers perfect illumination and complete visibility throughout the entire cooking process.






LCD DISPLAY TOUCH CONTROL

Prodige's electronic display allows you to choose the oven function, set the cooking time and select the temperature for each of the cooking zones, the graphics also show which of the zones is currently in use.

PYRO FUNCTION

The Pyrolytic programme is a fast, no mess, oven cleaning cycle. It works by automatically locking the oven door and activating the Pyro cycle, which heats the oven interior to 500°C burning off any grease or food, leaving behind a small deposit of ash that can be easily wiped away with a damp cloth.



PRO SYSTEM

Inspired by professional catering technology Hoover has developed an exclusive hi-tech air circulation system that evenly distributes heat throughout the oven.

This multi jet ventilation system circulates hot air around the oven cavity via 100 vent holes located on the sides of the oven. This process guarantees consistent cooking throughout the whole cavity and reduces food moisture loss.

MUSSELS IN POULETTE SAUCE



Serve 4

2kg Mussels	1 Onion
20cl Dry white wine	2 Shallots
10cl Double cream	Celery
15g Butter	1 Carrot
2 Egg yolks	Parsley
	Thyme

Clean and drain the mussels.

Break up the parsley leaves and chop the stems and keep for later.

Peel and chop the onion and shallots and dice the carrot and the celery.

Melt the butter into a large pan add all the vegetables and cook gently for 10 minutes.

Add wine, thyme and the mussels, salt and pepper. Cover and cook for 5 minutes within which time the mussels will open their shells.

Once they are all open remove and drain into a bowl.

Place the pan back on the hob and reduce the juices separately in a bowl. Beat the egg yolks with and cream.

Add to the juices once these have been reduced by 1/3.

Mix quickly, put the mussels back into the juice ensuring they absorb all the juice.

Serve on hot plates and garnish with parsley.

**HOF 75LVX (LEFT HAND HINGED)
HOF 75RVX (RIGHT HAND HINGED)**



- Multifunction oven
- 15 Cooking functions - 9 in the main cavity, 3 in the top cavity and 3 in the bottom cavity
- Extra large capacity oven – 73 litres, with 5 shelf positions
- Fits into a standard single oven space
- Twin cooking fans & oven divider create two separate cooking zones both with independent temperature control and fully insulated oven divider
- LED Vision lighting system
- Electronic temperature control from 30 to 240 °C
- Full side opening door with integrated oven controls
- Touch control LCD display with icons that indicate which of the two zones are in use
- Cool touch glass door
- Pro-cooking - multilevel air circulation system
- Accessories: 2 shelves, 1 roasting tray, 1 teflon tray, 1 baking tray, 1 pizza tray
- Energy efficiency rating A
- Finish stainless steel (X)



73 Litre Capacity



Pro Cooking Panels



LED



Twin Fans



Cool Touch Door



Side Opening



Energy Consumption

HOA 96VX



- Pyrolytic Multifunction oven
- 17 Cooking functions - 11 in the main cavity, 3 in the top cavity and 3 in the bottom cavity
- Super size oven capacity 73 litres - 5 shelf positions
- Fits into a standard single oven space
- Twin cooking fans & oven divider create two separate cooking zones both with independent temperature control
- 3 Pyroclean cycles Eco/Normal/Super
- LED Vision lighting system
- Electronic temperature control from 30 to 280°C
- Touch control LCD display with icons that indicate which of the two zones are in use
- Rotisserie
- Cool touch glass door - quadruple glazed
- Pro-cooking - multilevel air circulation system
- Accessories: 2 shelves, 1 roasting tray, 1 teflon tray, 1 baking tray
- Energy efficiency rating A
- Finish stainless steel (X)



73 Litre Capacity



Pro Cooking Panels



LED



Twin Fans



Cool Touch Door



Energy Consumption

**HOA 65 VX (STAINLESS STEEL)
HOA 65 VB (BLACK)
HOA 65 VW (WHITE)**



- Multifunction oven
- 15 Cooking options 9 in the main cavity space, 3 in the top cavity, 3 in the bottom cavity.
- Super size oven capacity 78 litres - 5 shelf positions
- Fits into standard single oven space.
- Twin cooking fans & oven divider create two separate cooking zones both with independent temperature control
- LED Vision lighting system
- Electronic temperature control from 30 to 270°C
- Touch control LCD display with icons that indicate which of the two zones are in use.
- Cool touch glass door.
- Accessories: 2 shelves, 1 roasting tray, 1 teflon tray, 1 baking tray.
- Energy efficiency rating A
- Finish stainless steel (X) white (W) black (B)



78 Litre Capacity



LED



Twin Fans



Cool Touch Door



Energy Consumption



HO 445VX

- Touch control LED display
- 5 Cooking functions
- Fan cooking
- Fan assisted grilling
- Conventional cooking
- LED Vision lighting system
- Hydro easy clean - steam cleaning system
- Integral fan cooling system
- Safety shelf system
- Double glazed door
- 65 Litre capacity
- Energy efficiency A
- Finish stainless steel (X)



65 Litre Capacity



LED



Energy Consumption



Hydro Easy Clean



HO 423VX/W/B

- Touch control LED display
- 3 Cooking functions
- Fan cooking
- Variable grill
- LED Vision lighting system
- Integral fan cooling system
- Safety shelf system
- Double glazed door
- 65 Litre capacity
- Energy efficiency A
- Finish stainless steel (X) white (W) black (B)



65 Litre Capacity



LED



Energy Consumption



HOC 709X/BX

- Touch control LED display
- 7 Cooking functions
- Fan cooking
- Fan assisted grill
- Conventional cooking
- Pizza function
- Hydro easy clean - steam cleaning system
- Integral fan cooling system
- Safety shelf system
- Double glazed door
- 65 Litre capacity
- Energy efficiency A
- Finish stainless steel (X) black & stainless (BX)



65 Litre Capacity



Energy Consumption



Hydro Easy Clean

GRILLED BEEF FILLET WITH GARLIC MASH



Serves 4

4 Beef fillets approx 160g each
1 Tablespoon of paprika
½ Tablespoon of chilli powder
and a few drops of Tabasco
Juice of 1 green lemon
5cl vegetable oil
500g potatoes
15cl milk
80g butter
5 Garlic cloves
2 Tablespoons of double cream

Mix the paprika in a bowl with chilli, oil, lemon juice, Tabasco, salt and pepper.

Place the beef fillets on a plate, cover with the marinade, seal with cling film and let it rest in a cool place for 4 hours.

Boil the peeled potatoes in salty water together with the garlic cloves.
Drain and mash.
Add warm milk, cubes of butter, double cream and mix to create a nice consistency.

Cook the marinated beef fillet in a pan or on a grill for 3-4 minutes on each side.

Serve hot with the mash. For those who prefer spicy food add a few more drops of Tabasco.

ROAST OF CHICKEN BREAST WITH SWEET SPICE STUFFING



Serves 4

800g Boneless chicken breast
350g Pork mince
1 Egg yolk
Parsley
1 Red onion
2 Tablespoons of cumin powder
2 Tablespoons of ground ginger
5cl Olive oil
2 Thyme twigs
500g Small potatoes

Preheat the oven at 180°C.
Cut into the chicken breast to create a pocket. Mix the pork mince in a bowl together with chopped onion, half of the spices, the egg yolk, chopped parsley, salt and pepper. Place the mix into the chicken breast and tie with string.

Rub the outer with thyme and the rest of the spices, place in a roasting tray and coat with olive oil.

Place in the oven and cook for 1.5 hours. Half way through the cooking time add the potatoes. During cooking turn the breast every 15 minutes and make sure it is kept moist with wine.

Once cooked, remove from the oven, cover with aluminium foil and rest for 15 minutes. Serve with the potatoes and cooking juices.



HDO 909X

Built in double oven

- Touch control LED programmer

Multifunction main oven

- 5 Functions
- Fan cooking
- Fan assisted grilling
- Conventional cooking
- 54 Litre capacity
- Energy efficiency class A

Conventional second oven

- Grilling
- 4 Functions
- Conventional cooking
- 39 Litre capacity
- Energy efficiency class A
- Finish stainless steel (X) black and stainless (NX)



Main Oven
Energy Consumption



Second Oven
Energy Consumption



HDO 909NX

Built in double oven

- Touch control LED programmer

Multifunction main oven

- 5 Functions
- Fan cooking
- Fan assisted grilling
- Conventional cooking
- 54 Litre capacity
- Energy efficiency class A

Conventional second oven

- Grilling
- 4 Functions
- Conventional cooking
- 39 Litre capacity
- Energy efficiency class A
- Finish stainless steel (X) black and stainless (NX)



Main Oven
Energy Consumption



Second Oven
Energy Consumption



HDO 707X

Built in double oven

- Touch control LED programmer

Multifunction main oven

- 8 Functions
- Fan cooking
- Fan assisted grilling
- Conventional cooking
- 39 Litre capacity
- Energy efficiency class A

Conventional second oven

- Grilling
- Conventional cooking
- 39 Litre capacity
- Energy efficiency class A
- Finish stainless steel (X) black and stainless (NX)



Main Oven
Energy Consumption



Second Oven
Energy Consumption



HDO 707NX

Built in double oven

- Touch control LED programmer

Multifunction main oven

- 8 Functions
- Fan cooking
- Fan assisted grilling
- Conventional cooking
- 39 Litre capacity
- Energy efficiency class A

Conventional second oven


- Grilling
- Conventional cooking
- 39 Litre capacity
- Energy efficiency class A
- Finish stainless steel (X) black and stainless (NX)



Main Oven
Energy Consumption



Second Oven
Energy Consumption



A UNIQUE DESIGN



ATTENTION TO DETAIL

Hoover microwave ovens deliver high speed cooking with the quality performance of a traditional oven and have been aesthetically designed to co-ordinate with the complete range of Hoover cooking appliances, from the handle design down to the curved glass door styling. They're also easy to install, because unlike some models they don't require a separate frame to be fitted to the perimeter of the appliance.

A VERSATILE MULTIFUNCTION APPLIANCE

All models in the Hoover microwave range are combination appliances and provide the extra flexibility of being able to brown food as well as using traditional fan cooking methods to deliver perfect cooking results but in a fraction of the time.



STAINLESS STEEL CAVITY

With a stainless steel cavity, Hoover microwaves are extremely durable and have easy-clean interiors which make them more hygienic.



RDCT 140/1

- Telescopic full-depth pull-out drawer
- Pre-heat crockery function
- Keep food warm function
- Temperature freely adjustable from 30°C to 80°C
- Stainless steel finish
- Anti-slip mat
- Illuminated on/off switch
- Maximum capacity 25kg



HMC 440TX

- Combination microwave, oven & grill
- LED electronic display - touch control
- 8 Cooking combinations
- 5 Power Levels
- Fan cooking
- Conventional cooking
- Microwave cooking and grilling
- 13 Automatic menus
- 2 Defrost functions
- 44 Litre capacity
- 36cm diameter turntable
- Drop down door
- Child lock
- Easy to clean stainless steel interior
- Microwave power rating 900W
- Grill power rating 1750W



44 Litre capacity



Microwave + Grill



Drop down



HMBG 25GDFB

- Combination microwave oven & grill
- LED electronic display
- 5 Power levels
- 3 Cooking combinations
 - Microwave
 - Microwave & grill
 - Grill only
- 10 pre set cooking menus
- Defrost function
- End of cooking timer 90 minutes
- 25 Litre capacity
- Stainless steel interior
- 31.5 cm diameter turntable
- Child lock
- Easy clean quartz grill
- Microwave power rating 900W
- Grill power rating 1000W



25 Litre capacity



Microwave + Grill



HMB 20GDFX

- Combination microwave oven + grill
- LED electronic display
- 5 Power levels
- 3 Cooking combinations
 - Microwave only
 - Microwave and grill
 - Grill only
- 10 Pre-set menus
- Defrost function
- End of cooking timer 90 minutes
- 20 Litre capacity
- Stainless steel interior
- 24.5 cm diameter turntable
- Child lock
- Easy clean quartz grill
- Microwave power rating 800 (W)
- Grill power rating 1000 (W)



20 Litre capacity



Microwave + Grill



EFFICIENCY AND SAFETY

Induction is one of the most innovative and technologically advanced methods of cooking. Energy is directed to the selected cooking zone in a precise, fast, efficient and controllable way. Induction hobs are equipped with induction coils which when electricity passes through them creates an electro magnetic field, this is only activated by the presence of a pan on the hob surface and is responsible for generating the heat to the pan.

N.B Induction technology requires saucepans with a Ferrous steel base.

COOKING PERFORMANCE

Induction hobs are quick to heat up, operate at 90% efficiency and use less than half the electricity of other hobs, so not only are they less expensive to run but they are also better for the environment.





HVEF 742X

- 75cm 4 Zone ceramic hob
- 9 Power levels
- Touch sensitive digital controls
- 4 Hi-light cooking zones
 - 1 x Extended cooking zone
 - 1 x Booster cooking zone
- End of cooking timer on all zones (up to 99 minutes)
- Memory function
- Heat indicators
- Child safety lock
- Front stainless steel trim



75 cm wide




HESD4

- 60cm Flexi induction hob
- 15 Power levels
- Touch sensitive digital controls
- 4 Individual zones or 2 large flexible zones
- Boosters
- Step up control - low, medium, high
- Timer on each zone
- Memory function
- Child safety lock
- Easy to clean cooking surface
- Bevelled edges
- Black



60 cm wide



HPI 430

- 60cm 4 Zone induction hob
- 15 Power levels
- Touch sensitive digital controls
- 2 x Booster zones
- Timer on each zone
- Easy to clean cooking surface
- Child safety lock
- Bevelled edges
- Black



60 cm wide



HPI 430BLA/1

- 60cm 4 Zone low absorption induction hob
- 9 Power levels
- Touch sensitive digital controls
- Timer
- Easy to clean cooking surface
- Child safety lock
- Fitted with 13amp plug
- Bevelled edges
- Black



60 cm wide







HF9

- Ghisa 3 burner gas hob
- 1 Ultra-rapid burner, 1 rapid burner, 1 auxiliary burner
- Control knobs with LED blue light
- Flame failure safety device
- Single hand automatic ignition
- Moulded integrated pan supports
- Pan support bridge



HF7

- Ghisa 4 burner gas hob
- 1 Ultra-rapid burner, 2 rapid burner, 1 auxiliary burner
- Control knobs with LED blue light
- Flame failure safety device
- Single hand automatic ignition
- Moulded integrated pan supports
- Pan support bridge





HGH 74 SQCX

- 4 Burner gas hob
- 1 Quadruple ring burner 4kW
- 1 Rapid burner
- 1 Medium burner
- 1 Small burner
- Single hand automatic ignition
- Flame failure safety device
- Cast iron pan supports



75 cm wide



Quadruple Ring Burner



Cast Iron



HGH 75 SQCX

- 5 Burner gas hob
- 1 Quadruple ring burner 4kW
- 2 Rapid burners
- 1 Medium burner
- 1 Small burner
- Single hand automatic ignition
- Flame failure safety device
- Cast iron pan supports



75 cm wide



Quadruple Ring Burner



Cast Iron



HGH 75 SQDX

- 5 Burner gas hob
- 1 Quadruple ring burner 4kW
- 2 Rapid burners
- 1 Medium burner
- 1 Small burner
- Single hand automatic ignition
- Flame failure safety device
- Full cast iron designer pan supports (6 pieces)



75 cm wide



Quadruple Ring Burner



Cast Iron



HGH 64 SQDX

- 4 Burner gas hob
- 1 Quadruple ring burner 4kW
- 1 Rapid burner
- 1 Medium burner
- 1 Small burner
- Single hand automatic ignition
- Flame failure safety device
- Full cast iron designer pan supports (4 pieces)



60 cm wide



Quadruple Ring Burner



Cast Iron



HGH 64 SQCX

- 4 Burner gas hob
- 1 Quadruple ring burner 4kW
- 1 Rapid burner
- 1 Medium-rapid burner
- 1 Small burner
- Single hand automatic ignition
- Safety flame failure device
- Cast iron pan supports (4 pieces)



60 cm wide



Quadruple Ring Burner



Cast Iron



HGH 64 SCX

- 4 Burner gas hob
- 1 Rapid burner
- 2 Medium burners
- 1 Small burner
- Single hand automatic ignition
- Flame failure safety device
- Cast iron pan supports (4 pieces)
- Finish stainless steel (X) white (W) black (B)



60 cm wide



Cast Iron



HGL 64 SCX

- 4 Burner gas hob
- 1 Rapid burner
- 2 Medium burners
- 1 Small burner
- 2 Cast iron pan supports
- Single hand ignition
- Flame failure device



60 cm wide



Cast Iron



HGL 64 SX

- 4 Gas burners
- 1 Rapid burner
- 2 Medium burners
- 1 Small burner
- 2 Enamel pan supports
- Single hand ignition
- Flame failure device



60 cm wide





HVSD970B

- 90cm Decor hood
- Electronic touch controls
- 3 Speed settings
- Remote control
- Digital display
- Extraction or re-circulation modes
- 2 x LED lights
- Timer
- Filter saturation indicator
- Motor power 210W
- Maximum flow rate 750m³/h
- Dishwasher safe metal filter
- Black



RDL 910X

- 50cm Lampshade Hood
- Electronic touch controls
- 4 Speed extraction settings
- Re-circulation only
- 3 x LED lights
- Motor power 90W
- Maximum extraction flow rate 400m³/h
- Charcoal filters included
- Stainless steel



HVE 93X

- 90cm Décor Hood
- Electronic touch controls
- 4 Speed extraction settings
- Re-circulation or extraction modes
- 2 Halogen lights
- Filter saturation indicator
- Timer
- Clean air function
- Motor power 250W
- Maximum extraction flow rate 850 m³/h
- Dishwasher safe metal filters
- Charcoal filters included
- Stainless steel with glass canopy



HCT 9700X

- 90cm Chimney Hood
- Electronic touch controls
- 4 Speed extraction settings
- Re-circulation or extraction modes
- 2 Halogen lights
- Filter saturation indicator
- Clean air function
- Timer
- Motor power 250W
- Maximum extraction flow rate 700 m³/h
- Dishwasher safe metal filters
- Charcoal filters included
- Stainless steel



HCT 6700X

- 60cm Chimney Hood
- Electronic touch controls
- 4 Speed extraction rate settings
- Re-circulation or extraction modes
- 2 Halogen lights
- Filter saturation indicator
- Clean air function
- Timer
- Motor power 250W
- Maximum extraction flow rate 700 m³/h
- Dishwasher safe metal filters
- Charcoal filters included
- Stainless steel



HBP 612/1GR

- 60cm Intergrated hood
- Slider controls
- 3 Speed extraction rate settings
- Recirculation or extraction modes
- 2 x 28W Halogen lights
- Motor power 110W
- Maximum extraction flow rate 230 m³/h
- Charcoal filters included
- Grey



HBG 60/2S

- 60cm Canopy hood
- Slider controls
- 3 Speed extraction rate settings
- Recirculation or extraction modes
- 2 x 28W Halogen lights
- Motor power 150W
- Maximum extraction flow rate 220 m³/h
- Charcoal filters included
- Silver



HFT 60/2

- 60cm Canopy hood
- Push button controls
- 3 Speed extraction rate settings
- Recirculation or extraction modes
- 2 X 28W Halogen lights
- Motor power 180W
- Maximum extraction flow rate 220 m³/h
- Charcoal filters included
- White/Black/Silver





HGD 9395IX/BL/IV

• Hob features

- 5 Gas burners (1 wok, 1 rapid, 2 semi rapid, 1 auxiliary)
 - 1 x Wok burner 3.8kW
 - 1 x Rapid burner 3kW
 - 2 x Semi rapid burners 1.75kW
 - 1 x Auxiliary burner 1kW
 - Cast iron pan supports and wok stand
 - Single hand ignition
 - Flame failure safety device

• Multi-function main oven

- 6 Functions
- Fan cooking
- Conventional cooking
- Top element cooking
- Bottom element cooking
- 2 Shelves and 1 baking tray
- Grill
- LED touch control programmer
- Integral fan cooling system
- Double glazed door
- 51 Litre capacity
- Oven light
- Energy rating A

• Conventional second oven

- Conventional cooking
- Grill
- 1 Shelf and 1 baking tray
- Integral fan cooling system
- Double glazed door
- 35 Litre capacity
- Energy rating A

Additional features

- Adjustable stainless steel feet
- 1 Storage drawer
- HGD 9395IX Stainless steel
- HGD 9395BL Black & Stainless
- HGD 9395IV Ivory & Stainless

Optional extras

- Stainless steel splashback PM 90X
- Matching hood HCT9700X (stainless steel)



HVD 9395IX/BL/IV

• Hob features

- 5 Ceramic cooking zones
 - 1 x 140/210mm - 1.1/2.2W
 - 2 x 140mm - 1.2kW
 - 1 x 190 x 285mm - 1.4/2.2kW
 - 1 x 210mm - 2.1kW
- Extended zone
- Booster zones
- Residual heat indicators

• Multi-function main oven

- 6 Functions
- Fan cooking
- Conventional cooking
- Top element cooking
- Bottom element cooking
- 2 Shelves and 1 baking tray
- Grill
- LED touch control programmer
- Integral fan cooling system
- Double glazed door
- 51 Litre capacity
- Oven light
- Energy rating A

• Conventional second oven

- Conventional cooking
- Grill
- 1 Shelf and 1 baking tray
- Integral fan cooling system
- Double glazed door
- 35 Litre capacity
- Energy rating A

Additional features

- Adjustable stainless steel feet
- 1 Storage drawer
- HVD 9395IX Stainless steel
- HVD 9395BL Black & Stainless
- HVD 9395IV Ivory & Stainless

Optional extras

- Stainless steel splashback PM 90X
- Matching hood HCT9700X (Stainless steel)



HLSI 400 PW

- 15 IEC place settings
- 12 Action Pro Programmes
- Washing temperatures (45 / 50 / 55 / 60 / 65 / 70 / 75°C)
- Digital Controls
- Power wash - third cleaning arm
- Adjustable upper basket
- 29 Minute rapid programme
- Start delay (1-23 hrs)
- Super eco button
- Power wash programme
- Rinse aid indicator light
- Salt consumption light
- End of programme alarm
- Automatic fault display
- Water control system
- Height adjustable feet (rear access from front)
- Balanced door
- Water consumption 10 litres
- Energy consumption (kWh) 1.04
- Noise level db(A) 44
- Energy efficiency class A+
- Washing efficiency class A
- Drying efficiency class A



15 Place settings



Water Consumption



A+ Class



HLSI 550 GT

- 15 IEC place settings
- 3 Baskets
- 12 Action Pro Programmes
- Washing temperatures (45 / 50 / 55 / 65 / 75°C)
- Digital Controls
- Adjustable upper basket
- 29 Minute rapid programme
- Start delay (1-23 hrs)
- Super eco button
- Night cycle
- Rinse aid indicator light
- Salt consumption light
- End of programme alarm
- Automatic fault display
- Water control system
- Height adjustable feet (rear access from front)
- Balanced door
- Water consumption 10 litres
- Energy consumption (kWh) 1.04
- Noise level db(A) 44 [Night Cycle 42 db (A)]
- Energy efficiency class A+
- Washing efficiency class A
- Drying efficiency class A



3 Baskets



15 Place settings



Water Consumption



A+ Class





HDB 854DN/1

- Fully integrated washer dryer
- 8Kg Large wash load capacity
- 5Kg Drying capacity
- 1400 Spin speed
- LED display
- Digital countdown indicator
- 12 Wash programmes
- 2 Drying programmes
- 14, 30 & 44 Minute wash programmes
- Start delay (up to 23 hours)
- Sensitive care button
- Stain blaster button
- Woollens programme
- Cold fill only
- Stainless steel drum assembly
- Adjustable height 82-87cm
- Energy efficiency class A
- Washing efficiency class A
- Spin drying efficiency class A



Wash



Dry



A Class



HWB 814DNI

- Fully integrated washing machine
- 8Kg Large wash load capacity
- 1400 Spin speed
- LED display
- 12 Wash programmes
- 14, 30 & 44 Minute wash programmes
- Digital countdown indicator
- Start delay (up to 23 hours)
- Automatic variable capacity
- Sensitive care button
- Fast iron button
- Stain blaster button
- Cold fill only
- Stainless steel drum assembly
- Adjustable height 82-87cm
- Energy efficiency class A+
- Washing efficiency class A
- Spin drying efficiency class A




Wash



A+ Class

FULLY INTEGRATED REFRIGERATION



SPACIOUS AND EFFICIENT, choose the perfect model from our extensive range of refrigerators to suit your lifestyle.

COOL VERSATILITY

Our appliances will co-ordinate beautifully with your kitchen and offer flexible storage, automatic defrosting, reversible doors, adjustable fridge shelves and deep, pull out freezer drawers.

Hygienic, spill resistant glass shelves prevent cross contamination of stored food and are easy to remove for cleaning.

What's more all of our refrigeration is rated A+ for energy efficiency.





HFFBP 3050K

- Fully integrated frost free fridge freezer
- Freezer rating 
- Total gross capacity 242 litres (8.8 cu.ft)
- Net refrigerator capacity 156 litres (5.5 cu.ft)
- Net freezer capacity 78 litres (2.8 cu.ft)
- 24 Hr freezing capacity 4kg
- Energy efficiency class A+
- 3 Glass shelves
- Metal bottle holder
- 1 Extra large salad crisper
- Reversible doors
- Climate class SN/ST
- Housing dimensions:
 - Height mm 1770 - 1776
 - Width mm 560
 - Depth mm 550



A+ Class



HBCP 3150K

- Fully integrated fridge freezer
- Freezer rating 
- Energy efficiency class A+
- Total gross capacity 261 litres (9.2 cu.ft)
- Net refrigerator capacity 203 litres (7.2 cu.ft)
- Net freezer capacity 60 litres (2.1 cu.ft)
- 24 hr freezing capacity 3kg
- Climate class ST
- 3 Glass shelves
- LED internal lighting system
- Metal bottle holder
- 1 Extra large salad crisper
- 4 door shelves
- 2 Adjustable feet
- Reversible doors
- Housing dimensions:
 - Height mm 1772-1776
 - Width mm 560
 - Depth mm 550



A+ Class



HBCP 3050K

- Fully integrated fridge freezer
- Freezer rating 
- Total gross capacity 249 litres (8.8 cu.ft)
- Net refrigerator capacity 156 litres (5.5 cu.ft)
- Net freezer capacity 86 litres (3.0 cu.ft)
- 24 hr freezing capacity 4kg
- Energy efficiency class A+
- 3 glass shelves
- 1 Extra large salad crisper
- Metal bottle holder
- Reversible doors
- Climate class ST
- Housing dimensions mm
 - height mm 1772 - 1776
 - width mm 560
 - depth mm 550



HBOP 3780K

- Integrated fridge with icebox
- Freezer rating 
- Energy efficiency class A+
- Total gross capacity 306 litres (10.8 cu.ft)
- Net refrigerator capacity 254 litres (9 cu.ft)
- Net freezer capacity 40 litres (1.4 cu.ft)
- 24 hr freezing capacity 2kg
- Climate class ST
- Automatic defrost - fridge
- Stay fresh zone
- 4 Glass shelves
- Metal bottle holder
- 1 Extra large salad crisper
- 6 door shelves
- 2 adjustable feet
- Housing dimensions:
 - Height mm 1772
 - Width mm 540
 - Depth mm 535





HBRUP 160K

- Built-under larder fridge
- Total gross capacity 135 litres (4.8 cu.ft)
- Net refrigerator capacity 133 litres (4.7 cu.ft)
- Climate class N/ST
- Energy efficiency class A+
- Salad crisper
- 2 Glass shelves
- 2 Door shelves
- 1 Egg rack
- Reversible door
- Housing dimensions:
 - Height mm 820÷870
 - Width mm 600
 - Depth mm 550



A+ Class



HBRUP 164K

- Built-under fridge with icebox
- Freezer rating
- Total gross capacity 119 litres (4.2 cu.ft)
- Net refrigerator capacity 100 litres (3.5 cu.ft)
- Net freezer capacity 17 litres (0.6 cu.ft)
- 24 Hr freezing capacity 2kg
- Climate class N/ST
- Energy efficiency class A+
- Glass shelf
- Salad crisper
- 2 Door shelves
- 1 Egg rack
- Reversible door
- Housing dimensions:
 - Height mm 820÷870
 - Width mm 600
 - Depth mm 550



A+ Class



HBFUP 130K

- Built-under freezer
- Freezer rating
- Total gross capacity 103 litres (3.6 cu.ft)
- Net freezer capacity 97 litres (3.4 cu.ft)
- 24 Hr freezing capacity 5kg
- Climate class N/ST
- Energy efficiency class A+
- Reversible door
- Manual defrosting
- On-off - green light
- Freezer warning - red light
- Housing dimensions:
 - Height mm 820÷870
 - Width mm 600
 - Depth mm 550



A+ Class



MODEL	HOF 75 LVX/RVX	HOA 96VX	HOA 65VX/VW/VB	HOA 54VX
Product description	Multi-function Flexi cavity	Pyrolytic Multi-function Single oven	Multi-function Flexi cavity	Pyrolytic Multi-function Single oven
Functions	15 Functions	17 Functions	15 Functions	10 Functions
Cleaning System	Standard	Pyrolytic	Standard	Pyrolytic
Finish	Stainless Steel	Stainless Steel	Stainless Steel, Black, White	Stainless Steel
Main characteristics				
Door	Side opening	Drop down	Drop down	Drop down
Internal lighting system	LED Vision	LED Vision	LED Vision	LED Vision
Cooking programme type	Touch control - LCD	Touch control - LCD	Touch control - LCD	LCD
Divider shelf	•	•	•	-
Preset function	•	•	•	•
Fan cooling	•	•	•	•
High insulation inner door glass	-	•	-	•
Grill	•	•	•	•
Rotisserie motorized	-	•	-	•
Shelves	2	2	2	2
Telescopic shelves	1	-	1	-
Chrome side grills	-	-	•	-
Pan 35 mm	•	•	•	•
Pan 15 mm	•	•	•	•
Teflon tray	•	-	•	-
Technical data				
Volume (litres)	73	73	78	73
Maximum temperature in °C	240	240	240	240
Energy efficiency classification	A	A	A	A
Cooking fans	Dual	Dual	Dual	Single
Pro Technology	•	•	-	•
Energy consumption conventional (kWh)	0.80	0.80	0.80	0.80
Energy consumption fan convection (kWh)	0.90	0.90	0.90	0.90
Maximum absorbed power (kW)	2.25	3.35	2.25	3.35
Width of cavity (mm)	560	560	560	560
Height of cavity (mm)	590	590	590	590

HOF 75LVX, RVX


HOA 96VX

HOA 65VX, VW, VB

HOA 54VX

HOA 03VX

HOA 2VX






Ovens



MODEL	HOA 03 VX	HOA 2VX	HO 445VX	HO 423VX/VW/VB
Product description	Multi-function Single oven	Multi-function Single oven	Multi-function Single oven	Fan Single oven
Functions	10 Functions	8 Functions	5 Functions	3 Functions
Cleaning System	Standard	Standard	Standard	Standard
Finish	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Main characteristics				
Door	Drop down	Drop down	Drop down	Drop down
Internal lighting system	LED Vision	LED Vision	LED Vision	LED Vision
Cooking programme type	LCD	Touch Control - LED	Touch Control - LED	Touch Control - LED
Preset function	•	•	-	-
Fan cooling	•	•	•	•
High insulation inner door glass	-	-	-	-
Grill	•	•	•	•
Rotisserie motorized	-	-	-	-
Shelves	2	2	2	2
Telescopic shelves	1	1	-	-
Chrome side grills	•	•	-	-
Pan 35 mm	•	•	•	•
Pan 15 mm	•	•	-	-
Teflon tray	-	-	-	-
Technical data				
Volume (litres)	78	78	69	65
Maximum temperature in °C	240	240	245	245
Energy efficiency classification	A	A	A	A
Cooking fan	Single	Single	Single	Single
Pro Technology	-	-	-	-
Energy consumption conventional (kWh)	0.80	0.80	0.80	0.80
Energy consumption fan convection (kWh)	0.90	0.90	0.90	0.90
Maximum absorbed power (kW)	2.25	2.25	2.1	2.1
Width of cavity (mm)	560	560	560	560
Height of cavity (mm)	590	590	585	585



HO 445 VX

HO 423VX, VW, VB




OVENS



MODEL	HOC 709X/BX		
Product description	Multi-function Single oven		
Functions	7 Functions		
Cleaning System	Standard		
Finish	Stainless Steel/ Black & Stainless		
Main characteristics			
Door	Drop down		
Internal lighting system	Light		
Cooking programme type	Touch Control - LED		
Preset function	•		
Fan cooling	•		
High insulation inner door glass	-		
Grill	•		
Rotisserie motorized	-		
Shelves	2		
Telescopic shelves	-		
Chrome side grills	-		
Pan 35 mm	•		
Pan 15 mm	-		
Teflon tray	-		
Technical data			
Volume (litres)	65		
Maximum temperature in °C	245		
Energy efficiency classification	A		
Cooking fan	Single		
Pro Technology	-		
Energy consumption conventional (kWh)	0.80		
Energy consumption fan convection (kWh)	0.90		
Maximum absorbed power (kW)	2.1		
Width of cavity (mm)	560		
Height of cavity (mm)	585		

HOC 709X, BX






OVENS




MODEL	HDO 909X/NX	HDO 707X/NX
Product description	Double Multifunction	Double Multifunction
	Built in	Built under
	X/NX	X/NX
Functions	5/4	5/4
Cleaning System	Standard	Standard
Finish	Stainless Steel/ Black & Stainless	Stainless Steel/ Black & Stainless
Main characteristics		
Door	Drop down	Drop down
Internal lighting system	Standard	Standard
Cooking programme type	Touch Control - LED	Touch Control - LED
Preset function	•	•
Fan cooling	•	•
High insulation inner door glass	-	-
Grill	•	•
Rotisserie motorized	-	-
Shelves	2/1	2/1
Telescopic shelves	•	•
Side chrome shelf runners	-	-
Pan 35 mm	•	•
Pan 15 mm	-	-
Teflon tray	•	•
Technical data		
Volume (litres)	54 /39	39 /39
Maximum temperature in °C		
Energy efficiency classification	A/A	A/A
Cooking fan	•	•
Pro Technology	-	-
Energy consumption conventional (kWh)	0.99	0.99
Energy consumption fan convection (kWh)	0.79	0.79
Maximum absorbed power (kW)	5.09	3.87
Width of cavity (mm)	564	564
Height of cavity (mm)	878	708

HDO 909X, NX



HDO 707X, NX





MICROWAVE




MODEL	HMC 440 TX	HMBG 25 GDFN	HMB 20 GDFX
Product description	Combined microwave Oven & grill	Combined microwave Oven & grill	Combined microwave Oven & grill
Finish	Stainless Steel	Black	Stainless Steel
Main characteristics			
Programme selector	Electronic	Electronic	Electronic
Power levels	5	5	5
24 Hour clock	•	•	•
Cooking combinations	8	8	3
Grill	•	•	•
Auto menus	13	10	10
Turntable diameter	36 cm	31.5 cm	24.5 cm
End of cooking timer - 90 mins	•	•	•
Child safety lock	•	•	•
Technical data			
Volume (litres)	44	25	20
Microwave power rating (W)	900	900	800
Grill power rating (W)	1750	1000	1000
Width of cavity mm	558-568	560	560
Height of cavity mm	448-452	380	380
Depth of cavity mm	550	385	320

WARMING DRAWER

MODEL	RDCT140/1X
Pre-heating crockery function	•
Keep warm function	•
Temperature adjustable	30-80°C
Anti-slip mat	•
Illuminated on/off switch	•
Max capacity	25kg
Max absorbed power	620W
Width of cavity mm	548
Height of cavity mm	141






RDCT140/1X



HMC440TX

HMBG25GDFX

HMB20GDFX






INDUCTION AND CERAMIC HOBS




Model	HVEF 742X	HESD 4	HPI 430	HPI 430BLA/1	HVE 642
Product description	75 cm Hi-light	60 cm Flexi Induction	60 cm Induction	60cm Induction	60 cm Hi-light
Finish	Stainless Steel	Black	Black	Black	Black
Main characteristics					
Cooking zones	4 (1 double 1 extendible)	4	4	4	4 (1 double)
	190mm 1.8kW	2/3kW x2	140mm 1.2-1.5kW x 2	180mm 1.5kW x 2	155-220mm 1.0-1.2kW
	170-265mm 1.5+0.9kW	1.5/2kW x 2	230mm 2.3-2.6kW	180mm 1.8kW x 2	155mm 1.2kW
	155mm 1.2kW	Flexible Zone	220mm 2.3-3.0kW		220mm 2.5kW
	155-220mm 1.0-1.2kW	3/4kW x 2			155mm 1.2kW
Hi-light	•	-	-	-	•
Induction	-	•	•	•	-
Digital controls	•	•	•	•	•
End of cooking timer	•	•	•	•	•
Heat indicator lights	•	•	•	•	•
Technical data					
Installed electric power (kW)	7.6	7.2	7.2	3.0	7.0
Width of cavity mm	740	560	560	560	560
Depth of cavity mm	490	490	490	490	490
Width of product mm	770	590	590	590	590
Depth of product mm	520	520	520	520	520
Height of product mm	52	55	52	52	52


HVI 740 X




HESD 4



HVEF 742



HPI 430






INDUCTION AND CERAMIC HOBS




MODEL	HVD 640C	HVK 64
	60 cm	60 cm
Product description	Hi-light	Hi-light
Finish	Black	Stainless Steel
Main characteristics		
Cooking zones	4	4
Wok burner		
	155mm 1.2kW x2	155mm 1.2kW
	190mm 1.8kW	190mm 1.8kW x 2
	210mm 2.3kW	220mm 2.5kW
Hi-light	•	•
Induction	-	-
Digital controls	•	-
End of cooking timer	-	-
Heat indicator lights	•	•
Technical data		
Installed electric power (kw)	7.3	7.3
Width of cavity mm	560	560
Depth of cavity mm	490	490
Width of product mm	590	590
Depth of product mm	520	520
Height of product mm	52	52

HVE642/HVD640C




HVK 64






INDUCTION AND CERAMIC HOBS




MODEL	HF9	HF7
Product description	Ghisa gas hob	Ghisa gas hob
Finish	Cast Iron	Cast Iron
Main Characteristics		
Burners/cooking zones 3	3	4
Extra large burner 1	1	1
Medium burner	1	2
Small burner	1	1
Integrated pan stand	•	•
One touch ignition	•	•
Flame failure device	•	•
Premix burner	•	•
Illuminated controls	•	•
Technical data		
Power developed burners (kW)	6.60	9.10
Extra large burner (kW)	3	3
Medium burner (kW)	2.5	2.5 x 2
Small burner (kW)	1.1	1.1
Width of cut out mm	850	560
Depth of cut out mm	380	480
Width of product mm	900	750
Depth of product mm	400	510
Height of product mm	135	135

HF 9



HF 7





GAS HOBS



Model	HGV 75 SQCB	HGH 75 SQCX	HGH 74 SQCX	HGH 75 SQDX	HGV 64 SCB, W
	75 cm	75 cm	75 cm	75 cm	60cm
Product description	Gas	Gas	Gas	Gas	Gas
Finish	Black	Stainless Steel	Stainless Steel	Stainless Steel	Black, White
Main characteristics					
Burners/ cooking zones	5	5	4	5	4
Quadruple ring burner	-	1	1	1	-
Wok burner	-	-	-	-	1
Extra large burners	1	-	-	-	1
Rapid burners	2	2	1	2	1
Medium burners	1	1	1	1	1
Small ring burner	1	1	1	1	•
One touch ignition	•	•	•	•	•
Cast iron pan supports	•	•	•	•	-
Enamelled pan supports	-	-	-	-	•
Flame failure device	•	-	•	•	•
Technical data					
Power developed burners (kW)	11.25	11.75	8.75	11.75	7
Quadruple ring burners (kW)	-	4	4	4	-
Wok burner (kW)	-	-	-	-	-
Extra large burners (kW)	3.5	-	-	-	3.5
Rapid burners (kW)	2.5 x 2	2.5 x 2	2.5	2.5 x 2	2.5
Medium burners (kW)	1.75	1.75	1.75	1.75	1.75 x 2
Small burners (kW)	1	1	1	1	1
Width of cut-out mm	560	560	560	490	560
Depth of cut-out mm	480	480	480	560	480
Width of product mm	750	750	750	750	595
Depth of product mm	510	510	510	510	530
Height of product mm	45	35	35	35	45




HGH 75 SQCX

HGH 74 SQDX

HGH 75 SQDX

HGV 75 SQCB

HGV 64 SCB, W





GAS HOBS



Model	HGH 64 SQDX	HGH 64 SQCX	HGH 64 SC	HGL 64 SCX	HGL 64 SX
	60 cm	60 cm	60 cm	60 cm	60 cm
Product description	Gas	Gas	Gas	Gas	Gas
Finish	Stainless Steel	Stainless Steel	Stainless Steel, Black, White	Stainless Steel	Stainless Steel
Main characteristics					
Burners/cooking zones	4	4	4	4	4
Quadruple ring burner	1	1	-	-	-
Wok burner	-	-	-	-	-
Extra large burners	-	-	1	-	-
Rapid burners	1	1	1	1	1
Medium burners	1	1	1	2	2
Small ring burner	1	1	1	1	1
One touch ignition	•	•	•	•	•
Cast iron pan supports	•	•	•	•	-
Enamelled pan supports	-	-	-	-	•
Flame failure device	•	•	•	•	•
Technical data					
Power developed burners (kW)	9.25	9.25	7	7.2	7.2
Quadruple ring burners (kW)	4	4	-	-	-
Wok burner (kW)	-	-	-	-	-
Extra large burners (kW)	-	-	-	-	-
Rapid burners (kW)	2.5	2.5	2.5	2.7	2.7
Medium burners (kW)	1.75	1.75	2 x 1.75	2 x 1.75	2 x 1.75
Small burners (kW)	1	1	1	1	1
Width of cut-out mm	560	560	560	560	560
Depth of cut-out mm	480	480	480	480	480
Width of product mm	595	595	595	585	585
Depth of product mm	510	510	510	510	510
Height of product mm	35	35	35	30	30




HGH 64SQDX

HGH 64SQCX

HGH 64SC




HGL 64SX

HGL 64SCX






Model	HVSD970B	RDL 910X	HVE 93X	HMB 9685/HMB 6685	HGM91/HGM61
Type	Décor	Island decor	Glass décor	Décor	Glass decor
Colour	Black	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Motors W	210	90	250	250	130
Max air flow m ³ /h	750	400	850	850	470
Lights W	2 x 1.5	3 x 1.5	2 x 20	2 x 20	2 x 20
	LED	LED	Halogen	Halogen	Halogen
Controls	Touch control	Touch control	Electronic	Touch Control	Push button
Speeds	3	4	4	4	3
Max noise level (sound pressure) dB	-	-	57	57	57
Max noise level (sound power) dB	68	74	67	67	67
Washable metal grease filter	1	-	1	3/2	1
Charcoal filters	inc	inc	inc	inc	inc
Air outlet diameter mm	150	-	150	150	150
No return valve	•	-	•	•	•
Width cm	900	50	90	90/60	90/60
Voltage V	230-240	230-240	230-240	230-240	230-240
Frequency Hz	50	50	50	50	50hz
Dimensions					
Height mm	990	850/1250	650-1115	690-1155	635-965
Width mm	900	500	600	900/600	900/600
Depth mm	441	500	500	480	490

HVE 93X

HMB 9685X/6685X

HGM 91/HGM 61





HOODS

HSVD970B



RDL 910 X






HOODS




Model	HCT 9700X	HCT 6700X	HBP 612/1GR	HBG 60/2S	HFT 60/2X
Type	Chimney	Chimney	Integrated	Canopy	Standard
Colour	Stainless Steel	Stainless Steel	Grey	Silver	White, Black, Silver
Motors W	250	250	110	180	180
Max air flow m ³ /h	700	700	230	220	220
Lights W	2 x 20	2 x 20	2 x 28	2 x 28	2 x 28
	Halogen	Halogen	Halogen	Halogen	Halogen
Controls	Push button	Push button	Slider	Slider	Push button
Speeds	4	4	3	3	3
Max noise level (sound pressure) dB	55	55	-	51	-
Max noise level (sound power) dB	65	65	62	63	67
Washable metal grease filter	3	2	-	-	-
Charcoal filters	inc	inc	inc	inc	inc
Air outlet diameter mm	150	150	120	123	123
No return valve	•	•	•	•	•
Width cm	90	60	60	52	60
Voltage V	230-240	230-240	230-240	230-240	230-240
Frequency Hz	50	50	50	50	50
Dimensions					
Height mm	707-1039	707-1039	400	182	140
Width mm	900	600	600	520	600
Depth mm	487	487	495	258	482

HCT 9700




HCT 6700






HOODS


HBP 612/1GR



HBG 60/2S



HFT 60/2







RANGE COOKERS



Model	HGD 9395	HVD 9395
Product description	Range Cooker	Range Cooker
Finish	X/BL/IV	X/BL/IV
Main characteristics		
Oven programme type	Touch Control	Touch Control
Multi-function main oven	•	•
Conventional second oven	•	-
24 Hour clock	•	•
5 Ceramic zones	-	•
5 Gas burners	•	-
Flame failure device	•	-
Baking tray	•	•
Shelves main oven	2	2
Shelves second oven	1	1
Number of glass door panels	2	2
Additional features		
Adjustable feet	•	•
Storage compartment	•	•
Technical data		
Volume (litres) - main oven	51	51
Volume (litres) - conventional second oven	35	35
Depth mm	600	600
Width mm	900	900
Height mm	917-972	917-972
Energy efficiency classification	A/A	A/A

HGD 9395

HVD 9395





DISHWASHERS





Model	HLSI 400PW	HLSI 550GT	HFI 3015/E	HFI 550/E
Product description	60cm	60cm	60cm	slimline
	Fully integrated	Fully integrated	Fully integrated	Fully integrated
Main characteristics				
Adjustable upper basket	•	•	•	•
AISI 304 stainless steel interior	•	•	•	•
Water overflow device	•	•	-	•
Start delay	1-23 hrs	1-23 hrs	3, 6, 9 hrs	23 hrs
Self-cleaning stainless steel microfilter	•	•	•	•
Rapid programme (mins)	29	29	29	-
Half load button	•	•	•	-
3 Baskets	•	•	-	-
Powerwash	•	-	-	-
Technical data				
Number of iec place settings	15	15	15	9
Number of programmes	12	12	5	7
Wash temperatures	4	4	4	3
Aqua stop	•	•	-	•
Water consumption (litres - IEC)	10	10	12	10
Energy consumption (kW/h IEC)	1.04	1.04	1.08	0.77
Noise power db (A) (re 1 pw)	44	44/42	51	54
Energy efficiency class	A+	A+	A+	A+
Wash efficiency class	A	A	A	A
Drying efficiency class	A	A	A	A
Width of cavity mm	600	600	600	450
Depth of cavity mm	570	570	570	570
Height of cavity mm	820 - 885	820 - 885	820 - 885	820 - 885

HLSI 400PW

HLSI 550GT

HFI 3015/E

HFI 550/E






WASHING MACHINES



Model	HDB 854DN/1	HWB 814DN1	HDB 642N	HWB 2402DN1
Product description	Fully integrated digital Washer dryer	Fully integrated digital Washing machine	Fully integrated Washer dryer	Fully integrated Washing machine
Main characteristics				
Washing capacity (kg)	8	8	6	6
Drying capacity (kg)	5	-	4	-
Wash programmes	12	12	16	12
Digital display	•	•	-	-
Start delay	up to 24hrs	up to 24hrs	up to 9 hrs	up to 9 hrs
Drying programmes	2	-	2	-
14 Minute rapid programme	•	•	-	-
29 Minute wash programme	-	-	-	-
30 Minute wash programme	•	•	•	•
44 Minute wash programme	•	•	•	•
Spin speed (rpm)	1400	1400	1200	1200
Stainless steel drum	•	•	•	•
Automatic variable capacity	•	•	-	-
Drying time selector	•	-	•	-
Extra rinse button	•	-	-	-
Sensitive care button	•	-	•	•
Stainbuster button	•	•	•	-
High dry button	•	-	-	-
Cold fill only	•	•	•	•
Adjustable feet	•	•	•	•
Technical data				
Energy efficiency class	A	A+	B	A+
Wash efficiency class	A	A	A	A
Spin efficiency class	A	A	B	B
Total water consumption	115 (wash & dry)	48	110 (wash & dry)	41
Voltage V	230	230	230	230
Annual water consumption	12000 wash only	10500	9800 wash only	8900
Annual energy consumption 60° full load kW/h	204 wash only	252	208 wash only	196
Consumption kW/h cycle 60° full load	5.44 (wash & dry)	1.43 (wash)	4.85 (wash & dry)	1.05 (wash)
Moisture content after max spin	44%	44%	53%	53%
Noise level spin db(A)	76	76	-	77
Noise level wash db(A)	58	58	-	58
Width of cavity mm	600	600	600	600
Depth of cavity mm	570	570	570	570
Height of cavity mm	825	825	825	825



HDB 854DN/1

HWB 814DN1

HDB 642N

HWB 2402DN1




REFRIGERATION




Model	HFFBP 3050K	HBCP 3150K	HBCP 3050K
	Integrated	Integrated	Integrated
	Frost free	Fridge	Fridge
Product description	Fridge	Freezer	Freezer
	Freezer		
Freezer rating			
Main characteristics			
Rapid freeze indicator light	-	-	-
Appliance operating light	-	-	-
Alarm indicator light	-	-	-
Adjustable thermostat	•	•	•
Transparent crisper drawers	•	•	•
Crisper	•	•	•
Glass shelves fridge/freezer	3/-	3/-	3/-
Wire shelves freezer	-	-	-
Reversible door(s)	•	•	•
Number of compressors	1	1	1
Technical data			
Total gross capacity (litres)	242	261	249
Net refrigerator capacity (litres)	156	203	156
Net freezer capacity (litres)	78	60	86
24 Hour freezing capacity (kg)	4	3	3
Climatic class	SN/ST	ST	ST
Automatic defrosting	•	-	-
Manual defrosting	-	•	•
Rising time (h)	11	16	15
Annual consumption (kW/h)	294	283	283
Energy efficiency class	A+	A+	A+
Noise level db (A) (re 1 pw)	47	43	43
Product width mm	540	540	540
Product depth mm	535	535	535
Product height mm	1770	1772	1770

HFFBP 3050K / HBCP 3050K



HBCP 3150K






REFRIGERATION



Model	HBOP 3780K	HBRUP 160K	HBRUP 164K	HBFUP 130K
	Tall refrigerator with ice box	Built-under Larder	Built-under Refrigerator with ice box	Built-under Freezer
Product description		Fridge		
Freezer rating				
Main characteristics				
Rapid freeze indicator light	-	-	-	•
Appliance operating light	-	-	-	•
Alarm indicator light	-	-	-	•
Adjustable thermostat	•	•	•	•
Transparent crisper drawers	•	-	•	-
Crisper	•	•	•	•
Glass shelves fridge/freezer	4/-	2/-	3/-	-/-
Wire shelves freezer	-	-	-	-
Reversible door(s)	•	•	•	-
Number of compressors	1	1	1	1
Technical data				
Total gross capacity (litres)	306	135	119	103
Net refrigerator capacity (litres)	254	133	100	-
Net freezer capacity (litres)	40	-	17	97
24 Hour freezing capacity (kg)	2	-	2	5
Climatic class (1)	ST	N/ST	N/ST	N/ST
Automatic defrosting	-	-	-	-
Manual defrosting	•	-	•	•
Rising time (h)	12	-	10	12
Annual consumption (kW/h) (2)	286	123	185	193
Energy efficiency class (3)	A+	A+	A+	A+
Noise level db (A) (re 1 pw)	43	43	43	43
Product width mm	540	590	540	590
Product depth mm	535	543	535	543
Product height mm	1772	820	1772	820


HBOP 3780K



HBRUP 160K

HBRUP 164K

HBFUP 130K





®

GENERATION FUTURE

Hoover Limited, New Chester Road, Bromborough, Wirral CH62 3PE
Tel: 0151 334 2781 Fax: 0151 334 9056 www.hoover.co.uk