

For the best selection of refrigeration products visit your local Liebherr authorised dealer.

Our catalogues

Find out everything you need to know about Liebherr built-in appliances in the latest catalogue. In addition our special brochures contain comprehensive information about our BioFresh and wine cabinet ranges. Available in printed format from retailers or as a PDF download from www.myliebherr.co.uk.



View topic specific websites with in-depth information about BioFresh/NoFrost and wine cabinets via the QR code.



biofresh.liebherr.com



nofrost.liebherr.com



wine.liebherr.com

Smart communication on all fronts



Media app
Download all catalogues and videos to your tablet quickly and easily for instant offline access.



BioFresh app
Useful information about perfect food storage, as well as vitamin and mineral content.



WineGuide app
A brief overview of Bordeaux wines and their producers, plus storage information.



Kitchen PhotoDesigner App
Be your own interior designer: take a photo of your kitchen, select the Liebherr model of your choice and position it into your photo by swiping the screen.



IceCrusher App
Playful fun; With just a tap, ice-cubes tumble down your screen and can be moved and crushed.



apps.home.liebherr.com

Find out which app is available for which operating system (Apple, Android etc.), and which device type.



The Liebherr-Hausgeräte YouTube channel provides interesting and helpful films showing you the functions of Liebherr refrigerators and freezers.



socialmedia.home.liebherr.com

Learn all about our current social media channels

Your local Liebherr authorised dealer will help you make the right choice of refrigeration for your lifestyle.

Subject to modification. Printed in Germany by raff mediagroup. 7942 850-03/4, 0/03.2014



Food Centres
Special 2014

Coolectric LTD, Interchange Point, Renny Park Road, Newport Pagnell, Bucks, MK16 0HA
National Salesline 08444 122655 • National Free Fax 0800 197 6591
Email sales@coolectric.co.uk • Web www.myliebherr.co.uk

LIEBHERR
Quality, Design and Innovation



Side-by-Side fridge-freezers large capacity food storage centers

Healthy food is the current trend in a modern lifestyle. Our Side-by-Side appliances are the ideal solution for giving large capacity storage for your food. They offer ample space for large food stocks with various climate zones for perfect food storage. When refrigerating large amounts of food you have a choice of refrigerators, BioFresh, Freezer, Wine climate zone and IceMakers. The exclusive design makes our Side-by-Side fridge-freezers the healthy focal point of any kitchen.

Refrigeration

A spacious refrigerator compartment with an adjustable temperature range from +3 °C to +9 °C ensures constant freshness every day.

BioFresh

At a temperature of just over 0 °C, large quantities of food, such as meat, fish, fruit, vegetables and dairy products, can be stored in the spacious BioFresh drawers significantly longer than in a conventional refrigerator compartment.

Freezing

The NoFrost freezer compartment with automatic IceMaker offers a continuous supply of ice. Food is frozen with refrigerated re-circulated air and the humidity is dissipated. This keeps the freezer compartment free of ice preventing the food from frosting over. Defrosting is no longer necessary.

Multi-temperature wine compartment

The multi-temperature wine compartment of the SBSes 7165 has two independently adjustable zones for storing wine at the exact temperature required, between +5 °C and +20 °C. Red wines, white wines and champagne can be stored together at their individual optimum drinking temperatures.





In the BioFresh compartments food retains its healthy vitamins, aroma and appetising appearance significantly longer than in a conventional fridge. Through its advanced technology the temperature is accurately kept at just above 0°C. Each drawer can be used individually and provides ideal humidity - **HydroSafes** with high humidity or **DrySafes** with low humidity - for a versatile storage solution.



The **SoftSystem** integrated in the door cushions the movement when the door is closed and ensures gentle closing even when the inside of the door is fully loaded. The door automatically closes from an angle of approx. 45°.



The **NoFrost** system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. This innovative technology creates a much larger storage capacity and keeps the freezer constantly frost-free, making defrosting a thing of the past. Depending on the model, the freezer compartment is fitted with LED lighting.



The precise **Premium electronics behind the door** with the innovative Touch-electronic control concept means that the selected temperatures are maintained to the exact degree. All the functions can be simply and conveniently operated in the LCD display with the touch of a finger on the Touch-electronic panel.



The Side-by-Side fridge-freezer SBSes 7165 with six different climate zones offers a range of innovative solutions. The **wine compartment** has two independently adjustable zones for storing wine at the exact temperature required, between +5°C and +20°C.



The models of the PremiumPlus range are characterised by **two LED light columns** integrated in the compartment. Both sides of the light columns house several LEDs, giving even illumination across the entire refrigerator compartment.



The **IceMaker** provides you with perfect ice cubes for every occasion. Whether for a cool drink or a big party – there will always be enough ice cubes. The IceMaker, which you can switch off at any time, automatically keeps your supplies topped up.



All Side-by-Side models have stainless steel doors with a **SmartSteel** surface. SmartSteel significantly reduces the visibility of finger marks and thanks to the high-quality finish of the stainless steel, is very easy-to-clean and far more scratch-resistant.

SBSes 8283 with BioFresh-Plus and IceCenter

The impressive Side-by-Side fridge-freezer SBSes 8283 has four different climate zones. Firstly, a spacious refrigerator compartment with integrated LED light columns. Secondly, the BioFresh compartment allows fruit, vegetables, meat and dairy products to stay fresher for significantly longer than in the refrigerator compartment. Thirdly, with the BioFresh-Plus technology,

the temperature in the upper BioFresh drawer can be reduced to -2 °C for the perfect storage of fish or set to +6 °C for tropical fruits. And finally, in the freezer compartment the NoFrost technology provides frost free freezing for the safe long term storage of food; making defrosting a thing of the past. The integrated IceCenter ensures a ready supply of ice cubes, crushed ice and chilled water.



The ideal storage temperature for fish and seafood is just below freezing. The BioFresh-Plus technology provides greater flexibility and control. With its independent electronic control system the temperature in the top compartment can be adjusted to -2 °C, this together with the **DrySafe** setting makes the ideal environment for keeping fish and seafood for longer.



With **BioFresh-Plus**, even temperature sensitive tropical fruits can be kept fresh for longer. They are perfectly stored at +6 °C and high humidity. The BioFresh-Plus drawers are illuminated with **LED technology**, mounted on high-quality **telescopic rails** and can be effortlessly extended to provide a perfect view and ideal storage conditions.

Side-by-Side fridge-freezer

Net capacity Fridge compartment
including BioFresh compartment
Freezer compartment

Energy efficiency class

Energy consumption in 365 days/24 h

Climate rating

Exterior dimensions in cm (h/w/d)

Adjustable cooling circuits

Door


Side walls

Type of control

Position

Control

SBSes 8283 PremiumPlus



354 litre

110 litre

237 litre

<A++>

489/1.338 kWh

SN-T

185.2/121/63

2

Stainless steel with SmartSteel

Stainless steel

LCD display

in the door

Touch-electronic



The **IceCenter** is a highlight for any kitchen, supplying ice cubes, crushed ice and chilled water, the IceCenter provides a myriad of options for serving cool drinks. The ice cubes and water are dispensed using the contact sensitive paddles, which are lit by LED light either when in operation or optionally on a permanent basis.

interior
innovation
award
2013
Winner

BioFresh – the healthy option

Food stored in BioFresh drawers is demonstrably healthier, making a significant contribution to a healthy diet. Two studies conducted by renowned research institutes* recently confirmed this. Their conclusion: food quality benefits markedly from BioFresh technology.

What are the food freshness benefits of storing food in a BioFresh drawer, compared with storage in a conventional vegetable compartment? This was the question studied by the Lake Constance Research Centre for Fruit Cultivation and the German Research Institute for Nutrition: the results speak clearly in favour of BioFresh from Liebherr. The vitamin C values alone were on average 92 % higher. Some foods even showed an increase in the vitamin C content. Weight retention during storage was increased by 68.3 % on average and wastage in preparation was also significantly reduced.

	Apples	Asparagus	Peppers	Broccoli	Carrots	Grapes	Lettuce	Average
Vitamin C (after 15 days)								
HydroSafe	100.3%	78.2%	161.6%	88.3%	82.9%	134.4%	26.6%	104.4%
Vegetable comp.	92.9%	65%	154.2%	21.5%	32.4%	116.7%	21.9%	72.8%
Difference	8%	20%	5%	310%	156%	15%	21%	92%
Weight (after 15 days)								
HydroSafe	-0.6%	-4.8%	-1.7%	-3.8%	-9%	-0.6%	-3.1%	-3.1%
Vegetable comp.	-1.1%	-4.5%	-2.8%	-5.6%	-12.8%	-1.7%	-5.9%	-4.6%
Difference	105%	6%	63%	49%	43%	170%	91%	68.3%
Storage life (in days)								
HydroSafe	80	18	30	13	80	29	13	
Vegetable comp.	50	10	17	5	50	12	5	
Difference	30	8	13	8	30	17	8	

*Sources: Lake Constance Research Centre for Fruit Cultivation (KOB): "Influence of different climate zones in refrigerators on the quality of fruit and vegetables"; German Federal Research Centre for Nutrition (BFE): "Investigation into retaining the quality of fresh fruit and vegetables", 2003.



Lasting freshness with BioFresh

Nutritionists recommend one simple recipe for fitness and well-being: a healthy diet. Nature offers a whole range of vital vitamins, minerals and carbohydrates to give you energy, stamina and to put you in a good mood. However, the right temperature and ideal humidity conditions are essential if food is to retain its healthy properties and delicate flavours for as long as possible. Our BioFresh technology gives your healthy diet a boost by keeping your food fresher for longer.



Scan the code with your Smartphone to find out more about BioFresh.

biofresh.liebherr.com



Cheese + 100 days



Carrots + 30 days



Asparagus + 8 days



Lettuce + 8 days



Grapes + 17 days



Salami + 100 days



Prawns + 1 day



Raspberries + 2 days



Artichokes + 7 days

This information relates to storage in a BioFresh compartment compared with a traditional refrigerator compartment.

Six climate zones in one appliance: SBSes 7165

The Side-by-Side fridge-freezer SBSes 7165 with six different climate zones boasts an array of innovative solutions. The multi-temperature wine compartment has two independently adjustable zones for storing wine at the exact temperature required, ranging from +5 °C to +20 °C. The NoFrost freezer compartment with automatic IceMaker provides professional freezing technology for long-term freshness, while a spacious fridge compartment keeps

food fresh on a day-to-day basis. In the BioFresh compartment, fruit, vegetables, meat and dairy products stay fresh for significantly longer at around 0 °C. And thanks to BioFresh-Plus technology, the temperature in the upper BioFresh compartment can be lowered to an ideal -2 °C for storing fish, or set to +6 °C for exotic fruits. In short, the climate zones, refrigeration, BioFresh, freezing and wine, guarantee the optimal storage temperature for an array of produce.



You can choose to store red or white wine and champagne together or separately at their optimal drinking temperature in one and the same appliance. The tinted glazed door with UV protection makes an attractive focal point of your wine stock. For presentation, the **LED interior light** can be individually adjusted and has a continuous dimmer function. Since any heat generated by the LEDs is minimal, wines can be presented bathed in light for a longer period. The wooden shelves are mounted on **telescopic rails** and are foldable in some cases.



The **IceMaker** provides you with perfect ice cubes for every occasion. Whether for a cool drink or a big party – there will always be enough ice cubes. The IceMaker, which you can switch off at any time, automatically keeps your supplies topped up.



Side-by-Side fridge-freezer

Net capacity	Fridge compartment
	including BioFresh compartment
	including wine compartment
	Freezer compartment
Energy efficiency class	
Energy consumption in 365 days/24 h	
Climate rating	
Exterior dimensions in cm (h/w/d)	
Adjustable cooling circuits	
Door	
Side walls	
Type of control	
Position	
Control	

SBSes 7165 PremiumPlus



483 litre
111 litre
128 litre (Max. 41 Bordeaux bottles 0.75 Ltr.)
119 litre
<A++>
444/1.214 kWh
SN-ST
185.2/121/63
4
Stainless steel with SmartSteel
Stainless steel
MagicEye with digital temperature display
behind the door
Touch-electronic



The **BioFresh-Plus** drawers are **illuminated by LED technology** for an optimal overview of the stored contents. They are also mounted on smooth-running telescopic rails and can be pulled out and removed at a door opening angle of just 90°.

SBSes 7353: The Side-by-Side fridge-freezer with extra large BioFresh compartment

Apart from a spacious refrigerator compartment, the Side-by-Side fridge-freezer SBSes 7353 also offers two large BioFresh drawers. Foods such as fruit, vegetables, meat, fish and dairy products stay fresher significantly longer in the BioFresh compartment compared to the conventional

refrigerator compartment. The NoFrost freezer technology provides frost free freezing for the safe long term storage of food, making defrosting a thing of the past; with its automatic IceMaker providing a plentiful supply of ice for any occasion.



The **BioFresh drawers** provide the perfect climate for lasting food freshness. At a temperature of just over 0°C and ideal humidity, fruit and vegetables, meat and fish retain their healthy vitamins, their delicate aroma and their appetising appearance significantly longer than in a conventional refrigerator compartment.



For storage of drinks, the **bottle shelf** offers a practical and elegant solution. Up to five bottles can be stored in this space-saving way.



Side-by-Side fridge-freezer		SBSes 7353 Premium
		<div> <div>Bio Fresh</div> <div>No Frost</div> <div>A++</div> <div>Ice Maker</div> <div>Home Diagnosis ready</div> <div>Smart Steel</div> </div>
Net capacity	Fridge compartment	548 litre
	including BioFresh compartment	157 litre
	Freezer compartment	119 litre
Energy efficiency class		<A++A ¹
Energy consumption in 365 days/24 h		387/1.060 kWh ¹
Climate rating		SN-T
Exterior dimensions in cm (h/w/d)		185.2/121/63 ¹
Adjustable cooling circuits		3
Door		Stainless steel with SmartSteel
Side walls		Stainless steel
Type of control		MagicEye with digital temperature display
Position		behind the door
Control		Touch-electronic



The **IceMaker** provides you with perfect ice cubes for every occasion. Whether for a cool drink or a big party – there will always be enough ice cubes. The IceMaker with fixed water connection, which you can switch off at any time, automatically keeps your supplies topped up.

¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

13

Innovative refrigeration technology with three temperature zones: SBSes 7253

With the eight drawer NoFrost freezer compartment, the Side-by-Side fridge-freezer SBSes 7253 gives you an extra-large capacity for freezing your food. In addition to improved freshness in the fridge compartment, foods such as fruit, vegetables, meat, fish and dairy products have the perfect climate in the BioFresh drawers.



The elegant, precise **MagicEye control** with the innovative Touch control concept ensures that the selected temperatures are maintained to the exact degree. All the functions can be simply and conveniently operated at the touch of a finger on the control panel. The freezer compartment has an **LED light strip** integrated in the electronic panel. This ensures optimum illumination of the pull-out drawers with a transparent front – for an even better view of the stored food.



A further innovative detail is the **bottle shelf** allowing for versatile storage. You can use the glass shelf as an additional storage area or the integrated bottle shelf conveniently stored underneath it, just as you prefer.

Side-by-Side fridge-freezer		SBSes 7253 Premium
		<div> <div>Bio Fresh</div> <div>No Frost</div> <div>A++</div> <div>Home Dialog ready</div> <div>Smart Steel</div> </div>
Net capacity	Fridge compartment	364 litre
	including BioFresh compartment	117 litre
	Freezer compartment	261 litre
Energy efficiency class		<div> <div><A++</div> <div>A+</div> <div>A</div> <div>A-</div> <div>B</div> <div>C</div> <div>D</div> <div>E</div> <div>F</div> <div>G</div> </div> ¹
Energy consumption in 365 days/24 h		381/1.042 kWh ¹
Climate rating		SN-T
Exterior dimensions in cm (h/w/d)		185.2/121/63 ¹
Adjustable cooling circuits		2
Door		Stainless steel with SmartSteel
Side walls		Stainless steel
Type of control		MagicEye with digital temperature display
Position		behind the door
Control		Touch-electronic



The **NoFrost** system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. This innovative technology creates a much larger storage capacity and keeps the freezer constantly frost-free, making defrosting a thing of the past.


¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.



Side-by-Side fridge-freezer with two temperature zones: SBSesf 7212

With the eight drawer NoFrost freezer compartment, the Side-by-Side fridge-freezer SBSesf 7212 gives you an extra-large capacity for freezing your food. In addition to improved freshness in the fridge compartment, the transparent vegetable bins provide a clear view of the stored food and slide out

effortlessly on the roller system. The NoFrost system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. This innovative technology creates a much larger storage capacity and keeps the freezer constantly frost-free, making defrosting a thing of the past.



Models in the Comfort range now feature **Comfort GlassLine**: high quality glass shelving for the door interior. Comfort GlassLine comprises a robust satin-finished safety glass shelf, railings and an elegant plastic surround. The can/bottle racks have an adjustable holder for secure storage.



The elegant and precise **MagicEye control** with its visual temperature display lets you keep the temperature at exactly the level you select. The clear arrangement of the function buttons makes for easy and convenient use. The **LED ceiling light** creates a high-class lighting ambience within the refrigerator. Its beautifully designed, space-efficient housing is centrally positioned to provide even illumination.

Side-by-Side fridge-freezer

SBSesf 7212 Comfort



Net capacity	Fridge compartment
	Freezer compartment

390 litre
261 litre

Energy efficiency class
Energy consumption in 365 days / 24 h
Climate rating
Exterior dimensions in cm (h/w/d)
Adjustable cooling circuits
Door
Side walls

A+ A
485 / 1.327 kWh
SN-T
185.2 / 121 / 63
2
Stainless steel with SmartSteel
Silver

Type of control
Position
Control

MagicEye with LED temperature display
behind the door
buttons



SmartSteel significantly reduces the visibility of finger marks and thanks to the high-quality finish of the stainless steel, is very easy-to-clean and far more scratch-resistant.

Frenchdoor fridge-freezer with BioFresh and NoFrost: CBNes 6256


The Food Storage Centre CBNes 6256 with its elegant Frenchdoor concept is a focal point in any kitchen, open or closed. The interior presents a host of innovative ideas. Take the LED interior light and the automatic IceMaker with fixed water connection in the freezer compartment, for example. Or the two BioFresh drawers, which keep food fresh for significantly longer. Accurate and

independent temperature control of the fridge and freezer compartments is ensured by DuoCooling: two separately adjustable cooling circuits. There is no air exchange between the refrigerator and freezer compartment, so that odours cannot be transferred and the stored food is prevented from drying out.



Both **BioFresh drawers** are mounted on **telescopic rails** which extend effortlessly providing a full view of your food, which is easily accessible. The lateral **LED light spots** ensure perfect illumination of the drawers. The versatile glass/bottle shelf can be used depending on your personal preference. The glass on top gives you shelf space, and the glass underneath gives you bottle space.

Our professional **NoFrost technology** makes defrosting a thing of the past. The CBNes 6256 NoFrost food centre is a highly energy efficient A++ rated appliance. The **two pull-out freezer drawers** are mounted on high-quality **telescopic rails** and can be effortlessly extended to provide a perfect view and ideal storage conditions.



Frenchdoor fridge-freezer with BioFresh and NoFrost

CBNes 6256 PremiumPlus



Net capacity	Fridge compartment
	including BioFresh compartment
	Freezer compartment

364 litre
69 litre
116 litre

Energy efficiency class
Energy consumption in 365 days/24 h
Climate rating
Exterior dimensions in cm (h/w/d)
Adjustable cooling circuits
Door
Side walls
Type of control
Position
Control

<A++>
325/0.890 kWh
SN-T
203.9/91/61.5
2 - DuoCooling
Stainless steel
Stainless steel
MagicEye with digital temperature display
behind the door
Touch-electronic



The **SoftSystem** ensures that the door closes gently even when fully loaded. The door automatically closes from an opening angle of approximately 45 °.

Extra-wide BioFresh food storage centre:
ECBN 6156

The new 91-cm-wide, built-in BioFresh fridge-freezer EBCN 6156 PremiumPlus (net capacity 480 litres) is a real eyecatcher! Available with door-on-door installation that gives customised integration into kitchen design, and two freezer drawers that easily extend on premium-quality telescopic rails, this built-in masterpiece is a design highlight for any kitchen. The large

refrigerator compartment and adjacently arranged BioFresh drawers, together with the NoFrost freezer compartment offer optimum storage for all types of food. The integral IceMaker supplies ice cubes for every occasion, whilst the integrated water filter ensures optimum ice quality.



The innovative **electronic controls** ensure that the selected temperature is accurately maintained. Thanks to the ingenious touch interface, all functions can be set with ease. The temperature in the refrigeration and freezer compartments can be read from the MagicEye digital display on the LCD. The PremiumPlus interior features **LED light columns** integrated on either side of the compartment liner.



The professional **NoFrost technology** from Liebherr makes defrosting a thing of the past. The **IceMaker** with fixed water connection provides you with a constant supply of ice cubes for every occasion. The two **pull-out freezer drawers** are mounted on high-quality **telescopic rails** and can be effortlessly extended to provide a perfect view and ideal storage conditions.




ECBN 6156 617 with left hand hinge

Stainless steel panels are not included. This appliance must be bracketed to the wall/floor.

Fridge-freezer for integrated use with BioFresh and NoFrost

Door assembly	
Net capacity	Fridge compartment including BioFresh compartment Freezer compartment
Energy efficiency class	
Energy consumption in 365 days/24 h	
Climate rating	
Aperture dimensions in cm (h/w/d)	
Adjustable cooling circuits	
Type of control	
Position	
Control	
Door hinges fixed	

ECBN 6156 PremiumPlus

Door-on-Door / for integrated use
364 litre
69 litre
116 litre

414 / 1.134 kWh
SN-T
203.2 / 91.5 / at least 62.5
2 - DuoCooling
MagicEye with digital temperature display behind the door
Touch-electronic
001: right door hinges / 617: left door hinges



BioFresh drawers provide the perfect storage climate for you to enjoy long-lasting freshness. When stored at a temperature slightly above 0 °C and at the correct humidity level, fruit and vegetables, meat, fish and dairy products all retain their vitamin content, delicate flavour and appetising appearance for significantly longer than in a standard refrigerator.

The new innovative food storage centre: ECBN 5066

The 76-cm-wide ECBN 5066 food centre creates a stunning visual impact in any kitchen environment. As the doors open, the interior also reveals a host of innovative ideas, LED lighting, BioFresh drawers mounted on telescopic rails, together with the NoFrost

freezer compartment offers optimum storage for all food types. The integral IceMaker supplies ice for every occasion, whilst the integrated water filter ensures optimum ice quality.



BioFresh drawers provide the perfect storage climate for you to enjoy long-lasting freshness. When stored at a temperature slightly above 0 °C and at the correct humidity level, fruit and vegetables, meat, fish and dairy products all retain their vitamin content, delicate flavour and appetising appearance for significantly longer than in a standard refrigerator. The DrySafe, with a low humidity level, is ideal for storing meat, fish and milk products.



ECBN 5066 comes with an LED lighting column, which incorporates multiple LEDs to evenly illuminate the appliance interior. A special satin-finish on the light cover creates an appealing and sophisticated lighting effect. The lighting column also facilitates the variable positioning of the glass shelves. On opening the appliance the light intensity increases softly creating a very pleasing effect.

GOOD
DESIGN

<div> <div>Fridge-freezer for integrated use with BioFresh and NoFrost</div> <div> <div> <div>76</div> <div>203</div> </div> <div> <div>ECBN 5066 PremiumPlus</div> <div> <div>Bio Fresh</div> <div>No Frost</div> <div>A++</div> <div>Duo Cooling</div> <div>Ice Maker</div> <div>Smart Tech</div> </div> </div> </div> </div>	
Door assembly	Door-on-Door / for integrated use
Net capacity	284 litre
	61 litre
	103 litre
Energy efficiency class	<A+
Energy consumption in 365 days/24 h	290/0.792 kWh
Climate rating	SN-T
Aperture dimensions in cm (h/w/d)	203.2/76.2/at least 61
Adjustable cooling circuits	2 - DuoCooling
Type of control	MagicEye with digital temperature display
Position	behind the door
Control	Touch-electronic
Door hinges fixed	001: right door hinges / 617: left door hinges



The NoFrost system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. This innovative technology creates a much larger storage capacity and keeps the freezer constantly frost-free, making defrosting a thing of the past.

ECBN 5066 617 with left hand hinge
This appliance must be bracketed to the wall/floor.

When operating without water filter, the water pressure must be between 1.5 to 6.0 bar, with water filter between 2.8 to 6.2 bar.



Side-by-Side fridge-freezers

Energy efficiency class
Energy consumption in 365 days/24 h ¹
Total net capacity
Fridge compartment
Including BioFresh compartment
Including Wine storage compartment
Freezer compartment
Star coding ⁴
Storage time during malfunctions
Freezing capacity in 24 hours
Temperature zones
Climate rating ⁵
Sound power level
Voltage/Connected load
Fridge compartment
Defrosting
Interior light
BioFresh-Safes
BioFresh-Plus, adjustable
BioFresh light
Fruit and vegetable bins on telescopic rails
Bottle shelf
GlassLine Door interior
VarioBoxes
Freezer compartment
NoFrost
Defrosting
Interior light
Cold storage accumulators
IceMaker / IceCenter ⁶
Ice cube capacity in 24 hours
Ice cube stock
FrostSafe
Dimensions
Height/Width
Depth incl. distance from wall
Features
Interface
SoftSystem / SmartSteel
Design

SBSes 8283 PremiumPlus	SBSes 7165 PremiumPlus	SBSes 7353 Premium	SBSes 7263 Premium	SBSes 7253 Premium
<A>A	<A>A	<A>A ²	<A>A ²	<A>A ²
489/1.338 kWh	444/1.214 kWh	387/1.060 kWh ²	460/1.258 kWh ²	381/1.042 kWh ²
591 litre	602 litre	667 litre	620 litre	625 litre
354 litre	483 litre	548 litre	364 litre	364 litre
110 litre	111 litre	157 litre	117 litre	117 litre
237 litre	128 litre (Max. 41 Bordeaux bottles 0.75 Ltr.) ³	119 litre	256 litre	261 litre
★★★★	★★★★	★★★★	★★★★	★★★★
43 h	31 h	31 h	43 h	43 h
18 kg	16 kg	16 kg	18 kg	20 kg
4	6	3	3	3
SN-T	SN-ST	SN-T	SN-T	SN-T
42 dB(A)	42 dB(A)	40 dB(A)	43 dB(A)	43 dB(A)
220-240V~/2.5 A	220-240V~/2.6 A	220-240V~/2.6 A	220-240V~/2.5 A	220-240V~/2.5 A
Automatic	Automatic	Automatic	Automatic	Automatic
LED-light columns	LED-light columns	LED	LED	LED
3	3	2	3	3
•	•			
LED	LED	LED		
		2		
for variable use	for variable use	Bottle shelf, champagne shelf	for variable use	for variable use
Premium	Premium	Premium	Premium	Premium
•	•	•	•	•
NoFrost	NoFrost	NoFrost	NoFrost	NoFrost
Automatic	Automatic	Automatic	Automatic	Automatic
LED			LED	LED
2	2	2	2	2
– / fix. water connection 3/4"	fix. water connection 3/4" / –	fix. water connection 3/4" / –	fix. water connection 3/4" / –	
0.8 kg	0.8 kg	0.8 kg	0.8 kg	
1.5 kg	1.5 kg	1.5 kg	1.5 kg	
•	•	•	•	•
185.2/121 cm	185.2/121 cm	185.2/121 cm	185.2/121 cm	185.2/121 cm
63 cm	63 cm	63 cm ²	63 cm ²	63 cm ²
HomeDialog-ready	HomeDialog-ready	HomeDialog-ready	HomeDialog-ready	HomeDialog-ready
• / •	• / •	– / •	– / •	– / •
SwingLine	SwingLine	SwingLine	SwingLine	SwingLine

¹ Commission Delegated Regulation (EU) No 1060/2010
³ DIN norm bordeaux bottles NF H 35-124 (H: 300.5 mm, Ø 76.1 mm)

² To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

⁴ ★★★★★ freezer compartment with -18 °C or colder
⁵ Climate Ratings: SN +10 °C to +32 °C N +16 °C to +32 °C
ST +16 °C to +38 °C T +16 °C to +43 °C

⁶ IceMaker / IceCenter– automatic ice-cube maker (can be switched off) with fixed water connection 3/4" and solenoid valve (needs to be plumbed in)



Side-by-Side and Frenchdoor fridge-freezers

Energy efficiency class
Energy consumption in 365 days/24 h ¹
Total net capacity
Fridge compartment
Including BioFresh compartment
Freezer compartment
Star coding ³
Storage time during malfunctions
Freezing capacity in 24 hours
Temperature zones
Climate rating ⁴
Sound power level
Voltage/Connected load
Fridge compartment
Defrosting
Interior light
BioFresh-Safes/BioFresh light
Fruit and vegetable bins on telescopic rails
Bottle shelf
GlassLine Door interior
VarioBoxes
Freezer compartment
NoFrost/Defrosting
Interior light
Drawers on telescopic rails
Cold storage accumulators
IceMaker ⁵
Ice cube capacity in 24 hours
Ice cube stock
FrostSafe
Type of appliance
Door assembly
Dimensions/Aperture dimensions
Height/Width
Depth incl. distance from wall
Features
Interface
SmartSteel
Design

SBSes 7252 Premium



$\langle A^{+}/A^{+} \rangle^2$
364/0.995 kWh ²
652 litre
391 litre
261 litre

43 h
20 kg
2
SN-T
43 dB(A)
220-240V~/2.5 A
Automatic
LED
2
Bottle shelf
Premium
•
NoFrost/Automatic
LED
2
•
185.2/121 cm
63 cm ²
HomeDialog-ready
•
SwingLine

SBSesf 7212 Comfort



$\langle A/A \rangle$
485/1.327 kWh
651 litre
390 litre
261 litre

24 h
20 kg
2
SN-T
43 dB(A)
220-240V~/2.1 A
Automatic
LED ceiling light
2
subsequently
Comfort
•
NoFrost/Automatic
•
185.2/121 cm
63 cm
•
SwingLine

SBSes 6352 Premium



$\langle A/A \rangle$
452/1.238 kWh
570 litre
346 litre
224 litre

43 h
18 kg
2
SN-T
43 dB(A)
220-240V~/1.7 A
Automatic
LED
1
Bottle shelf
Premium
•
NoFrost/Automatic
LED
2
•
165.5/121 cm
63 cm
HomeDialog-ready
•
SwingLine

CBNes 6256 PremiumPlus



$\langle A^{+} \rangle$
325/0.890 kWh
480 litre
364 litre
69 litre
116 litre

51 h
11 kg
3
SN-T
44 dB(A)
220-240V~/1.5 A
Automatic
LED light columns and LED ceiling light
2/LED
for variable use
Premium
NoFrost/Automatic
LED
2
fix. water connection 3/4"
1.3 kg
2.7 kg
•
203.9/91 cm
61.5 cm
HomeDialog-ready
HardLine
This appliance must be bracketed to the wall/floor

ECBN 6156 PremiumPlus



$\langle A \rangle$
414/1.134 kWh
480 litre
364 litre
69 litre
116 litre

21 h
11 kg
3
SN-T
42 dB(A)
220-240V~/1.5 A
Automatic
LED light columns and LED ceiling light
2/LED
for variable use
Premium
NoFrost/Automatic
LED
2
fix. water connection 3/4"
1.3 kg
2.7 kg
•
Door-on-Door / for integrated use
203.2/91.5 cm
at least 62.5 cm
ECBN 6156 001: right hand hinges
ECBN 6156 617: left hand hinges
This appliance must be bracketed to the wall/floor

ECBN 5066 PremiumPlus



$\langle A^{+} \rangle$
290/0.792 kWh
387 litre
284 litre
61 litre
103 litre

30 h
12 kg
3
SN-T
42 dB(A)
220-240V~/1.5 A
Automatic
LED-light columns
2/LED
for variable use
Premium
NoFrost/Automatic
LED
2
fix. water connection 3/4"
1.0 kg
2.7 kg
•
Door-on-Door / for integrated use
203.2/76.2 cm
at least 61 cm
ECBN 5066 001: right hand hinges
ECBN 5066 617: left hand hinges
This appliance must be bracketed to the wall/floor

¹ Commission Delegated Regulation (EU) No 1060/2010

² To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

³ *** freezer compartment with -18 °C or colder
⁴ Climate Ratings: SN +10 °C to +32 °C N +16 °C to +32 °C
ST +16 °C to +38 °C T +16 °C to +43 °C

⁵ IceMaker – automatic ice-cube maker (can be switched off) with fixed water connection 3/4" and solenoid valve (needs to be plumbed in)