For the best selection of refrigeration products visit your local Liebherr authorised dealer.

Our catalogues

Find out everything you need to know about Liebherr freestanding and built-in appliances in the latest catalogues. In addition our special brochures contain comprehensive information about our BioFresh and wine cabinet ranges. Available in printed format from retailers or as a PDF download from www.myliebherr.co.uk. Further information about BioFresh, NoFrost and wine cabinets may be obtained via the QR codes on the topic websites.



Smart communication on all fronts



Download all catalogues

and videos to your tablet

quickly and easily for

stant offline acces

You

Tube

Media app



BioFresh app

Useful information about

perfect food storage,

as well as vitamin and

The Liebherr-Hausgeräte YouTube channel provides

of Liebherr refrigerators and freezers.

interesting and helpful films showing you the functions



LIEBHERS



WineGuide ann A brief overview of Bordeaux wines and their producers, plus storage

Kitchen Photo Designer ann IceCrusher ann Playful fun: With just Be your own interior designer: a tap, ice-cubes tumble take a photo of your kitchen, select the Liebherr model of down your screen and your choice and position it can be moved and crushed into your photo by swiping the

> Find out which app is available for which erating system pple. Android etc.). nd which device type



View topic specific websites with in-depth information about BioFresh,

IoFrost and wine cabinets via the QR code

Learn all about our current social media channels.





Your local Liebherr authorised dealer will help you make the right choice of refrigeration for your lifestyle.



Coolectric LTD, Interchange Point, Renny Park Road, Newport Pagnell, Bucks, MK16 OHA National Salesline 08444 122655 • National Free Fax 0800 197 6591 Email sales@coolectric.co.uk • Web www.myliebherr.co.uk

BioFresh Special 2014



Enjoy healthy food with BioFresh from Liebherr









Creative cooking with family and friends is a new Since not all types of food need the same trend in modern cuisine. And nowadays enjoying temperature and humidity conditions for perfect healthy meals is easy to achieve as fresh food storage, Liebherr has come up with the additional provides all the vitamins, mineral nutrients and temperature zone, BioFresh, where many types trace elements our bodies need every day. Fresh of food can be kept fresh for much longer than food supplies energy, strengthens the immune in a traditional refrigerator compartment. This system, boosts your metabolism and can help to requires keeping the temperature accurately at put you in a good mood. The fresher the produce 0 °C combined with the ideal humidity. Fruit and is when it is prepared, the more nutritious it is. vegetables, for example, stay fresher for longer Therefore it is important not only to buy really in conditions of high humidity, while a dry fresh food, but also to ensure it is perfectly environment is ideal for storing meat, fish and stored whilst at home. dairy products. With BioFresh not only is the appearance and fresh flavour maintained but - first and foremost - the valuable vitamins and minerals are preserved significantly longer.



Scan the code with your Smartphone to find out more about BioFrest

02

Experience exceptional freshness with BioFresh

In the BioFresh compartments food retains its healthy vitamins, aroma and appetising appearance significantly longer than in a conventional fridge. Through its advanced technology the temperature is accurately kept at just above 0°C. Each drawer can be used individually and provides ideal humidity - HydroSafes with high humidity or DrySafes with low humidity - for a versatile storage solution.



Meat and dairy products

Low humidity and a temperature just above freezing point are the ideal storage conditions for meat and dairy products. BioFresh with the DrySafe setting provides just this type of climate and keeps it constant at all times.



Fruit and vegetables

Fruit and vegetables are best kept in the HydroSafe with high humidity. A precision electronic control system ensures that the temperature is maintained at just above 0°C, preventing damaging frostbite.





Fish

The ideal storage temperature for fish and seafood is at freezing point. The BioFresh Drawers enable fish to be kept fresher for longer at this temperature. For true fish enthusiasts, the new BioFresh-Plus technology provides greater flexibility and control for ideal food storage conditions. With its independent electronic control system the temperature in the top compartment can be adjusted to -2°C, this together with the DrySafe setting makes the ideal environment for keeping fish and seafood fresher for longer.

Tropical fruits

BioFresh-Plus allows temperature-sensitive tropical fruits to be kept fresh for an exceptionally long period of time. They are stored in perfect conditions at +6°C with high humidity in the upper, adjustable drawer means they retain their healthy vitamins, aroma and appetising appearance significantly longer than in a conventional fridge.

BioFresh – the healthier option

BioFresh-Plus: For added flexibility

Vitamin	Function	Source	Storage life
Vitamin A	strengthens the immune system, promotes good vision, promotes children's growth and strengthens teeth	carrots, kale, fennel, spinach, lamb's lettuce, broccoli, apricots, melon	e.g. carrots Vegetable bin: 50 days HydroSafe: 80 days
Vitamin B2	for clear and healthy skin, protects the nerve cells, is important for vision, boosts energy supply to cells	yellow peppers, kale, broccoli, avocados, mushrooms, porcini mushrooms	e.g. mushrooms Vegetable bin: 3 days HydroSafe: 7 days
Vitamin B5	promotes the growth of hair and hair pigmentation, helps to restore equanimity, wards off infection	strawberries, blackcurrants, apricots, cauliflower, broccoli	e.g. strawberries Vegetable bin: 3 days HydroSafe: 7 days
Vitamin B6	activates the immune system, supports nerve function, increases stamina, keeps muscles and connective tissue elastic and helps reduce stress	beans, spinach, potatoes, broccoli	e.g. broccoli Vegetable bin: 5 days HydroSafe: 13 days
Vitamin C	strengthens the body's defences, increases the produc- tion of collagen so maintains healthy skin, assists cell regeneration and promotes a sense of general well-being	peas, kohlrabi, artichokes, asparagus, peppers, onions, cabbage, raspberries	e.g. raspberries Vegetable bin: 1 day HydroSafe: 3 days
Vitamin E	is regarded as an anti-aging vitamin, counteracts aging processes, strengthens the immune system, hinders the formation of deposits in blood vessels	fennel, peppers, brussel sprouts, tomatoes, white beans, asparagus, lettuce	e.g. lettuce Vegetable bin: 5 days HydroSafe: 13 days
Vitamin K	promotes vitality, supports healthy bone structure, assists the optimal utilisation of carbohydrates	chicory, carrots, brussel sprouts, lettuce, cauliflower, peas, broccoli	e.g. peas Vegetable bin:7 days HydroSafe: 14 days

Fresh, healthy products give your body everything needed for vitality, stamina and a sense of all-round well-being. Fruit and vegetables with their high vitamin content make a vital contribution to a healthy diet. The right mix gives you the healthiest lifestyle – as every natural product has its own special properties and substances. Fruit and vegetables need the right environment to retain their high vitamin content; just above 0 °C in the BioFresh HydroSafe.





The BioFresh-Plus technology provides greater flexibility and control for ideal food storage conditions. With its independent electronic control system the temperature in the top compartment can be adjusted from -2°C (fish), to + 6°C (exotic fruits). Stored at the right temperature and with the ideal humidity, food in the BioFresh-Plus compartments retains its healthy vitamins, aroma and appetising appearance significantly longer than in a conventional fridge.









The new **PremiumPlus electronic LCD display** is an innovative design feature. Clear menu navigation and a Touch-electronic control system provides yet more information for tailored storage conditions. The Touch-electronic navigation ensures easy selection and use of the numerous control functions.

Hallmarks of the BioFresh models in the PremiumPlus range are two LED light columns integrated into the compartment

liner. With one on either side, there are numerous LEDs ensuring uniform illumination of the interior.





Featuring a **glass front in elegant black**, the GlassEdition appliance CBNPgb 3956 is the highlight of any kitchen. The handle is incorporated at the side of the appliance for full visual impact of the glass front and for complementing the design scheme of handle-free ktichens. The glass is scratch-resistant.

A further innovative detail is the bottle shelf allowing for versatile storage. You can use the glass shelf as an additional storage area or the

integrated bottle shelf conveniently stored underneath it, just as you prefer.







The IceMaker provides you with a constant supply of ice cubes for every occasion. Whether you fancy a cold drink or you're having a big party, the IceMaker automatically keeps your supplies topped up.

The BioFresh compartments in the PremiumPlus appliances feature LED lighting to give a perfect view of the stored food. The LED lighting is elegantly fitted in the side wall to give a flush finish.

Fridge-freezers and fridges with BioFresh Net capacity Fridge compartment including BioFresh compartment Freezer compartment Energy efficiency class Energy consumption year / 24 h Noise level Climate rating

Electronic control system Temperature display Position Control unit Fridge compartment Interior light BioFresh-Safes BioFresh-Plus, adjustable BioFresh lighting Bottle shelf GlassLine door interior VarioBox

External dimensions in cm (h / w / d) Adjustable cooling circuits

Freezer compartment

Defrosting NoFrost / SmartFrost IceMaker Ice cube capacity in 24h / Ice cube stock Ice cube tray VarioSpace

Features Interface SoftSystem Handle / with integrated opening mechanism

Door / Side walls



CBNesf 5133 Comfort Pio No A++ Doo Fresh Fresh Coaling

Comfort



UE DE

· Terri

100

CBNPes 3967 PremiumPlus Frast A++ Easting Maker from Dieleg

CBNPgb 3956 Premium Bio No A++ Dos fast Binney

3NH

STREET BALLE

5. 58

Stills.





COMPANY AND A

222 Che:

2-1 A 666 -Ultra Efficient and the second Sec. 87 12 M Smart Steel

CBNPes 3756 Premium Bio No Prest Att Casting States

CBPesf 4043 Comfort Read Freed Att Casting

306 litre	241 litre	248 litre	208 litre	205 litre
107 litre	81 litre	86 litre	67 litre	67 litre
115 litre	85 litre	89 litre	89 litre	87 litre
< <u>A++</u> ¹	< <u>A++</u> ¹	< <u>A++</u> ¹	⟨ A +++ ¹	< <u>A+++</u> ¹
305 / 0.835 kWh ¹	264 / 0.723 kWh ¹	270 / 0.738 kWh ¹	171 / 0.466 kWh ¹	130 / 0.355 kWh ¹
42 dB(A)	41 dB(A)	41 dB(A)	40 dB(A)	39 dB(A)
SN-T	SN-T	SN-T	SN-T	SN-T
202 / 75 / 63 ¹	201.1 / 60 / 63 ¹	201.1 / 60 / 65 ¹	201.1 / 60 / 63 ¹	201.1 / 60 / 63 ¹
2 - DuoCooling	2 - DuoCooling	2 - DuoCooling	2 - DuoCooling	2 - DuoCooling
MagicEye	Cursor-controlled LCD display	MagicEye	MagicEye with LCD	MagicEye
LED	digital	digital	digital	LED
behind the door	in the door	behind the door	behind the door	behind the door
Buttons	Touch	Touch	Touch	Buttons
LED ceiling light	LED light column, both sides	LED ceiling light	LED ceiling light	LED ceiling light
2	2	2	2	2
	•			
	LED			
	integrated, for variable use	integrated, for variable use	integrated, for variable use	integrated, for variable use
Comfort	Premium	Premium	Premium	Comfort
	•	•		
Automatic	Automatic	Automatic	Automatic	Manual
• / -	• / -	• / -	• / -	- / •
	fixed water connection 3/4"			
	0.8 / 1.5 kg			
•		•	•	•
•	•	•	•	•
	HomeDialog	HomeDialog-ready	HomeDialog-ready	
	•	•		
Stainless steel handle / •	Stainless steel handle / •	Recessed grip / -	Stainless steel handle / •	Stainless steel handle / •
Stainless steel with SmartSteel / silver	Stainless steel with SmartSteel / stainless steel	Glass front black / silver	Stainless steel with SmartSteel / stainless steel	Stainless steel with SmartSteel / silver

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.







KB 4210 Comfort
364 litre
117 litre
170 / 0.465 kWh 42 dB(A)
42 dd(A) SN-T
185.2 / 60 / 63
105.2700705
MagicEye
LED
behind the door
Buttons
Duttono
LED ceiling light
3
Comfort
Handle / •
white / white

Lasting freshness with BioFresh

Nutritionists recommend one simple recipe for fitness and well-being: a healthy diet. Nature offers a whole range of vital substances: vitamins, minerals and carbohydrates to give us energy and stamina and, on top of that, a good mood. However, the right temperature and ideal humidity conditions are essential if food is to retain its healthy properties and delicate flavours as long as possible. Liebherr's BioFresh technology gives your quality of life a decisive boost by keeping your food fresher for much longer.

The information relates to storage in a BioFresh Drawer compared with a conventional fridge.



Cheese + 100 days



Lettuce + 8 days







Grapes + 17 days



Raspberries + 2 days



Asparagus + 8 days

Salami +100 days





PLUS X AWARD[®] LIEBHERR BEST PRODUCT SBS refrigera freezer of the yea 2011



red<mark>dot</mark> design award winner 2011

SBSes 7165



BioFresh on a grand scale





Many of our fridge-freezers with BioFresh have stainless steel doors with a **SmartSteel** surface. SmartSteel significantly reduces the visibility of finger marks and thanks to the high-quality finish of the stainless steel, is very easy-to-clean and far more scratch-resistant.



Our innovative **SoftSystem** is integrated into the door to cushion movement as the door is closed, ensuring that it closes gently even if

the door interior is fully loaded. The door closes automatically from an opening angle of about 45°.

containers. In addition, the satin-finish shelves

are made of safety glass and the door racks

are height adjustable.





The precision Premium electronic control system behind the door with the innovative Touch control concept guarantees that the temperatures are precise. All the functions can be set with great ease in the LCD display on the Touch control panel.



The BioFresh drawers extend on smooth running **telescopic rails**. The drawers are integrated almost flush into the fridge compartment and can be pulled out and removed with a door opening angle of 90°.



LIEBHERR

of the food stored inside.

In the fully adjustable interior featuring GlassLine equipment one of the shelves is sectioned so that one half can slide under the other to quickly create space for tall





Integrated in the electronic panel is an LED light source which gives an ideal view of the freezer compartment. It illuminates the extended drawers with a transparent front to give an even better view



Frenchdoor combination fridge-freezer with BioFresh





The elegant, precision **MagicEye control system** with the innovative Touch feature ensures that the temperatures in the refrigerator and freezer compartments are precise. All the functions can be simply and very conveniently operated though the touch control panel.



Both **BioFresh drawers** are mounted on high-quality telescopic rails and can be extended effortlessly to provide ideal storage conditions and a perfect view of the stored produce. The **LED lights** ensure perfect illumination of the drawers. Depending on requirements, you can use either the **versatile bottle shelf** or the glass shelf which is stowed away underneath for cartons or bowls. Liebherr's automatic **IceMaker** provides you with a constant supply of ice cubes for every occasion. Whether you fancy a quick drink or you're having a big party – there's an ample supply of ice cubes ready and waiting in the extra-large drawer. An **integrated water filter** ensures the best water quality for making fresh ice cubes. The electronic display indicates when the water filter needs replacing.



PLUS X AWAR

LIEBHERR High Quality

Design Ease of Use



The appliance in the PremiumPlus range comes with **LED light columns** integrated on either side of the compartment liner. The special satin finish of the light cover creates a pleasant, high-class lighting atmosphere. At the same time the light columns allow for the glass shelves to be fully adjustable; flush-mounted **LED ceiling light** provides perfect illumination of the interior.



BioFresh on a grand scale

Net capacity	Fridge compartment	483 li
	ding BioFresh compartment	111 li
	ncluding wine compartment	128 lit
	Freezer compartment	119 li
Energy efficiency		<a+ a+<="" td=""></a+>
Energy consumpti		444 /
Noise level		42 dB
Climate rating		SN-ST
External dimensio	ns in cm (h / w / d)	185.2
Adjustable cooling	g circuits	4
Electronic control	system	Magic
Temperature displa	у	digital
Position		behind
Control unit		Touch
Fridge compartme	ent	
Interior light		LED li
BioFresh-Safes		3
BioFresh-Plus, adju	stable	•
BioFresh lighting		LED
Bottle shelf		integra
GlassLine door inte	rior	Premi
VarioBox		•
Freezer compartm	nent	
Defrosting		Autom
NoFrost / SmartFro	st	• / -
Interior light		
IceMaker		fixed v
	1 24h / Ice cube stock	0.8 /
VarioSpace		•
_		
Features		
Interface		Home
SoftSystem	and a second second second second	•
Handle / with integr	rated opening mechanism	Stainle



BSes	71	65	Pre	miu	mPlu	IS	
Ne Trast	A *	ke Makor	Wine	fait.	Aurice Biolog	Releasepit Bath	

483 litre	548 litre
111 litre	157 litre
128 litre (Max. 41 Bordeaux bottles 0.75 Ltr.)	
119 litre	119 litre
< <u>A</u> ⁺ /A ⁺	A++/A++] ¹
444 / 1.214 kWh	387 / 1.060 kWh ¹
42 dB(A)	40 dB(A)
SN-ST	SN-T
185.2 / 121 / 63	185.2 / 121 / 63 ¹
4	3
MagicEye	MagicEye
digital	digital
behind the door	behind the door
Touch	Touch
LED light column, both sides	LED
3	2
•	-
LED	LED
integrated, for variable use	bottle rack, Champagne board in the BioFresh compa
Premium	Premium
•	•
Automatic	Automatic
• / -	• / -
fixed water connection 3/4"	fixed water connection 3/4"
0.8 / 1.5 kg	0.8 / 1.5 kg
•	•
HomeDialog-ready	HomeDialog-ready
•	, , , , , , , , , , , , , , , , , , ,
Stainless steel handle / •	Stainless steel handle / •
Stainless steel with SmartSteel / stainless steel	Stainless steel with SmartSteel / stainless steel



SBSes 7353 Premium Fresh Frast A++ Maker States



Stainless steel handle / •

Stainless steel with SmartSteel / stainless steel

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level. 22

Door / Side walls





WALLAR.

C. 0m

Smart

Steel



CBNes 6256 PremiumPlus Sic No Prast A++ Cashing Maker Franker Marting Transmit

364 litre 69 litre

116 litre (A++ 325 / 0.890 kWh 44 dB(A) SN-T $203.9 \ / \ 91 \ / \ 61.5$ This appliance must be bracketed to the wall / floor. 2 - DuoCooling

MagicEye digital behind the door Touch

LED light column and LED ceiling light 2

LED integrated, for variable use Premium

Automatic • / -LED fixed water connection 3/4" 1.3 / 2.7 kg

HomeDialog-ready •

Aluminium handle solid / -

Stainless steel with SmartSteel / stainless steel

Stainless steel handle / •



BioFresh from Liebherr: the healthier option



Food stored in BioFresh drawers is demonstrably healthier, making a significant contribution to a healthy diet. Two studies conducted by renowned research institutes* recently confirmed this. Their conclusion: food quality benefits markedly from BioFresh technology.

What are the benefits of storing fresh food in a BioFresh drawer, compared with storage in a conventional vegetable compartment? This was the question studied by the Lake Constance Research Centre for Fruit Cultivation and the German Research Institute for Nutrition: the results speak clearly in favour of BioFresh from Liebherr. The vitamin C values alone were on average 92 % higher. Some foods even showed an increase in the vitamin C content. Weight retention during storage was increased by 68.3 % on average and wastage in preparation was also significantly reduced.



	Apples	Asparagus	Peppers	Broccoli	Carrots	Grapes	Lettuce	Average
Vitamin C (after 15 days)								
HydroSafe	100.3 %	78.2 %	161.6 %	88.3 %	82.9 %	134.4 %	26.6 %	104.4 %
Vegetable bin	92.9 %	65 %	154.2 %	21.5 %	32.4 %	116.7 %	21.9 %	72.8 %
Difference	8 %	20 %	5 %	310 %	156 %	15 %	21 %	92 %
Weight (after 15 days)								
HydroSafe	-0.6 %	-4.8 %	-1.7 %	-3.8 %	-9 %	-0.6 %	-3.1 %	-3.1 %
Vegetable bin	-1.1 %	-4.5 %	-2.8 %	-5.6 %	-12.8 %	-1.7 %	-5.9 %	-4.6 %
Difference	105 %	6 %	63 %	49 %	43 %	170 %	91 %	68.3 %
Storage life (in days)								
HydroSafe	80	18	30	13	80	29	13	
Vegetable bin	50	10	17	5	50	12	5	
Difference	30	8	13	8	30	17	8	

* Sources: Lake Constance Research Centre for Fruit Cultivation (KOB): »Influence of different climate zones in refrigerators on the quality of fruit and vegetables«; German Research Centre for Nutrition (BFE): »Investigation into retaining the quality of fresh fruit and vegetables«, 2003.



ICBN 3366

Bio Fresh Built-in







BioFresh drawers in the Premium models come with central LED lighting for an optimum view of the food stored. The LEDs are integrated into the partition plate to evenly and brightly illuminate the extended BioFresh drawers from directly above.



door opening angle of 90°.



The new VarioSafe in Premium BioFresh models provides a clear view whilst creating order. It is the ideal space for smaller food packets, tubes and jars. The drawer can be positioned at various levels on the lighting column. An additional insertion height is available for filling to a greater capacity if necessary.



The **Premium GlassLine** fittings are seductively stylish and of exceptionally high quality. Storage racks in the door feature a satin-finished safety glass base, an elegant plastic surround,

stainless steel rails and a bottle shelf. In addition, the doors are fitted with two removable, transparent Varioboxes with lids.



The SoftSystem, in pristine white, is integrated into the door to cushion movement as the door is shut, ensuring that the door closes gently, even with fully-loaded door shelves. The door closes automatically from an opening angle of approx. 30°.



BioFresh drawers and pull-out drawers with **SoftTelescopic**, a highly practical selfretracting, soft closing feature, which makes daily use convenient and secure. They are fully extendible and removable from a



Integrated fridge-freezers with BioFresh



-

	€ 91 203		₹76 20 3
ECBN 6156 PremiumPlus		ECBN 5066 PremiumPlus	
Sie Ne Freek Kasker Maker Maker		Bis No Freek Are Castley Makes the States	
Door on door		Door on door	
364 litre		284 litre	
69 litre		61 litre	
116 litre		103 litre	
<a+< td=""><td></td><td>(A++)</td><td></td></a+<>		(A++)	
414 / 1.134 kWh		290 / 0.792 kWh	
42 dB(A)		42 dB(A)	
SN-T		SN-T	
203.2 / 91.5 / at least 62.5		203.2 / 76.2 / at least 61	
2 - DuoCooling		2 - DuoCooling	
MagicEye		MagicEye	
digital		digital	
behind the door		behind the door	
Touch		Touch	
LED light column and LED ceiling light		LED light column, both sides	
2		2	
LED		LED	
integrated, for variable use		integrated, for variable use	
Premium		Premium	
Automatic		Automatic	
• / -		• / -	
LED		LED	
fixed water connection 3/4"		fixed water connection 3/4"	
1.3 / 2.7 kg		1.0 / 2.7 kg	
001 : right door hinges / 617 : left door hinges		001 : right door hinges / 617 : left door hinges	
This appliance must be bracketed to the wall / floor.		This appliance must be bracketed to the wall / floor.	

















PLUS X AWARD' LIEBHERR BEST PRODUCT

ouilt-in refriger of the year 2013



Intergrated fridges with **BioFresh** Door assembly Net capacity Fridge comp including BioFresh compa Freezer comp Energy efficiency class Energy consumption year / 24 h Noise level Climate rating Aperture dimensions in cm (h / w / d Adjustable cooling circuits Electronic control system Temperature display Position Control unit Fridge compartment Interior light BioFresh-Safes BioFresh lighting SoftTelescopic Bottle shelf GlassLine door interior VarioBox VarioSafe Freezer compartment Defrosting NoFrost / SmartFrost Interior light IceMaker Ice cube capacity in 24h / Ice cube sto Ice cube tray VarioSpace

Features
SoftSystem
Levelling bars

	178	178	redot design aw winer 2013	vard			
1	ICBN 3366 Premium	ICBN 3356 Premium	IKBP 3554 Premium	IKB 3550 Premium	IKBP 2750 Premium	IKB 2350 Premium	IKB 1910 Comfort
	Door on door	Door on door	Door on door	Door on door	Door on door	Door on door	Door on door
mpartment	179 litre	179 litre	263 litre	308 litre	236 litre	200 litre	160 litre
mpartment	68 litre	68 litre	92 litre	92 litre	60 litre	60 litre	60 litre
mpartment	59 litre	63 litre	28 litre				
	<a++< td=""><td><<u>A++</u></td><td><a+++< td=""><td><<u>A++</u></td><td>(A+++)</td><td>(A++)</td><td><a++< td=""></a++<></td></a+++<></td></a++<>	< <u>A++</u>	<a+++< td=""><td><<u>A++</u></td><td>(A+++)</td><td>(A++)</td><td><a++< td=""></a++<></td></a+++<>	< <u>A++</u>	(A+++)	(A++)	<a++< td=""></a++<>
	234 / 0.641 kWh	238 / 0.650 kWh	163 / 0.445 kWh	134 / 0.366 kWh	83 / 0.227 kWh	121 / 0.331 kWh	117 / 0.319 kWh
	38 dB(A)	38 dB(A)	35 dB(A)	38 dB(A)	33 dB(A)	38 dB(A)	38 dB(A)
	SN-ST	SN-ST	SN-T	SN-T	SN-T	SN-T	SN-T
/ d)	177.2-178.8 / 56-57 / at least 55	177.2-178.8 / 56-57 / at least 55	177.2-178.8 / 56-57 / at least 55	177.2-178.8 / 56-57 / at least 55	139.7-141.3 / 56-57 / at least 55	122-123.6 / 56-57 / at least 55	102.4-104 / 56-57 / at least 5
, d)	2 - DuoCooling	2 - DuoCooling			100.7 111.07 00 077 at loadt 00		102.4 1047 00 077 at 10at of
	MagicEye with LCD	MagicEye with LCD	MagicEye with LCD	MagicEye with LCD	MagicEye with LCD	MagicEye with LCD	MagicEye with LCD
	digital	digital	digital	digital	digital	digital	digital
	behind the door	behind the door	behind the door	behind the door	behind the door	behind the door	behind the door
-	Touch	Touch	Touch	Touch	Touch	Touch	Buttons
	LED light column, both sides	LED light column, both sides	LED light column, both sides	LED light column, both sides	LED light column, both sides	LED light column, both sides	LED
	2	2	3	3	2	2	2
	LED	LED	LED	LED	LED	LED	
	•	•	•	•	•	•	
	integrated, for variable use	integrated, for variable use	integrated, for variable use	integrated, for variable use	integrated, for variable use	integrated, for variable use	
	Premium	Premium	Premium	Premium	Premium	Premium	Comfort
	•	•	•	•	•	•	
			•	•	•		
	Automatic	Automatic	Manual				
	• / -	• / -					
	LED	LED					
	fixed water connection 3/4"						
stock	0.8 / 1.0 kg						
1	, and the second s	•	•				
	•	•					
	•	•	•	•	•	•	
	2	2	2	2	2		
	-		-	_	-		

CM T

Sect



BioFresh: Longer storage life

				ANA	AY a		1
	Main constituents		Sto	rage life (days)		0 1	
Vegetables / HydroSafe	Minerals	Vitamins	Fridge	BioFresh	BioFresh-Plus	M.	Fruit/Hydro
Artichoke	iron, fluoride	A, B1, B2, C	7	14	14 (0 °C)	N I	Apple
Asparagus	copper, magnesium	B1, C, K	10	18	18 (0 °C)		Blackberries
Bean sprouts	sodium, potassium, phosphorus	B1, B2, B3, B5, B6, C, E	2	7	7 (0 °C)	Car.	Blueberries
Beans	magnesium, manganese	A, B2, folic acid	6	11	11 (0 °C)		Cherries (sw
Beetroot	iron, manganese	Prov. A, folic acid	6	18	18 (0 °C)	Por a	Currants
Broccoli	iron, iodine	C, folic acid, K	5	13	13 (0 °C)		Grapes
Carrot	potassium, calcium	A, C, D, E	50	80	80 (0 °C)	Sec. Co	Honeydew m
Cauliflower	potassium, magnesium	C, E, folic acid, K	12	21	21 (0 °C)		Kiwi
Chard	magnesium, manganese	A, B1, B2, C	6	10	10 (0 °C)		Lime
Chicory	potassium, manganese	B1, B2	18	27	27 (0 °C)	2100	Pear
Fennel	magnesium, manganese	Prov. A, B1	13	28	28 (0 °C)		Pineapple
Garlic	potassium, manganese	B6, C, ajoen	80	160	160 (0 °C)		Raspberries
Herbs	potassium, calcium	A, B1, B2, B3, B5, C, E	6	13	13 (0 °C)		Strawberries
Lamb's lettuce	iron, fluoride	A, C, E, folic acid	7	19	19 (0 °C)		
Leek	calcium, magnesium	B1, E, folic acid	15	29	29 (0 °C)	A Tool	Cheese / Dry
Lettuce	iron, potassium, manganese	A, E, folic acid	5	13	13 (0 °C)		Alpine chees
Mushrooms	iodine, potassium, copper	B1, B2, D, K	3	7	7 (0 °C)		Emmental
Onion	potassium, zinc	A, B1, B2, C, E	15	28	28 (0 °C)	a the second second	Gorgonzola
Pepper	iron, potassium	B6, C, E, K	17	30	30 (0 °C)		Parmesan
Radish	potassium, manganese	Prov. A, C	18	27	27 (0 °C)	TN	
Spinach	iodine, magnesium	A, E, folic acid, K	5	13	13 (0 °C)	1 Alen	Dairy produ
Sweet corn	potassium, phosphorus, magnesium	A, B1, B2, B3, B5, B6, B7	2	5	5 (0 °C)	111 -	Butter
Tomatoes	magnesium, zinc	A, B1, C, E	9	20	20 (0 °C)		Cream
							Egg, raw
Fish/DrySafe							Milk
Cod	iron, fluoride	A, B12, D, E	1	2	4 (-2 °C)	115	Yoghurt
Oysters	iron, fluoride	A, B2, B12, D	1	3	6 (-2 °C)		
Pollock	iron, potassium, zinc	A, B2, B12, D	1	2	4 (-2 °C)	A less	Meat/DrySa
Salmon	potassium, zinc	A, D, E, H	1	2	4 (-2 °C)		Beef
Tuna	sodium, potassium, calcium	A, B1, B2, D	1	2	4 (-2 °C)		Pork
Trout	copper, phosphorus, zinc	A, B2, B12, D, E	1	2	4 (-2 °C)		Poultry
							Veal
Sausage/DrySafe							
Bratwurst	phosphorus, calcium, magnesium	A, B1, B2, B6, C, E	1	9	9 (0 °C)		
Ham	phosphorus, zinc	B1, B2, B6, B12	1	9	9 (0 °C)		
Liver sausage	sodium, chlorine, potassium	A, B3, C, E	1	9	9 (0 °C)		
Mortadella	chlorine, sodium, potassium	A, B1, B2, B3, B5, B6, C, E	1	9	9 (0 °C)		All values are st
Salami	sodium, chlorine, potassium	B1, B2, B3, B5, B6, E	80	180	180 (0 °C)		Liebherr BioFrest

Main constituents

HydroSafe		Minerals	Vitamins	Fridge	BioFresh	BioFre	esh-Plus
		iron, potassium	A, B1, biotin	50	80	80	(0 °C)
perries		iron, potassium, calcium	C, folic acid	1	3	3	(0 °C)
erries		manganese, zinc	B1, B2, B6, C, E	4	9	9	(0 °C)
es (sweet)	2	iron, potassium	B1, B2, B6, C	7	14	14	(0 °C)
its		iron, zinc	B1, B2, B6, C, E	3	7	7	(0 °C)
3	e	iron, potassium	C, E, folic acid	12	29	29	(0 °C)
dew melon		potassium, sodium, zinc	A, C, folic acid	17	•	19 (+6 °C)
		calcium, magnesium	A, C, K	40	80	80	(0 °C)
		potassium, calcium, magnesium	A, C, E, folic acid	50	•	55 (+6 °C)
		calcium, magnesium	B1, B2, B6, E	26	55	55	(0 °C)
ple		iron, manganese	B1, B2, B6, C	23	•	27 (+6 °C)
erries	1	calcium, magnesium,	A, B6, C, folic acid	1	3	3	(0 °C)
perries		manganese, zinc	C, K, folic acid	3	7	7	(0 °C)
e/DrySafe							
cheese		iodine, phosphorus, zinc	A, B2, D	10	110	110	(0 °C)
ntal		copper, sodium	A, B2, B12, D	10	110	110	(0 °C)
nzola	-	chloride, sodium, potassium	B1, B2, B6, beta-carotene	7	70	70	(0 °C)
san		iron, iodine, calcium	A, B2, B12, D	10	110	110	(0 °C)
products / DrySafe							
		phosphorus, zinc	A, D, E, K	30	90	90	(0 °C)
		phosphorus, zinc	A, D, E	4	7	7	(0 °C)
aw		iron, selen, calcium	B12, biotin, D, K	15	45	45	(0 °C)
		potassium, calcium	A, B2, D, K	3	12	12	(0 °C)
t		phosphorus, zinc	A, B2, K	3	12	12	(0 °C)
DrySafe							
		potassium, phosphorus, zinc	B6, B12, niacin	1	7	7	(0 °C)
		iron, zinc	B1, B12, niacin	1	7	7	(0 °C)
/		sulphur, potassium, phosphorus	A, B3, B5, B6, E	1	6	6	(0 °C)
		pan. acid, potassium, phosphorus	B1, B2, B6, E-active	1	7	7	(0 °C)

Il values are standard and vary on an individual basis depending on the variety and proper storage with an uninterrupted cooling chain from harvesting/producer to the iebherr BioFresh refrigerator! As at: 06/2011. For all foodstuffs with an expiry date, the date on the package applies. The foods marked by • are not suitable for storage in ne refrigerator or BioFresh compartment as marked.

Sources: Vitamins & Mineral Nutrients, aid - Kästesteckbrief - 56 Sorten Käse in Wort und Bild (Cheese Characteristics - 56 Cheese Types, Text and Images), aid - Steckbrief - Fische, Krebs- und Weichtiere (Fish, Crustacean and Mollusc Characteristics), Dipl. eoc. Troph. Petra Hopfenzitz "Mineralstoffe" (Mineral Nutrients), GU, Dipl. eoc. Troph. Ulla Unger-Göbel "Vitamine" (Vitamine), GU



Storage life (days)

