



COOKING PASSION SINCE 1877



THE NEFF COLLECTION

Cooking inspires people. People inspire us.



2015





CONTENTS

OPEN THE DOOR TO NEFF	002 - 003
THE NEW NEFF OVENS	004 - 017
COMPACT APPLIANCES	018 - 029
THE NEFF OVEN COLLECTIONS	030 - 053
Premium Collection 1	034 - 037
Premium Collection 2	038 - 040
Premium Collection 3	041 - 044
Classic Collection 1	045
Classic Collection 2	046 - 047
Classic Collection 3	048 - 049
Oven Accessories	052 - 053
HOBS	054 - 077
FlexInduction Hobs	066 - 068
Induction Hobs	069 - 070
Quick Light Hobs	071
Gas Hobs	072 - 075
Domino Hobs	076
Hob Accessories	077
EXTRACTOR HOODS	078 - 099
Downdraft Hood	090
Ceiling Hoods	090
Island Hoods	091
Chimney Hoods With Glass	091 - 093
Chimney Hoods	093 - 094
Telescopic Hoods	095
Canopy Hoods	096
Integrated Hoods	097
Conventional Hood	097
REFRIGERATION	100 - 117
Built-In Fridge Freezers	110 - 111
Built-In Single Door Fridges	112 - 113
Built-In Single Door Freezers	114
Built-In Single Door Fridges & Freezers	114 - 115
Under 90cm	
American Style Fridge Freezers	116
DISHWASHING	118 - 133
Fully Integrated Dishwashers	128 - 130
Slimline Dishwashers	131
Semi Integrated Dishwashers	131 - 132
LAUNDRY	134 - 139
BE ENERGY EFFICIENT WITH NEFF	140 - 141
BAKE IT YOURSELF BY NEFF	142 - 143
NEFF CUSTOMER SERVICE	144 - 145
THERE IS MORE TO NEFF THAN JUST APPLIANCES	146
HOW TO CONTACT NEFF	147

OPEN THE DOOR TO NEFF



Cooking passion since 1877

The kitchen is the heart of every home. A place to meet, eat and get creative. At Neff, we do everything we can to create an extensive range of quality kitchen appliances to help you be at your best. Our appliances make life in the kitchen a daily pleasure; anticipate all your needs and marry innovation with design, style and versatility. Whatever you're doing in the kitchen, you'll find the perfect partner in your Neff appliance.





REAL PEOPLE, COOKING REAL FOOD MEET THE COOKAHOLICS.

We invited six people to dinner, six Cookaholics to make six courses, with the new Neff appliances. Centred in the kitchen, they cooked using fresh ingredients and added their unique Cookaholic twist, to serve a meal for all to enjoy.

COOKAHOLICS CREATE, INSPIRE AND DELIGHT.



ot air



THE NEW NEFF OVENS



Inspired by the most exacting demands

Stunning from first sight, with a completely revised design and many functions to achieve perfect baking, roasting and cooking results, we have an oven for every requirement. Our ovens are exceptional because they have been designed by those who are passionate about food and love spending time in their kitchen. Engineered for durability and built with quality, a Neff oven will never let you down.

SLIDE&HIDE®



Get closer to your cooking


Our unique Slide&Hide® door fits smoothly under the oven to provide plenty of room, as well as better access to the 71 litre cavity – ensuring an easy and flexible approach to cooking. With the added advantage of a smoother closing mechanism to cushion the final movement, the Slide&Hide® door is safe, stylish and convenient.




GIAN PAOLO MAKES MELT-IN-YOUR-MOUTH TENDER CHICKEN

"Two things are important for chicken to come out the way I want – the right seasoning and constant monitoring and basting. Slide&Hide® is perfect for that."

For more recipe information visit neff.co.uk



Accessible – Baste, taste and monitor your dishes throughout the cooking process.




Space saving – Slide the door away to maximise space in small kitchens.




B58VT68N0B Slide&Hide® Single Pyrolytic Oven

NOTHING GETS
IN THE WAY OF
COOKING, NOT
EVEN THE DOOR.



Unique – Be the envy of all your dinner guests with the only oven to feature a disappearing door.



Slide: When you open and close the oven door, the revolution handle rotates to give you a firm grip.

Hide: When open, the fully retractable oven door disappears completely under the oven cavity, creating optimum space in any kitchen.

Selected Slide&Hide® models are now available with a choice of:



Full Steam
functionality



VarioSteam®
moisture



Pyrolytic
self-cleaning

COOK A
THREE-COURSE MEAL
IN-ONE-GO WITHOUT
THE INTERMINGLING
OF FLAVOURS.

DISCOVER CIRCO THERM®



Simultaneous cooking on multiple levels

With CircoTherm® you can cook, roast and bake completely different dishes on all levels and everything will come out tasting like it's supposed to. No intermingling of flavours, the roast meat will taste like roast meat, and the muffins will taste like muffins. With flat items like cookies you can now even bake on level four.



Not in the mood for roast pork raspberry fish muffins? CircoTherm® isn't either.



B58VT68N0B Slide&Hide® Single Pyrolytic Oven



HOW DOES IT WORK?

CircoTherm® works by drawing air in from the oven via a powerful stainless steel fan. It then heats up the air and forces it right back into the oven cavity through strategically placed ducts in the rear wall. The desired temperature is achieved quicker and more evenly than in a conventional oven, saving time and energy as little or no pre-heating is required. The hot air is focused directly on to the food being cooked, wrapping the shelves, to ensure the surfaces of baked and roasted items seal quickly, keeping moistness inside and preventing the intermingling of flavours.

POWER BOOST

Speed things up even more when cooking for short periods of time using PowerBoost – just put the food in and start the oven. Simple!



PYROLYTIC SELF-CLEANING



The oven that almost cleans itself

No chemical cleaners are necessary with this cleaning method. At 485°C everything turns to ash. Pyrolytic self-cleaning is the fastest way to clean an oven. When the programme is finished, just let the oven cool down and wipe it out with a damp cloth. That's all there is to it.

All Neff Pyrolytic ovens also come with our efficient EasyClean® cleaning aid, ideal if your appliance is only lightly soiled. Place approximately 400ml of water and a drop of washing-up liquid in the base pan and then select the EasyClean® programme. It softens baked on residue so you can just wipe it down, for fast and uncomplicated oven cleaning.



LUISA'S CHARD CASSEROLE WITH GRUYERE AND ONION BREAD

"The recipe is super easy. The only difficult thing about it is cleaning the oven afterwards! However, with Pyrolytic self-cleaning it was no big deal, all I had to do was wipe the ash out."

For more recipe information visit neff.co.uk




OTHER NEFF CLEANING FUNCTIONS INCLUDE ECO CLEAN® AND BASE CLEAN:

Our EcoClean® is a microfine ceramic bead coating on the oven's interior top, sides and back. It has a very large surface area, making it extremely absorbent. Depending on how often you use your oven, regeneration to get rid of accumulated dirt may only be necessary 2-3 times a year. It's done with the special EcoClean® cleaning procedure that uses a temperature of 275°C to automatically remove burnt-on food without chemical cleaners. This highly efficient coating lasts for the entire lifetime of the oven. All ovens with EcoClean® coating also have BaseClean to help clean the bottom – it softens burnt-on food with warm water. After the programme has finished you just have to wipe the base with a damp cloth.

A woman with dark hair tied back, wearing an orange cardigan over a blue top, is focused on grating a piece of yellow cheese. She is using a rectangular metal grater on a dark wooden countertop. To her left sits a large, rectangular block of cheese. The background is a softly blurred kitchen interior with shelves and a window. The overall lighting is warm and natural.

SPARKLING CLEAN WITH NO SIGN OF GREASE.

A man in a blue and white striped shirt is seasoning a large roasted meat dish on a wooden table. He is holding a small bowl of herbs and spices in his left hand and sprinkling them onto the meat with his right hand. The meat is roasted and sliced, and there are vegetables and other ingredients on the table. The background is a blurred kitchen setting.

VARIO STEAM® REDUCES COOKING
TIMES WHILE STILL KEEPING MEAT
TENDER AND JUICY ON THE INSIDE
AND CRISPY ON THE OUTSIDE.



MALTE BROUGHT ALONG SOME MEAT WHICH HE'LL BE ROASTING IN THE OVEN

"Ideally meat should be crispy on the outside and tender on the inside. I always liked the idea of cooking with steam. VarioSteam® is the best programme to perfect a cut of meat."

STEAM COOKING
IS THE PERFECT
CHOICE FOR HEALTH
CONSCIOUS FOODIES.



Perfectly concealed: The newly developed water container is easy to remove and refill.

For more recipe information visit neff.co.uk

FULL STEAM



A full function oven and steamer in one


Our new FullSteam oven combines all the heating modes of a full-featured oven with those of a steam cooker, in one single appliance. Vegetables come out fresh, vitamins are retained, and roast meats are crisp on the outside and succulent on the inside. It's easy to operate and also simple to refill the concealed one litre water container – press a button to open the front panel, remove the container, fill it and you're ready to steam ahead.

VARIO STEAM®



Innovative steam assistance

VarioSteam® gives dishes just the right amount of moisture by adding steam at three intensity levels, for baking, roasting or just heating up. Foods come out perfectly succulent and tender with more intense flavour and an appetising appearance.



STEAM INJECT
VarioSteam® quickly and evenly adds the desired amount of steam throughout the whole cavity via SteamInject, an inlet next to the fan.

FULL TOUCH CONTROL



Intuitive display with fingertip control

The innovative FullTouchControl panel sets new standards with fast navigation and simple, precise operation by touch or swipe on the smooth control surface. The large high-resolution colour TFT display offers the greatest convenience of any oven control. It guides you easily through the menu and its high contrast display makes for excellent legibility.

SIMPLE OPERATION
OF ADVANCED
COOKING PROGRAMMES.



QUICK PROGRAMME SELECTION LEAVES MORE TIME TO ENJOY COOKING

Alternative to FullTouchControl and new on many Neff ovens is the convenient ShiftControl panel for fast navigation through menus. Together with a medium or small high-resolution TFT display, it makes for effortless and convenient operation.



"Simple controls are especially important. No lengthy searching and trial-and-error, I can get to the right programme in an instant. It gives me more time to focus on the essentials, like the dishes I'm preparing."

BAKING AND ROASTING ASSISTANT



Even the best sometimes need a little help

This innovative assistant makes preparing a variety of dishes even easier and more convenient. For each one, the Baking and Roasting Assistant serves up a cooking suggestion at the touch of a button. It also recommends the ideal heating mode, temperature and time, to ensure perfect results. The Baking and Roasting Assistant keeps you informed of the time remaining. Naturally, you can change all of the suggestions to give dishes a personal touch.



LAURA CREATES THE DESSERT

"I like to do everything myself as much as possible, so I was surprised, in a good way at how the Baking and Roasting Assistant took so much work off my hands by setting the right mode of heating, temperature and duration for me."

For more recipe information visit neff.co.uk



BAKING, ROASTING, COOKING
AND GRILLING HAS NEVER BEEN
SO STRAIGHTFORWARD.

SEAMLESS COMBINATION



An eye-catcher in any kitchen

Boast a stylish and flawless kitchen by combining Neff appliances using our unique SeamlessCombination side trims. When stacked vertically they appear perfectly in-line, with no gaps, ideal for any modern or contemporary kitchen.



INSTALLATION

Many of our ovens can be built under the worktop, but we would recommend, where possible, installation in tall housing to provide a convenient eye level position.

COMBINING AN OVEN WITH A COMPACT APPLIANCE

The SeamlessCombination accessory kit replaces the shelf that would normally divide the two appliances with a much thinner metal shelf, in order to close the visible gap between the appliances. Be sure to refer to the installation instructions or speak to your kitchen designer for further information on combining appliances.

C28MT27N0B Compact Oven with Microwave
B58VT68N0B Slide&Hide® Single Pyrolytic Oven

FOR CHRISTOPH, STYLE IS EVERYTHING

"This oven is definitely the highlight of any kitchen. My compact appliance and warming drawer appears as one stunning unit. You can really see the attention to detail."




COMFORT FLEX



Comfortable and flexible access to your cooking

Lift hot dishes safely and comfortably out of the oven using our innovative ComfortFlex Rails. With the new design the rails don't get in the way – you can grasp the tray or dish from the side for more safety when handling. If fitted with changeable shelves the rails can be moved around easily and positioned in the oven at whichever of the four levels you prefer.



With the new ComfortFlex Rails you can lift hot baking dishes out of the oven without the worry of them tipping.

LET THERE BE LIGHT!



NEFF LIGHT[®]



Bright and brilliant

With NeffLight[®], food is always visible without having to open the oven door. It provides an increased level of effective lighting on all four cooking levels of the main oven. Most ovens have an internal lighting system, but when cooking, shelves and pans can reduce the effectiveness of the light. NeffLight[®] brightly illuminates even the farthest corner of the oven using LED bulbs. A special prism in the oven door distributes the light evenly at all levels, for a perfect view without dazzle.

B58VT68N0B Slide&Hide[®] Single Pyrolytic Oven

COOKING WITH A NEFF OVEN



Our ovens feature a range of functions detailed below. The icons we've used for each function are the same as shown on the oven, for total clarity and ease of use.

MAIN OVEN FUNCTIONS



CIRCO THERM® ECO

Optimised for cooking and baking on one level only for maximum energy efficiency. Opting for this setting saves 30% energy when compared to the maximum consumption allowed for A rated models. It's perfect for frozen or convenience foods, bread, cakes and meats. Available on all electronically controlled ovens.



CIRCO THERM® INTENSIVE

Uses a combination of CircoTherm® and bottom heat, ideal for foods that need a crispy underside like pizzas or speciality breads. It can also be used for one stage pastry such as lemon meringue pie, eliminating the need for blind baking.



BREAD BAKING

Bread baking temperature varies between 180°C and 220°C. Ideally suited to baking crusty bread with an open texture. Up to three levels of bread can be baked at the same time.



DEFROST

The CircoTherm® fan circulates air through the oven to speed up defrosting times while retaining food colour and moisture. Ideal for delicate foods as well as fish and poultry.



TOP/BOTTOM HEAT

Providing conventional cooking heat sources at the top and bottom of the oven. Heat travels to the centre of the oven by natural conduction. Ideal for baking pastries and scones.



BOTTOM HEAT

Providing heat from the bottom of the oven, this method is ideal for pizza bases and pastry cases to create a crispy underside or for bain marie and casseroles.



CIRCO ROASTING

An ideal function for cooking meat and poultry for a rotisserie result. The grill and fan distribute heat alternatively reducing cooking times by 35-40%.

ADDITIONAL FUNCTIONS

AUTOMATIC SAFETY SWITCH OFF

For electronic ovens only, this feature will automatically cut in if no changes to the settings on the appliance have been made in a long time, giving you complete peace of mind.

Temperature range	Automatic switch off after
Under 140°C	73 hours
141 – 200°C	6 hours
201 – 250°C	3 hours
251°C	2 hours



DESCALING

All Neff compact steam appliances contain a descaling programme which can be set according to the hardness of the water.



DOUGH PROVING

This function provides a warm, moist environment, perfect for proving yeast dough while improving the texture and quality of pastry foods, such as cakes and breads.



HOT AIR**

The fan draws air from the interior of the oven, then heats it up and forces it back into the cavity to ensure even heat distribution.



KEEP WARM

An ideal setting for keeping food warm without drying it out before serving. Typically set between 66°C to 100°C.

*On compact ovens only. **Check individual models for availability.



LOW TEMPERATURE COOKING

A special setting for hob-sealed prime cuts of meat and poultry. Meat/poultry is placed in a pre-heated dish and transferred into the oven. The low temperature setting uses a fixed temperature to gently tenderise without overcooking, resulting in meat/poultry that is juicy and melts in the mouth.



OVEN CLEANING

A special electronic setting designed to keep EcoClean® surfaces inside the oven as clean as possible. Used on a regular basis, it can keep the oven's interior lining remarkably clean with minimal maintenance required.



PLATE WARMING

Hot air is circulated at up to 65°C to safely warm plates and service dishes in preparation for dinner.



PYROLYTIC SELF-CLEANING

Pyrolytic cleaning is a self-cleaning system for ovens. The process superheats the oven to approximately 485°C, which burns off any deposits from baking, roasting and grilling. This creates a perfectly clean oven and a residue of fine ash that's easily removed with a damp cloth.



REHEAT

Reheat allows you to gently warm dishes again – and thanks to the moisture in the oven, they will look and taste freshly prepared.



STEAM SETTING

A setting specifically used in conjunction with the Neff system steamer accessory **Z19DD10X0****. This provides one of the healthiest cooking methods around.



EASY CLEAN®

For a lightly soiled oven, put approximately 400ml of water and a drop of washing-up liquid in the base pan and then select the EasyClean® programme. It softens baked-on residue so you can just wipe it down, for fast and uncomplicated oven cleaning.



ECO CLEAN®

Neff's patented EcoClean® is a microfine ceramic bead coating on the oven's interior top, sides and back. It has a very large surface area, making it extremely absorbent. It absorbs fat droplets and keeps the inside of the oven clean.



BASE CLEAN

BaseClean helps clean the bottom of the oven by softening dirt with warm water. After the programme has finished you just have to wipe the base with a damp cloth.



CENTRE SURFACE GRILL

You can use just the centre section of the grill for smaller quantities.



FULL SURFACE GRILL

The grill element is situated in the oven roof. It is thermostatically controlled and will cycle on and off to maintain the required temperature.



VARIO STEAM®

VarioSteam® gives dishes just the right amount of moisture by adding steam at three intensity levels, for baking, roasting or just heating up. Foods come out with more intense flavour and an appetising appearance.



FULL STEAM

Make your favourite dishes healthier by locking in food's nutrients and flavour with our FullSteam function. It's easy to operate and also simple to refill the one litre water container – press a button to open the front panel, remove the container, fill it and you're ready to steam ahead.



CIRCO THERM® POWER BOOST

The PowerBoost function speeds things up even more when cooking for short periods of time – just put the food in and start the oven.



BAKING AND ROASTING ASSISTANT

This innovative assistant makes food preparation even easier and more convenient. The Baking and Roasting Assistant serves up a cooking suggestion at the press of a button. It also recommends the ideal heating mode, temperature and time, to ensure perfect results.



MULTIPOINT MEATPROBE

The MultiPoint MeatProbe measures the joint's heat at three points to ensure the right core temperature is reached and the meat is cooked for the correct duration of time.



CONVENTIONAL HEAT ECO

This setting heats up the centre of the oven for single shelf cooking. The oven maintains its average temperature in a more economical way by cutting out the on/off thermostat so the oven cooks on residual heat.



SABBATH

This setting engages the top and bottom heating elements to reach a temperature of between 85°C and 140°C. The oven can be set to run for up to 74 hours to keep food warm, without activating the fan, lights and controls as these are disabled.

**Only for use in Premium Collection models.

COMPACT APPLIANCES



There's no reason small can't be beautiful

Our compact appliances are a stylish and practical way to extend your range of cooking options. Whether you want a number of appliances in a kitchen with limited space, or you're just looking for that finishing touch, our range of compact appliances will provide the perfect solution. Designed to coordinate with our ovens and extractor hoods, you can customise the installation of your appliances to suit your requirements.



CHOOSING THE RIGHT COMPACT APPLIANCE



Clever compacts that extend your range of cooking options

Whatever appliances you want included in your dream kitchen, from a simple microwave or warming drawer, to a specialist coffee centre or versatile steam oven, you can pick and choose from our range in full confidence of coordinated design and unlimited flexibility.

STEAM OVENS

Steaming is recognised as one of the healthiest ways of cooking food. Our compact steam ovens are incredibly flexible and provide the opportunity to combine steam cooking with other conventional cooking methods. They can even steam food from frozen, perfect if you want a healthier lifestyle.

MICROWAVE OVENS

No kitchen should be without a microwave oven. Whatever time, day or night, whip up a meal in half the time, using very little energy.

WARMING DRAWERS

Not only do warming drawers heat plates before serving and keep food warm until it's ready to dish up, they can also be used for preparing yoghurt, defrosting delicate foods, proving dough and melting chocolate.

COFFEE CENTRE

Create the freshest coffee imaginable with our bean to cup coffee machine. Coffee, espresso, cappuccino, latte – the choice is endless.



C18FT56N0B Compact Steam Oven
N17HH10N0B Warming Drawer

C17KS61N0 Compact Coffee Machine
N17HH10N0B Warming Drawer

C18FT58N0B Compact Steam Oven
N17ZH10N0 Accessory Drawer





WE BELIEVE IN CREATING TRULY UNIQUE AND
VERSATILE KITCHEN SOLUTIONS.

STEAM COOKING



The healthy option

With healthy eating in the minds of many, steam cooking has become an increasingly popular option in the kitchen. Our advanced compact steam ovens combine hot air cooking and steaming to prepare all sorts of foods – bread, meat and fish – keeping them beautifully moist on the inside, but satisfyingly crispy on the outside. As well as being easy to use and clean, you are able to cook a whole range of fresh meals at low temperatures, making them highly energy efficient too.



Large TFT display: C18FT56N0B
Compact Steam Oven



Medium TFT display: C17FS32N0B
Compact Steam Oven



Small TFT display: C17DR02N0
Compact Steam Oven

We also have one pure steam compact oven in the range (**C17DR02N0**) to cook meals that not only taste good, but are healthy too. As well as sealing in all the vitamin and mineral content of fresh food, steaming also preserves natural flavour so less salt and oil is required.

VEGETABLES SO FRESH
YOU CAN TASTE
EACH VITAMIN.



For more recipe information visit neff.co.uk



SOPHIE LOVES VITAMIN-RICH INGREDIENTS

"I frequently visit open-air markets looking for seasonal vegetables with lots of nutrients. Of course, I don't want the nutrients to get lost during preparation, so gentle steaming is ideal!"



HAVING THE OPTION TO STEAM COOK EVERY DAY IS A GREAT
BENEFIT TO HEALTHY EATING AND IMPROVING NUTRITION IN MEALS.



COOKING WITH YOUR MICROWAVE OVEN



Whip up a delicious meal in half the time

A Neff compact appliance provides greater flexibility in all aspects of daily life. Our ovens with microwave, for example, can be a second oven for big meals while still providing microwave facilities as a quick alternative.



C27MS22N0B
Compact Oven with Microwave

You'll notice that there are two types of microwave and oven combination appliances in the Neff range:

MICROWAVE OVENS


Conventional microwave ovens use microwaves to cook food, a very fast and versatile system of cooking, perfect for heating ready meals, cooking from frozen or defrosting food at any time.

COMPACT OVENS WITH MICROWAVE

Ovens with an integrated microwave can mix the functions of both with the emphasis on the traditional oven heating elements – inside it looks like a conventional three shelf oven. This is a great choice if you want to use oven functionality but with the added benefit of speed.



C17GR00N0B
Compact Microwave





POWER LEVELS

All of our microwave ovens have five power levels. In general, high power is used for heating liquids and cooking vegetables, and lower settings for reheating, baking, roasting, defrosting and keeping foods warm.

ENERGY

Microwaves only use about 1kW of energy per hour compared to 5kW in many conventional ovens.

TIME

Microwave ovens will save you time in the kitchen. If you need to defrost something quickly, or speed cook a course for dinner, they're the ideal solution.

WARMING DRAWERS




Keeping food warm has never been so easy


Warming drawers are a must for the serious cook. They're useful and versatile and help with the preparation and timing of meals. Easily accessible on smooth telescopic runners, a warming drawer will not only heat plates before serving up, but keep pre-cooked food warm too. As well as warming, they can be used to defrost delicate foods, melt chocolate, make yoghurt and prove dough. Plus, the heated ceramic base allows you to wipe off any spillages really easily.




There are two sizes :



N17HH20N0B Warming Drawer
29cm high – 40 plate capacity



N17HH11N0B Warming Drawer
14cm high – 12 plate capacity



THE NEFF ACCESSORY DRAWER

Our 14cm fully extendable accessory drawer provides additional storage space for anything from tea towels, to mugs and latte glasses.

THE NEW NEFF COFFEE CENTRE




Choose from Ristretto, Espresso, Macchiato, Coffee, Cappuccino, Latte Macchiato, Caffè Latte, milk froth, warm milk or hot water with our new coffee centre.




SIMPLE, FAST AND IRRESISTIBLE

For an optimal aroma extraction, the brewing temperature of coffee needs to be between 90-95°C. The unique SensoFlowSystem in our new machine always heats the water to precisely this temperature, guaranteeing the highest indulgence with every cup.

MY COFFEE

Impress guests and add a personal touch to your kitchen with the new MyCoffee option. Eight individual beverages can be created, allowing you to select strength, size, temperature and share of milk before saving it under your guests' name. Access to your personal coffee is fast and easy by pressing the 



C17KS61N0
Compact Coffee Centre

As with all other compact appliances, the Neff coffee centre is designed to perfectly align with the entire new oven series and features the ShiftControl panel.





THE NEFF COLLECTIONS



The ideal appliances for modern or contemporary kitchens

To help you choose between premium models with features for advanced, creative cooking, or more classic models with features that make life in the kitchen easier and more enjoyable, we've classified our ovens into two stunning collections.



B58CT28N0B
Slide&Hide® Single Pyrolytic Oven

PREMIUM COLLECTION:

Our most premium range consists of features such as, the unique Slide&Hide® fully retractable oven door, an innovative control panel with high resolution colour TFT display screen and a stylish black glass finish. Combine any oven and compact appliance in the kitchen and they'll line up perfectly; Ideal for today's modern kitchens.



U16E74N3GB
Double Oven

CLASSIC COLLECTION:

Our classic range comprises stunning single ovens, double ovens and microwaves with stainless steel fascias and a ClearText silver display, to give your kitchen a classic and contemporary look.










AT A GLANCE



PREMIUM COLLECTION 1

034 - 037

Ovens within this collection comprise of selected features including: Slide&Hide®, Pyrolytic self-cleaning, FullSteam, VarioSteam®, FullTouchControl with a 5.7 inch high resolution TFT display, ComfortFlex® Rails, NeffLight®, MultiPoint MeatProbe, Baking and Roasting Assistant.

This collection also includes a compact oven, compact steam ovens and compact ovens with microwave.

PREMIUM COLLECTION 2

038 - 040

Ovens within this collection comprise of selected features including: Slide&Hide®, Pyrolytic self-cleaning, FullSteam, VarioSteam®, ShiftControl 4.1 inch high resolution TFT display, Baking and Roasting Assistant.

This collection also includes a compact oven, a compact steam oven a compact oven with microwave, warming drawers and a coffee centre.

PREMIUM COLLECTION 3

041 - 044

Ovens within this collection comprise of selected features including: Slide&Hide®, Pyrolytic self-cleaning, VarioSteam®, ShiftControl 2.5 inch high resolution TFT display.

This collection also includes a compact steam oven and compact ovens with microwave.

CLASSIC COLLECTION 1

045

This collection comprises of our sleek, stainless steel built-in double ovens with features including: ClearText, Telescopic FlexiRail® system, Electronic control, CeramiClean® liners, Easy clock.

CLASSIC COLLECTION 2

046 - 047

As well as more stunning built-in double ovens, this collection comprises of a built-under double oven and classic microwave ovens. Key features include: Quick connect shelf supports, CeramiClean® liners, Easy clock.

CLASSIC COLLECTION 3

048 - 049

This collection comprises of all contemporary styles, stainless steel single ovens with features including: Slide&Hide®, CeramiClean® liners, Quick connect shelf supports, Easy clock.

The collection also hosts further built-in and built-under double ovens and microwave ovens.

PREMIUM COLLECTION 1

Slide&Hide® Single Pyrolytic Ovens

B58VT68NOB

Slide&Hide® Single Pyrolytic Oven



FEATURES

- TFT colour and graphics display with FullTouchControl
- NeffLight®
- SoftClose Slide&Hide® door
- MultiPoint MeatProbe
- Silver display EasyClock
- 18 automatic programmes
- Rapid heat
- Revolution handle
- Pyrolytic cleaning
- EasyClean®

PERFORMANCE/TECHNICAL INFORMATION

- 71 litre
- Water tank capacity 1 litre

B58CT68NOB

Slide&Hide® Single Pyrolytic Oven



FEATURES

- TFT colour and graphics display with FullTouchControl
- NeffLight®
- SoftClose Slide&Hide® door
- MultiPoint MeatProbe
- Silver display EasyClock
- Rapid heat
- Revolution handle
- Pyrolytic cleaning
- EasyClean®

PERFORMANCE/TECHNICAL INFORMATION

- 71 litre

B58VT28NOB

Slide&Hide® Single Pyrolytic Oven



FEATURES

- TFT colour and graphics display with FullTouchControl
- LED light
- SoftClose Slide&Hide® door
- MultiPoint MeatProbe
- Silver display EasyClock
- 18 automatic programmes
- Rapid heat
- Revolution handle
- Pyrolytic cleaning
- EasyClean®

PERFORMANCE/TECHNICAL INFORMATION

- 71 litre
- Water tank capacity 1 litre

B58CT28NOB

Slide&Hide® Single Pyrolytic Oven



FEATURES

- TFT colour and graphics display with FullTouchControl
- Interior halogen light
- SoftClose Slide&Hide® door
- MultiPoint MeatProbe
- Silver display EasyClock
- Rapid heat
- Revolution handle
- Pyrolytic cleaning
- EasyClean®

PERFORMANCE/TECHNICAL INFORMATION

- 71 litre

PREMIUM COLLECTION 1

Slide&Hide® Single Ovens

B48FT78NOB

Slide&Hide® Single Oven



FEATURES

- TFT colour and graphics display with FullTouchControl
- NeffLight®
- SoftClose Slide&Hide® door
- MultiPoint MeatProbe
- Silver display EasyClock
- 38 automatic programmes
- Rapid heat
- EcoClean®: side, back panel, ceiling
- EcoClean® programme
- BaseClean programme

PERFORMANCE/TECHNICAL INFORMATION

- 71 litre
- Water tank capacity 1 litre

B48FT38NOB

Slide&Hide® Single Oven



FEATURES

- TFT colour and graphics display with FullTouchControl
- LED light
- SoftClose Slide&Hide® door
- MultiPoint MeatProbe
- Silver display EasyClock
- 38 automatic programmes
- Rapid heat
- EcoClean®: side, back panel, ceiling
- EcoClean® programme
- BaseClean programme

PERFORMANCE/TECHNICAL INFORMATION

- 71 litre
- Water tank capacity 1 litre

B48VT38NOB

Slide&Hide® Single Oven



FEATURES

- TFT colour and graphics display with FullTouchControl
- LED light
- SoftClose Slide&Hide® door
- MultiPoint MeatProbe
- Silver display EasyClock
- 18 automatic programmes
- EcoClean®: side, back panel, ceiling
- EcoClean® programme
- BaseClean programme

PERFORMANCE/TECHNICAL INFORMATION

- 71 litre
- Water tank capacity 1 litre

B48CT38NOB

Slide&Hide® Single Oven



FEATURES

- TFT colour and graphics display with FullTouchControl
- Interior halogen light
- SoftClose Slide&Hide® door
- MultiPoint MeatProbe
- Silver display EasyClock
- Rapid heat
- EcoClean®: side, back panel, ceiling
- EcoClean® programme
- BaseClean programme

PERFORMANCE/TECHNICAL INFORMATION


- 71 litre

PREMIUM COLLECTION 1

CircoTherm® Compact Oven & Compact Steam Ovens

C28CT26N0B

CircoTherm® Compact Oven



FEATURES

- TFT colour and graphics display with FullTouchControl
- MultiPoint MeatProbe
- LED light
- Touch control
- Bar handle
- Silver display EasyClock
- Drop down door, SoftClose, SoftOpen
- Pyrolytic cleaning
- EasyClean®

PERFORMANCE/TECHNICAL INFORMATION

- 47 litre

C18FT58N0B

Compact Steam Oven



FEATURES


- TFT colour and graphics display with FullTouchControl
- MultiPoint MeatProbe
- 38 automatic programmes
- Drop down door, SoftClose, SoftOpen
- Silver display EasyClock
- Rapid heat
- LED light
- Revolution handle
- EcoClean®: side, back, ceiling
- EcoClean® programme
- BaseClean programme

PERFORMANCE/TECHNICAL INFORMATION

- 47 litre
- Water tank capacity 1 litre

C18FT56N0B

Compact Steam Oven




FEATURES

- TFT colour and graphics display with FullTouchControl
- MultiPoint MeatProbe
- 38 automatic programmes
- Drop down door, SoftClose, SoftOpen
- Silver display EasyClock
- Rapid heat
- LED light
- Touch control
- Revolution handle
- EcoClean®: side, back, ceiling
- EcoClean® programme
- BaseClean programme

PERFORMANCE/TECHNICAL INFORMATION

- 47 litre
- Water tank capacity 1 litre



PREMIUM COLLECTION 1

Compact Ovens with Microwave

C28MT27N0B

Compact Oven with Microwave



Operating
Functions
13



FEATURES

- TFT colour and graphics display with FullTouchControl
- Rapid heat
- CircoTherm®
- Pyrolytic cleaning
- EasyClean®
- 14 automatic programmes
- MultiPoint MeatProbe
- Drop down door, SoftClose, SoftOpen
- Sabbath setting
- Supporting systems: Setting recommendations, Programmes
- LED light
- Touch control
- Bar handle
- Silver display EasyClock

PERFORMANCE/TECHNICAL INFORMATION

- 45 litre

C18MT37N0B

Compact Oven with Microwave



Operating
Functions
13



FEATURES

- TFT colour and graphics display with FullTouchControl
- MultiPoint MeatProbe
- Drop down door, SoftClose, Soft Open
- 14 automatic programmes
- CircoTherm® Eco
- EcoClean®: back panel, side liners, ceiling
- EcoClean®
- BaseClean
- Actual temperature display
- Sabbath setting
- LED light
- Touch control
- Bar handle
- Silver display EasyClock

PERFORMANCE/TECHNICAL INFORMATION

- 45 litre

C18MT36N0B

Compact Oven with Microwave



Operating
Functions
13



FEATURES

- TFT colour and graphics display with FullTouchControl
- MultiPoint MeatProbe
- CircoTherm®
- 14 automatic programmes
- Drop down door, SoftClose, SoftOpen
- LED light
- Touch control
- Bar handle
- Silver display EasyClock
- EcoClean® programme
- BaseClean programme

PERFORMANCE/TECHNICAL INFORMATION

- 45 litre



PREMIUM COLLECTION 2

Slide&Hide® Single Pyrolytic Ovens & Slide&Hide® Single Ovens

B57VS24N0B

Slide&Hide® Single Pyrolytic Oven



FEATURES

- TFT colour and graphics display with ShiftControl
- LED light
- SoftClose Slide&Hide® door
- Silver display EasyClock
- 18 automatic programmes
- Rapid heat
- Pyrolytic cleaning
- EasyClean®

PERFORMANCE/TECHNICAL INFORMATION

- 71 litre
- Water tank capacity 1 litre

B57CS24N0B

Slide&Hide® Single Pyrolytic Oven



FEATURES

- TFT colour and graphics display with ShiftControl
- Interior halogen light
- SoftClose Slide&Hide® door
- Silver display EasyClock
- Rapid heat
- Pyrolytic cleaning
- EasyClean®

PERFORMANCE/TECHNICAL INFORMATION

- 71 litre

B47FS34N0B

Slide&Hide® Single Oven



FEATURES

- TFT colour and graphics display with ShiftControl
- LED light
- SoftClose Slide&Hide® door
- Silver display EasyClock
- 38 automatic programmes
- Rapid heat
- EcoClean®: side, back, ceiling
- EcoClean® programme
- BaseClean programme

PERFORMANCE/TECHNICAL INFORMATION

- 71 litre
- Water tank capacity 1 litre

B47VS34N0B

Slide&Hide® Single Oven



FEATURES

- TFT colour and graphics display with ShiftControl
- LED light
- SoftClose Slide&Hide® door
- Silver display EasyClock
- 18 automatic programmes
- Rapid heat
- EcoClean®: side, back, ceiling
- EcoClean® programme
- BaseClean programme

PERFORMANCE/TECHNICAL INFORMATION

- 71 litre
- Water tank capacity 1 litre

PREMIUM COLLECTION 2

Slide&Hide® Single Oven, CircoTherm® Compact Oven, Compact Steam Oven & Compact Oven with Microwave

B47CS34N0B

Slide&Hide® Single Oven



FEATURES

- ⊗ TFT colour and graphics display with ShiftControl
- ⊗ Interior halogen light
- ⊗ SoftClose Slide&Hide® door
- ⊗ Silver display EasyClock
- ⊗ Rapid heat
- ⊗ EcoClean®: side, back, ceiling
- ⊗ EcoClean® programme
- ⊗ BaseClean programme

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ 71 litre

C27CS22N0B

CircoTherm® Compact Oven



FEATURES

- ⊗ TFT colour and graphics display with ShiftControl
- ⊗ Rapid heat
- ⊗ Drop down door, SoftClose, SoftOpen
- ⊗ Interior halogen light
- ⊗ Illuminated ShiftControl
- ⊗ Bar handle
- ⊗ Silver display EasyClock
- ⊗ Pyrolytic cleaning
- ⊗ EasyClean®

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ 47 litre

C17FS32N0B

Compact Steam Oven



FEATURES

- ⊗ TFT colour and graphics display with ShiftControl
- ⊗ Rapid heat
- ⊗ Drop down door, SoftClose, SoftOpen
- ⊗ Silver display EasyClock
- ⊗ LED light
- ⊗ Illuminated ShiftControl
- ⊗ Bar handle
- ⊗ EcoClean®: back, ceiling, side

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ 47 litre
- ⊗ Water tank capacity 1 litre

C27MS22N0B

Compact Oven with Microwave



FEATURES

- ⊗ TFT colour and graphics display with ShiftControl
- ⊗ CircoTherm® Eco
- ⊗ Pyrolytic cleaning
- ⊗ EasyClean®
- ⊗ Drop down door, SoftClose
- ⊗ Sabbath setting
- ⊗ LED light
- ⊗ Illuminated ShiftControl
- ⊗ Bar handle
- ⊗ Silver display EasyClock

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ 45 litre

PREMIUM COLLECTION 2

Compact Coffee Centre, Warming Drawers & Accessory Drawer

C17KS61N0

Compact Coffee Centre




FEATURES

- ☑ SensoFlow system
- ☑ OneTouch DoubleCup
- ☑ MyCoffee
- ☑ TFT display with interactive menu
- ☑ Brita Intenza water filter

PERFORMANCE/TECHNICAL INFORMATION

- ☑ SilentCeramDrive
- ☑ CoffeeSensoPro
- ☑ Reduced heat-up time
- ☑ Water pump with 19 bar pressure
- ☑ 15,000 cup warranty



N17HH20N0B

Warming Drawer



29

FEATURES/FUNCTIONS

- ☑ Food warming and defrosting (3 settings)
- ☑ Cookware and utensil warming (1 setting)
- ☑ Can accommodate up to: 40 plates / 192 espresso cups
- ☑ Maximum temperature: 80°C / Minimum temperature: 40°C
- ☑ Easy to clean heated ceramic glass base

PERFORMANCE/TECHNICAL INFORMATION

- ☑ 52 litres
- ☑ Weight capacity 25kg

N17HH10N0B

Warming Drawer



14

FEATURES/FUNCTIONS

- ☑ Food warming and defrosting (3 settings)
- ☑ Cookware and utensil warming (1 setting)
- ☑ Can accommodate up to: 12 plates / 64 espresso cups
- ☑ Maximum temperature: 80°C / Minimum temperature: 40°C
- ☑ Easy to clean heated ceramic glass base

PERFORMANCE/TECHNICAL INFORMATION

- ☑ 20 litres
- ☑ Weight capacity 25kg

N17HH11N0B

Warming Drawer



14

FEATURES/FUNCTIONS

- ☑ Food warming and defrosting (3 settings)
- ☑ Cookware and utensil warming (1 setting)
- ☑ Can accommodate up to: 12 plates / 64 espresso cups
- ☑ Maximum temperature: 80°C / Minimum temperature: 40°C
- ☑ Easy to clean heated ceramic glass base

PERFORMANCE/TECHNICAL INFORMATION

- ☑ 20 litres
- ☑ Weight capacity 25kg

N17ZH10N0

Accessory Drawer



14

FEATURES/FUNCTIONS

- ☑ Ideal for storage of oven accessories
- ☑ Can accommodate up to: 14 plates / 64 espresso cups

PERFORMANCE/TECHNICAL INFORMATION

- ☑ 21 litres
- ☑ Weight capacity 15kg

PREMIUM COLLECTION 3

Slide&Hide® Single Pyrolytic Ovens & Slide&Hide® Single Ovens

B57VR22N0B

Slide&Hide® Single Pyrolytic Oven



FEATURES

- TFT colour display with ShiftControl
- Interior halogen light
- SoftClose Slide&Hide® door
- Silver display EasyClock
- QuickConnect shelf supports
- 18 automatic programmes
- Rapid heat
- Illuminated ShiftControl
- Revolution handle
- Pyrolytic cleaning
- EasyClean®

PERFORMANCE/TECHNICAL INFORMATION

- 71 litre
- Water tank capacity 1 litre

B57CR22N0B

Slide&Hide® Single Pyrolytic Oven



FEATURES

- TFT colour display with ShiftControl
- Interior halogen light
- SoftClose Slide&Hide® door
- Silver display EasyClock
- QuickConnect shelf supports
- Rapid heat
- Illuminated ShiftControl
- Revolution handle
- Pyrolytic cleaning
- EasyClean®

PERFORMANCE/TECHNICAL INFORMATION

- 71 litre

B47VR32N0B

Slide&Hide® Single Oven



FEATURES


- TFT colour display with ShiftControl
- LED light
- SoftClose Slide&Hide® door
- Silver display EasyClock
- QuickConnect shelf supports
- 18 automatic programmes
- Rapid heat
- Illuminated ShiftControl
- Revolution handle
- EcoClean®: side, back, ceiling
- EcoClean® programme
- BaseClean programme

PERFORMANCE/TECHNICAL INFORMATION

- 71 litre
- Water tank capacity 1 litre

B47CR32N0B

Slide&Hide® Single Oven



FEATURES

- TFT colour display with ShiftControl
- Interior halogen light
- SoftClose Slide&Hide® door
- Silver display EasyClock
- Full glass inner door
- QuickConnect shelf supports
- Illuminated ShiftControl
- Revolution handle
- EcoClean®: side, back, ceiling
- EcoClean® programme
- BaseClean programme

PERFORMANCE/TECHNICAL INFORMATION

- 71 litre

PREMIUM COLLECTION 3

Single Pyrolytic Ovens & Single Ovens

B27CR22N1B

Single Pyrolytic Oven



FEATURES

- TFT colour display with ShiftControl
- Interior halogen light
- Drop down door
- Sabbath setting
- Silver display EasyClock
- Full glass inner door
- Rapid heat
- Illuminated ShiftControl
- Bar handle
- Pyrolytic cleaning
- EasyClean®

PERFORMANCE/TECHNICAL INFORMATION

- 71 litre

B25CR22N1B

Single Pyrolytic Oven



FEATURES

- TFT colour display with ShiftControl
- Interior halogen light
- Drop down door
- Sabbath setting
- Silver display EasyClock
- Full glass inner door
- Rapid heat
- Info button
- Illuminated ShiftControl
- Bar handle
- Pyrolytic cleaning
- EasyClean®

PERFORMANCE/TECHNICAL INFORMATION

- 71 litre

B17CR32N1B

Single Oven



FEATURES

- TFT colour display with ShiftControl
- Interior halogen light
- Drop down door
- Sabbath setting
- Silver display EasyClock
- Full glass inner door
- Rapid heat
- Illuminated ShiftControl
- Bar handle
- EcoClean® Direct : ceiling, side liners, back panel
- EcoClean® programme
- BaseClean programme

PERFORMANCE/TECHNICAL INFORMATION

- 71 litre

B15CR32N1B

Single Oven



FEATURES

- TFT colour display with ShiftControl
- Interior halogen light
- Drop down door
- Sabbath setting
- Silver display EasyClock
- Full glass inner door
- Rapid heat
- Illuminated ShiftControl
- Bar handle
- EcoClean® Direct : ceiling, side liners, back panel
- EcoClean® programme
- BaseClean programme

PERFORMANCE/TECHNICAL INFORMATION

- 71 litre

PREMIUM COLLECTION 3

Compact Steam Oven & Compact Ovens with Microwave

C17DR02N0

Compact Steam Oven



SPECIAL FEATURES

- TFT colour display with ShiftControl
- 20 automatic programmes
- Drop down door, SoftClose, SoftOpen
- Silver display EasyClock
- Interior light
- Illuminated ShiftControl
- Bar handle

PERFORMANCE/TECHNICAL INFORMATION

- 38 litre
- Water tank capacity 1.3 litre

C17MS32N0B

Compact Oven with Microwave



FEATURES

- TFT colour and graphics display with ShiftControl
- 14 automatic programmes
- Drop down door, SoftClose, SoftOpen
- Rapid heat
- CircoTherm® Eco
- EcoClean® Direct: back panel, side liners, ceiling
- EcoClean® programme
- BaseClean programme
- LED light
- Illuminated ShiftControl
- Bar handle
- Silver display EasyClock

PERFORMANCE/TECHNICAL INFORMATION

- 45 litre

C17MR02N0B

Compact Oven with Microwave



FEATURES

- TFT colour display with ShiftControl
- 14 automatic programmes
- Rapid heat
- CircoTherm® Eco
- Drop down door, SoftClose, SoftOpen
- LED light
- Illuminated ShiftControl
- Bar handle
- Silver display EasyClock

PERFORMANCE/TECHNICAL INFORMATION

- 45 litre



PREMIUM COLLECTION 3

Compact Microwave Ovens

C17GR00N0B

Compact Microwave Oven



FEATURES

- 7 automatic programmes
- InnoWave technology for more even cooking results
- TFT colour display with ShiftControl
- Left hinged door
- Maximum microwave power: 900W
- Number of microwave power levels: 5
- LED light
- Touch control
- Silver display EasyClock

PERFORMANCE/TECHNICAL INFORMATION

- 21 litre

C17GR01N0B

Compact Microwave Oven



FEATURES

- 7 automatic programmes
- InnoWave technology for more even cooking results
- TFT colour display with ShiftControl
- Right hinged door
- Maximum microwave power: 900W
- Number of microwave power levels: 5
- LED light
- Touch control
- Silver display EasyClock

PERFORMANCE/TECHNICAL INFORMATION

- 21 litre

C17WR00N0B

Compact Microwave Oven



FEATURES

- 7 automatic programmes
- InnoWave technology for more even cooking results
- TFT colour display with ShiftControl
- Left hinged door
- Maximum microwave power: 900W
- Number of microwave power levels: 5
- LED light
- Silver display EasyClock

PERFORMANCE/TECHNICAL INFORMATION

- 21 litre

C17WR01N0B

Compact Microwave Oven



FEATURES

- 7 automatic programmes
- InnoWave technology for more even cooking results
- TFT colour display with ShiftControl
- Right hinged door
- Maximum microwave power: 900W
- Number of microwave power levels: 5
- LED light
- Silver display EasyClock


PERFORMANCE/TECHNICAL INFORMATION

- 21 litre

CLASSIC COLLECTION 1

Double Ovens

U16E74N3GB
Double Oven



Efficient

WITH NEFF

TOP OVEN

Energy

A

Operating Functions

8

MAIN OVEN

Energy

A

Operating Functions

12

NeffLight®

CircoTherm®

TOP OVEN

FEATURES

- Ⓢ Electronic control
- Ⓢ ClearText display
- Ⓢ Drop down door
- Ⓢ Triple glazed door
- Ⓢ Full glass inner door
- Ⓢ FlexiRail®
- Ⓢ Interior lights

MAIN OVEN

FEATURES

- Ⓢ Electronic control
- Ⓢ ClearText display
- Ⓢ Drop down door
- Ⓢ Triple glazed door
- Ⓢ Full glass inner door
- Ⓢ FlexiRail®
- Ⓢ Interior lights
- Ⓢ NeffLight®

PERFORMANCE/TECHNICAL INFORMATION

- Ⓢ 30 litre capacity – Top oven
- Ⓢ 67 litre capacity – Main oven

U15E52N3GB
Double Oven



Efficient

WITH NEFF

TOP OVEN

Energy

B

Operating Functions

4

MAIN OVEN

Energy

A

Operating Functions

8

CircoTherm®

TOP OVEN

FEATURES

- Ⓢ Electronic control
- Ⓢ Drop down door
- Ⓢ Triple glazed door
- Ⓢ Full glass inner door
- Ⓢ QuickConnect shelf supports
- Ⓢ Interior lights

MAIN OVEN


FEATURES

- Ⓢ Electronic control
- Ⓢ Drop down door
- Ⓢ Triple glazed door
- Ⓢ Full glass inner door
- Ⓢ QuickConnect shelf supports
- Ⓢ Interior lights

PERFORMANCE/TECHNICAL INFORMATION

- Ⓢ 35 litre capacity – Top oven
- Ⓢ 67 litre capacity – Main oven

Also available as
U15E52S3GB Black



CLASSIC COLLECTION 2

Double Oven, Built-Under Double Oven & Microwave Ovens

U15M52N3GB

Double Oven



TOP OVEN



MAIN OVEN



TOP OVEN

FEATURES

- Ⓢ Drop down door
- Ⓢ Triple glazed door
- Ⓢ Framed glass inner door
- Ⓢ QuickConnect shelf supports
- Ⓢ Interior lights

MAIN OVEN

FEATURES

- Ⓢ Drop down door
- Ⓢ Triple glazed door
- Ⓢ Framed glass inner door
- Ⓢ QuickConnect shelf supports
- Ⓢ EasyClock
- Ⓢ Interior lights

PERFORMANCE/TECHNICAL INFORMATION

- Ⓢ 35 litre capacity – Top oven
- Ⓢ 67 litre capacity – Main oven

Also available as
U15M52S3GB Black

U17M52N3GB

Double Oven (built-under)



TOP OVEN



MAIN OVEN



TOP OVEN

FEATURES

- Ⓢ Drop down door
- Ⓢ Triple glazed door
- Ⓢ Framed glass inner door
- Ⓢ QuickConnect shelf supports
- Ⓢ Interior lights

MAIN OVEN

FEATURES

- Ⓢ Drop down door
- Ⓢ Triple glazed door
- Ⓢ Framed glass inner door
- Ⓢ QuickConnect shelf supports
- Ⓢ EasyClock
- Ⓢ Interior lights

PERFORMANCE/TECHNICAL INFORMATION

- Ⓢ 35 litre capacity – Top oven
- Ⓢ 50 litre capacity – Main oven

Also available as
U17M52S3GB Black

H12GE60S0G

Microwave Oven



FEATURES

- Ⓢ Microwave oven and grill
- Ⓢ 8 automatic programmes
- Ⓢ Memory function
- Ⓢ 5 power level microwave
- Ⓢ 1200 W quartz grill function
- Ⓢ Maximum Microwave power level: 900W
- Ⓢ Electronic control
- Ⓢ Stainless steel interior
- Ⓢ Open Door button
- Ⓢ Retractable control
- Ⓢ Silver display EasyClock
- Ⓢ Interior light

PERFORMANCE/TECHNICAL INFORMATION

- Ⓢ 25 litre

Also available as
H12GE60N0G Stainless Steel

H12WE60S0G

Microwave Oven



FEATURES

- Ⓢ 7 automatic programmes
- Ⓢ Memory function
- Ⓢ 5 power level microwave
- Ⓢ Maximum Microwave power level: 900W
- Ⓢ Electronic control
- Ⓢ Stainless steel interior
- Ⓢ Open Door button
- Ⓢ Retractable control
- Ⓢ Silver display EasyClock
- Ⓢ Interior light

PERFORMANCE/TECHNICAL INFORMATION

- Ⓢ 25 litre

Also available as
H12WE60W0G White
H12WE60N0G Stainless Steel

CLASSIC COLLECTION 2

Microwave Oven

H11WE60N0G

Microwave Oven



FEATURES

- 7 automatic programmes, Memory function
- 5 power level microwave
- Maximum Microwave power level: 800W
- Electronic control
- Stainless steel interior
- Open Door button
- Retractable control
- Silver display EasyClock
- Interior light

PERFORMANCE/TECHNICAL INFORMATION

- 20 litre

Also available as
H11WE60S0G Black



CLASSIC COLLECTION 3

Slide&Hide® Single Oven, Single Oven & Double Oven

B44M42N3GB

Slide&Hide® Single Oven



FEATURES

- ⊗ Bevelled design Revolution handle
- ⊗ Slide&Hide® door
- ⊗ Silver display EasyClock
- ⊗ Automatic on/off programmer
- ⊗ 1 x 40 Watt lamp
- ⊗ QuickConnect shelf supports
- ⊗ 4 shelf positions
- ⊗ EcoClean® liners (back and ceiling)
- ⊗ Bevelled metal fascia
- ⊗ Retractable controls
- ⊗ Stainless steel edged door design
- ⊗ Bevelled bar handle

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ 67 litre

B14M42N3GB

Single Oven



FEATURES

- ⊗ Silver display EasyClock
- ⊗ Automatic on/off programmer
- ⊗ 1 x 40 Watt lamp
- ⊗ QuickConnect shelf supports
- ⊗ 4 shelf positions
- ⊗ TitanEnamel
- ⊗ EcoClean® liners (back and ceiling)
- ⊗ Bevelled metal fascia
- ⊗ Bevelled oval controls
- ⊗ Retractable controls
- ⊗ 'U-form' door design
- ⊗ Bevelled bar handle

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ 67 litre

Also available as
B14M42S3GB Black
B14M42W3GB White

U14M42N3GB

Double Oven



TOP OVEN



MAIN OVEN



FEATURES

- ⊗ Silver display EasyClock
- ⊗ Bevelled glass fascia
- ⊗ Symmetrical design
- ⊗ Bevelled oval controls
- ⊗ Retractable controls
- ⊗ 'U-form' door design
- ⊗ Curved bevelled bar handles
- ⊗ EcoClean® liners (back and ceiling)

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ 35 litre capacity – Top oven
- ⊗ 67 litre capacity – Main oven

Also available as
U14M42S3GB Black
U14M42W3GB White



CLASSIC COLLECTION 3

Built-Under Double Ovens & Microwave Oven

U17M42N3GB

Double Oven (built-under)



TOP OVEN



MAIN OVEN



TOP OVEN

FEATURES

- Ⓢ Drop down door
- Ⓢ Triple glazed door
- Ⓢ Framed glass inner door
- Ⓢ QuickConnect shelf supports
- Ⓢ Interior lights

MAIN OVEN

FEATURES

- Ⓢ Drop down door
- Ⓢ Triple glazed door
- Ⓢ Framed glass inner door
- Ⓢ QuickConnect shelf supports
- Ⓢ EasyClock
- Ⓢ Interior lights

PERFORMANCE/TECHNICAL INFORMATION

- Ⓢ 35 litre capacity – Top oven
- Ⓢ 56 litre capacity – Main oven

Also available as

U17M42S3GB Black

U17M42W3GB White

U17S32N3GB

Double Oven (built-under)



TOP OVEN



MAIN OVEN



TOP OVEN

FEATURES

- Ⓢ Drop down door
- Ⓢ Triple glazed door
- Ⓢ Full glass inner door
- Ⓢ QuickConnect shelf supports
- Ⓢ Interior lights

MAIN OVEN

FEATURES

- Ⓢ Drop down door
- Ⓢ Double glazed door
- Ⓢ Framed glass inner door
- Ⓢ QuickConnect shelf supports
- Ⓢ EasyClock
- Ⓢ Interior lights

PERFORMANCE/TECHNICAL INFORMATION

- Ⓢ 35 litre capacity – Top oven
- Ⓢ 56 litre capacity – Main oven

H53W50N3GB

Microwave Oven



FEATURES


- Ⓢ 7 automatic programmes
- Ⓢ Electronic control
- Ⓢ 24 hour LED clock
- Ⓢ Interior light
- Ⓢ Stainless steel interior
- Ⓢ 5 power level microwave
- Ⓢ Maximum microwave power: 800 W
- Ⓢ Retractable control
- Ⓢ Push button controls
- Ⓢ Left hinged side opening door

PERFORMANCE/TECHNICAL INFORMATION

- Ⓢ 25 litre

Also available as

H53WE50S3GB Black







OVEN ACCESSORIES



We are passionate about cooking

We have created a range of optional accessories that have been specially designed to complement the style as well as the functions of our ovens.

TELESCOPIC RAILS

Easy to use **Telescopic Rails**, with rear bars, prevent tipping to avoid any hazardous situations and create a safer kitchen environment. On classic models, with QuickConnect shelf supports, a set of Telescopic Rails for cooking on level one only, are available to purchase – **Z1701X2**.

The **SeamlessCombination** accessory kit, **Z11SZ90X0**, replaces the shelf that would normally divide two appliances with a much thinner metal shelf in order to close the visible gap between the appliances. Two appliances are then vertically combined into one impressive unit with sleek and stylish stainless steel side trims.



The SeamlessCombination accessory kits are available with the following appliance combinations:

- ⌚ Z11SZ60X0 45cm compact appliance + 14cm warming drawer
- ⌚ Z11SZ80X0 60cm full size oven + 29cm warming drawer
- ⌚ Z11SZ90X0 45cm compact appliance + 60cm full size oven

TRAYS



Our extra deep enamelled tray **Z12CM10A0** fits the bill for roasting potatoes or vegetables or preparing baked pasta dishes and casseroles. Suitable for Premium Collection 45cm and 60cm models.





Our shallow non-stick enamel baking tray **Z12CB10A0** is also generously sized and just the job for baking. Suitable for Premium Collection 45cm and 60cm models.



A sturdy two-piece anti-splash insert **Z1512X0** which protects the interior oven surface from any spitting of hot fat and juices collected in the pan. Suitable for classic models only.

SYSTEM STEAMER

For single premium ovens, consider the 'System Steamer' accessory **Z19DD10X0**. This is essentially a stack incorporating a deep-sided enamel pan into which water is poured, a trivet that sits on the pan, a side support rack, a perforated tray, a solid tray and a large glass cover. Larger items of food like fish and poultry should be placed directly on the steamer trivet. Smaller items like vegetables and sauces can be cooked in the trays above. The multi-purpose extra deep enamel pan can also be used separately.

The system steamer can be used if the oven has:  the steam setting; or  the bottom heat setting.




Full benefits of steam cooking

- ⊗ Retains colour, vitamins and minerals, taste and consistency
- ⊗ Large steaming capacity (two levels)
- ⊗ Deep sided enamel pan
- ⊗ Lower level steamer trivet
- ⊗ Rack to support two special steel containers for upper level
- ⊗ Glass cover
- ⊗ Dimensions
190 x 450 x 370cm

CERAMIC DISHES

Really useful ceramic dishes which are perfect as oven-to-table ware. The dishes are made in Germany and are completely dishwasher and ovenproof and suitable for use in a microwave. Small ceramic dish **Z1665X0** (approx. 325x175mm) 38mm deep. Large ceramic dish **Z1685X0** (approx. 325x354mm) 38mm deep. Designed specifically for use with VarioSteam® and pure steam compact appliances.



BREAD & PIZZA BAKING STONE WITH PADDLE

Supplied with a wooden paddle and suitable for all ovens, the bread and pizza baking stone **Z1913X0** is designed to provide an appetising stone-baked effect to cooking. Perfect for cooking pizzas, breads and flans.





Model shown: T54T97N2 Extra Wide FlexInduction Hob

HOBS



Neff delivers exactly what you should expect from a hob,
plus so much more

Everyone's different, but the chances are we have a hob that suits you and the way you like to cook. Like the control and responsiveness of gas? We have a full range to choose from. Or you may want to consider induction – quicker than gas, equally as responsive and very easy to clean and maintain. Our domino range includes induction, wok and even Teppan Yaki, all of which can be linked together to create a specialist cooking centre in your home.

INDUCTION HOBS



An introduction to induction cooking

An induction hob provides one of the most efficient methods of cooking. Extremely fast and responsive, with the ability to accurately control the power, induction hobs contain a strong electromagnet positioned under the surface of the hob. When a zone is activated and a ferrous metal pan is placed on it, a circuit is created which begins a rapid, even transference of heat to the base of the pan and its contents.

STYLING

If you want a style that's aesthetically pleasing, induction is undoubtedly the hob for you. They're sleek, shiny and smooth while complementing the minimal, uncluttered lines of today's stylish kitchens.

SAFE TO USE

With induction hobs, only the base of the pan and then the contents of the pan are heated. The ceramic glass therefore remains much cooler than traditional radiant ceramic or gas hobs. This means there is little residual heat left over once cooking is finished, making induction hobs much safer.

FAST AND RESPONSIVE

The speed of induction cooking is one of its major benefits. Contents in the pan heat up remarkably quickly and if you need a boost of power it can be easily transferred from zone to zone when required.

EASY TO CLEAN

Cleaning couldn't be easier. There are no parts to remove or difficult nooks and crannies to negotiate with a cloth, just a flat, non-porous surface, which you can wipe over quickly.

ENERGY EFFICIENT

Induction hobs are extremely energy efficient, saving you money on your electricity bills. Only the base of the pan heats up, so only the precise amount of energy you need is ever used.

AUTOMATIC PAN RECOGNITION

The zone will only heat up if it 'senses' a saucepan with a smooth, flat base, suitable diameter and ferrous metal content. This ensures that the hob will not heat up if smaller items such as metal spoons are accidentally left on the induction zones.

SAUCEPANS

Ferrous metal saucepans are required for use on an induction hob. We recommend our fantastic four piece saucepan set – **Z9442XOWIT** which is available for use with all Neff induction hobs.






POINT & TWIST



See the attraction with our removable magnetic dial

Control your hob using our removable magnetic Point&Twist dial. It's extremely easy to use, all you have to do is place the metallic dial in the centre of the control area and then 'point' it towards the zone you want to activate. Once the zone is activated, 'twist' to select the power level you want. The dial is ergonomically designed to make the 'twist' motion effortless. When you remove the magnetic dial your hob is left neat and uncluttered for easy cleaning.



THE INNOVATIVE POINT & TWIST DIAL PROVIDES
HIGH QUALITY CONTROL FOR EFFORTLESS
AND SPEEDY POWER LEVEL SELECTION.



FLEX INDUCTION HOBS PROVIDE GREATER FLEXIBILITY BY HEATING PANS OF ANY SIZE, POSITIONED ANYWHERE IN THE ZONE.

FLEX INDUCTION HOBS



Intelligent cooking starts here

For entertainers, professional cooks or large families, our FlexInduction hobs provide a fantastic solution to demanding cooking requirements. The modern design, with clear print lines, supports a variety of pan sizes while reflecting a minimalistic design trend.

FlexInduction hobs provide greater flexibility by using an enlarged single zone (approximately 24 x 40cm) to heat pans of any size, positioned anywhere within it. Beneath the glass of each of these zones are four unique induction coils which work independently or together when a pan is detected on the surface.




GAS HOBS



Still a first choice for many

Gentle enough to warm milk and powerful enough for stir-frying, gas hobs are versatile and responsive, perfect for an aspiring chef. We provide a wide range of hob sizes including three widths of gas hobs with a range of four to six gas burners. Some come with a larger wok burner as standard, while other models come with the option to have a wok support as an accessory.



WHY CHOOSE A CERAMIC GLASS GAS HOB?

Gas on glass offers a sleek and modern alternative to steel. Stunning to look at and easier to clean, it makes a real statement in the kitchen. Our ceramic glass hobs feature a range of additional benefits over tempered glass hobs. In terms of safety, they have extra impact and heat resistance and are ultra durable. They feature low-profile, one-piece burners which clean easily and always look trim and streamlined. Ceramic glass is exceptionally strong so we can use a really sleek 4mm thickness to create aesthetically pleasing hob designs. Finished with high precision, bevelled edges and mounted on a steel frame, they come complete with cast-iron pan supports.

GAS HOB FUNCTIONS

WOK BURNER

The secret of Chinese stir fry cooking is heat and speed. Our domino wok (**N24K35N0**) delivers 6.0kW, one of the most powerful on the market. A special pan support gives extra stability to woks with rounded bases.

HIGH SPEED BURNERS

Useful if you need to boil a large pan of water quickly, high speed burners provide a surge of extra power.

SIMMER SETTING

Excellent for slow simmering, a selection of our gas hobs have a very low burner with a maximum of just 1.0kW.



A wok burner means a stir fry can always be on the menu.





BECAUSE IT IS SO RESPONSIVE
AND CONTROLLABLE, GAS IS
STILL THE NUMBER ONE CHOICE
FOR MANY.

SAFETY FEATURES

The **flame failure safety device** shuts down the supply of gas to the hob if the flame goes out for any reason.

The **automatic reignition** uses a heat sensor to detect if the flame goes out and, if so, will automatically attempt to reignite.

The **residual heat indicators** display if there is any residual heat on the hob. In the event of a problem with the individual burner the indicator lights also act as warning lights.



Residual heat indicator

FINISHES

Specially designed to complement your Neff appliances in their styling and functionality, we offer a wide range of different finishes.



Black ceramic glass trimmed with stainless steel



Stainless steel finish with panel insert



Black finish



White finish



Flushline



Side controls

DOMINO HOBS



Tailor make a flexible cooking centre

Domino hobs allow you to combine anything from a wok burner and FlexInduction hob, to a double gas burner and a Teppan Yaki. Mounted on distinctive black ceramic glass, build a combination to suit your specific requirements, and don't forget the possibility of adding a single domino next to a standard hob. So if, for example, you've got a ceramic induction hob but would also like a wok burner, domino is the answer.





SOME OF THE
OPTIONS AVAILABLE

FLEX INDUCTION ZONE




WOK STYLE GAS HOB



TEPPAN YAKI DOMINO HOBS

A trend-setting concept involving cooking directly on the stainless steel surface without using any pots or pans. The temperature is evenly distributed across the whole of the 34cm x 29cm surface and can be precisely set between 140°C and 240°C. Direct contact cooking is particularly good for meat, fish and seafood.



Models shown from left to right:
N24K35N0 Domino Wok Hob
N54D30N2 FlexInduction Domino Hob
N24K30N0 Gas Domino Hob



AT A GLANCE



FLEX INDUCTION HOBS	066 - 068
INDUCTION HOBS	069 - 070
QUICK-LIGHT HOBS	071
GAS HOBS	072 - 075
DOMINO HOBS	076
HOB ACCESSORIES	077



T54T55N2
FlexInduction Hob
Page 67



T29S96N1
Extra Wide Gas Hob
Page 73





N54K40N0
Domino Hob
Page 76

FLEX INDUCTION HOBS

Extra Wide FlexInduction Hobs

T54T97N2

Extra Wide FlexInduction Hob



SPECIAL FEATURES

- ⊗ Electronic control
- ⊗ Power boost for all induction zones
- ⊗ LED display for each zone
- ⊗ LED timer for each zone with switch off function and acoustic signal
- ⊗ Automatic pan recognition
- ⊗ Power management function

FEATURES

- ⊗ 5 zone induction hob
- ⊗ 2 stage residual heat indicators
- ⊗ Control panel lock
- ⊗ Safety cut out facility
- ⊗ Control panel suspension

DESIGN

- ⊗ 918 mm wide
- ⊗ Bevelled design trim

OPTIONAL ACCESSORIES

- ⊗ May be connected with Neff domino hobs via connecting links Z9914X0
- ⊗ Only saucepans made of ferrous metal are suitable for use on this hob

T54T95N2

Extra Wide FlexInduction Hob



SPECIAL FEATURES

- ⊗ Electronic control
- ⊗ Central 32cm triple zone
- ⊗ LED timer for each zone with switch off function and acoustic signal
- ⊗ Automatic pan recognition

FEATURES

- ⊗ 5 zone induction hob
- ⊗ 2 stage residual heat indicators
- ⊗ Control panel lock
- ⊗ Safety cut out facility
- ⊗ Control panel suspension
- ⊗ LED display for each zone
- ⊗ Power management function

DESIGN



- ⊗ 918 mm wide
- ⊗ Bevelled design trim

OPTIONAL ACCESSORIES

- ⊗ May be connected with Neff domino hobs via connecting links Z9914X0
- ⊗ Only saucepans made of ferrous metal are suitable for use on this hob

T51T95X2

Extra Wide FlexInduction Hob



SPECIAL FEATURES

- ⊗ Electronic control
- ⊗ Central 32cm triple zone
- ⊗ LED timer for each zone with switch off function and acoustic signal
- ⊗ Automatic pan recognition

FEATURES

- ⊗ 5 zone induction hob
- ⊗ 2 stage residual heat indicators
- ⊗ Control panel lock
- ⊗ Safety cut out facility
- ⊗ Control panel suspension
- ⊗ LED display for each zone
- ⊗ Power management function

DESIGN

- ⊗ 918 mm wide
- ⊗ Bevelled design trim

OPTIONAL ACCESSORIES



- ⊗ May be connected with Neff domino hobs via connecting links Z9914X0
- ⊗ Only saucepans made of ferrous metal are suitable for use on this hob

FLEX INDUCTION HOBS

Extra Wide FlexInduction Hobs and FlexInduction Hob

T51T86X2

Extra Wide FlexInduction Hob



SPECIAL FEATURES

- Ⓢ Electronic control
- Ⓢ LED timer for each zone with switch off function and acoustic signal
- Ⓢ Automatic pan recognition

FEATURES

- Ⓢ 5 zone induction hob
- Ⓢ 2 stage residual heat indicators
- Ⓢ Keep warm function
- Ⓢ Control panel lock
- Ⓢ Safety cut out facility
- Ⓢ Control panel suspension
- Ⓢ Power management function
- Ⓢ LED display for each zone

DESIGN



- Ⓢ 802 mm wide
- Ⓢ Bevelled front
- Ⓢ Point & Twist control dial

OPTIONAL ACCESSORIES

- Ⓢ Only saucepans made of ferrous metal are suitable for use on this hob

T51D86X2

Extra Wide FlexInduction Hob



SPECIAL FEATURES

- Ⓢ Electronic control
- Ⓢ LED display for each zone
- Ⓢ LED timer for each zone with switch off function and acoustic signal
- Ⓢ Automatic pan recognition

FEATURES

- Ⓢ 5 zone induction hob
- Ⓢ 2 stage residual heat indicators
- Ⓢ Control panel lock
- Ⓢ Safety cut out facility
- Ⓢ Control panel suspension
- Ⓢ ReStart function
- Ⓢ QuickStart function
- Ⓢ Energy consumption display
- Ⓢ Power management function

DESIGN


- Ⓢ 802 mm wide
- Ⓢ Bevel front
- Ⓢ Touch control

OPTIONAL ACCESSORIES

- Ⓢ Only saucepans made of ferrous metal are suitable for use on this hob

T54T55N2

FlexInduction Hob



SPECIAL FEATURES

- Ⓢ Automatic pan recognition
- Ⓢ Power boost for all induction zones
- Ⓢ LED timer for each zone with switch off function and acoustic signal

FEATURES

- Ⓢ Electronic control
- Ⓢ 4 zone induction hob
- Ⓢ 2 stage residual heat indicators
- Ⓢ Control panel lock
- Ⓢ Safety cut out facility
- Ⓢ Control panel suspension
- Ⓢ LED display for each zone
- Ⓢ Power management function

DESIGN

- Ⓢ 606 mm wide
- Ⓢ Bevelled design trim
- Ⓢ Point & Twist control dial

OPTIONAL ACCESSORIES

- Ⓢ May be connected with Neff domino hobs via connecting links Z9914X0
- Ⓢ Only saucepans made of ferrous metal are suitable for use on this hob

FLEX INDUCTION HOBS

FlexInduction Hobs

T51T55X2

FlexInduction Hob



FEATURES


- ☑ Touch control FlexInduction operation
- ☑ LED timer for each zone with switch off function and acoustic signal
- ☑ Power boost for all induction zones
- ☑ Automatic pan recognition
- ☑ 4 zone induction hob
- ☑ 2 stage residual heat indicators
- ☑ Control panel lock
- ☑ Safety cut out facility
- ☑ Control panel suspension

DESIGN

- ☑ 592 mm wide
- ☑ Bevel front
- ☑ Point & Twist control dial

T51T53X2

FlexInduction Hob



FEATURES


- ☑ Power boost for all induction zones
- ☑ LED display for each zone
- ☑ LED timer for each zone with switch off function and acoustic signal
- ☑ Automatic pan recognition
- ☑ 4 zone induction hob
- ☑ 2 stage residual heat indicators
- ☑ Control panel lock
- ☑ Safety cut out facility
- ☑ Control panel suspension

DESIGN

- ☑ 592 mm wide
- ☑ Bevel front
- ☑ Point & Twist control dial

T51D53X2

FlexInduction Hob



SPECIAL FEATURES

- ☑ Power boost for all induction zones
- ☑ LED display for each zone
- ☑ LED timer for each zone with switch off function and acoustic signal
- ☑ Automatic pan recognition
- ☑ Power management function
- ☑ 4 zone induction hob
- ☑ 2 stage residual heat indicators
- ☑ Control panel lock
- ☑ Safety cut out facility
- ☑ Control panel suspension
- ☑ ReStart function
- ☑ QuickStart function

DESIGN

- ☑ 592 mm wide
- ☑ Bevel front
- ☑ Touch control




INDUCTION HOBS

Extra Wide Induction Hobs

T45D90X2

Extra Wide Induction Hob



FEATURES

- ⊗ Electronic control
- ⊗ Power boost for all induction zones
- ⊗ LED display for each zone
- ⊗ LED timer for each zone with switch off function and acoustic signal
- ⊗ Automatic pan recognition
- ⊗ Power management function
- ⊗ ReStart function
- ⊗ QuickStart function
- ⊗ 4 zone induction hob
- ⊗ 2 stage residual heat indicators
- ⊗ Control panel lock
- ⊗ Safety cut out facility
- ⊗ Control panel suspension

DESIGN

- ⊗ 892 mm wide
- ⊗ Flushline installation
- ⊗ Touch control

T41D90X2

Extra Wide Induction Hob



FEATURES

- ⊗ Electronic control
- ⊗ Power boost for all induction zones
- ⊗ LED display for each zone
- ⊗ LED timer for each zone with switch off function and acoustic signal
- ⊗ Automatic pan recognition
- ⊗ 4 zone induction hob
- ⊗ 2 stage residual heat indicators
- ⊗ Control panel lock
- ⊗ Safety cut out facility
- ⊗ Control panel suspension
- ⊗ ReStart function
- ⊗ QuickStart function
- ⊗ Energy consumption display
- ⊗ Power management function

DESIGN

- ⊗ 903 mm wide
- ⊗ Bevel front
- ⊗ Touch control
- ⊗ Energy consumption display

T45D82X2

Extra Wide Induction Hob



FEATURES

- ⊗ Electronic control
- ⊗ LED display for each zone
- ⊗ LED timer for each zone with switch off function and acoustic signal
- ⊗ Automatic pan recognition
- ⊗ Power management function
- ⊗ 5 zone induction hob
- ⊗ 2 stage residual heat indicators
- ⊗ Control panel lock
- ⊗ Safety cut out facility
- ⊗ Control panel suspension
- ⊗ ReStart function
- ⊗ QuickStart function
- ⊗ Energy consumption display

DESIGN

- ⊗ 792 mm wide
- ⊗ Flushline installation
- ⊗ Touch control

T41D82X2

Extra Wide Induction Hob



FEATURES

- ⊗ Electronic control
- ⊗ LED display for each zone
- ⊗ LED timer for each zone with switch off function and acoustic signal
- ⊗ Automatic pan recognition
- ⊗ Power management function
- ⊗ 5 zone induction hob
- ⊗ 2 stage residual heat indicators
- ⊗ Power boost for all induction zones
- ⊗ Control panel lock
- ⊗ Safety cut out facility
- ⊗ Control panel suspension
- ⊗ ReStart function
- ⊗ QuickStart function
- ⊗ Energy consumption display

DESIGN


- ⊗ 802 mm wide
- ⊗ Bevel front
- ⊗ Touch control

INDUCTION HOBS

Induction Hobs

T45D40X2

Induction Hob



FEATURES


- ⊗ Electronic control
- ⊗ Power boost for all induction zones
- ⊗ LED display for each zone
- ⊗ LED timer for each zone with switch off function and acoustic signal
- ⊗ Automatic pan recognition
- ⊗ Power management function
- ⊗ 4 zone induction hob
- ⊗ 2 stage residual heat indicators
- ⊗ Control panel lock
- ⊗ Safety cut out facility
- ⊗ Control panel suspension
- ⊗ ReStart function
- ⊗ QuickStart function
- ⊗ Energy consumption display

DESIGN

- ⊗ 572 mm wide
- ⊗ Flushline installation
- ⊗ Touch control

T41D40X2

Induction Hob



FEATURES


- ⊗ Electronic control
- ⊗ Power boost for all induction zones
- ⊗ LED display for each zone
- ⊗ LED timer for each zone with switch off function and acoustic signal
- ⊗ Automatic pan recognition
- ⊗ Power management function
- ⊗ 4 zone induction hob
- ⊗ 2 stage residual heat indicators
- ⊗ Control panel lock
- ⊗ Safety cut out facility
- ⊗ Control panel suspension
- ⊗ ReStart function
- ⊗ QuickStart function
- ⊗ Energy consumption display

DESIGN

- ⊗ 592 mm wide
- ⊗ Bevel front
- ⊗ Touch control

T41B30X2

Induction Hob



FEATURES

- ⊗ Electronic control
- ⊗ Power boost for all induction zones
- ⊗ LED display for each zone
- ⊗ LED timer for each zone with switch off function and acoustic signal
- ⊗ Automatic pan recognition
- ⊗ Power management function
- ⊗ 4 zone induction hob
- ⊗ 2 stage residual heat indicators
- ⊗ Control panel lock
- ⊗ Safety cut out facility
- ⊗ ReStart function
- ⊗ QuickStart function

DESIGN

- ⊗ 592 mm wide
- ⊗ Bevel front
- ⊗ Touch control

T40B31X2GB

Induction Hob



FEATURES

- ⊗ Electronic control
- ⊗ Power boost for all induction zones
- ⊗ LED display for each zone
- ⊗ LED timer for each zone with switch off function and acoustic signal
- ⊗ Automatic pan recognition
- ⊗ Power management function
- ⊗ 4 zone induction hob
- ⊗ 2 stage residual heat indicators
- ⊗ Control panel lock
- ⊗ Safety cut out facility
- ⊗ QuickStart function
- ⊗ ReStart function
- ⊗ 110cm cable and 13A UK plug

DESIGN

- ⊗ 592 mm wide
- ⊗ Frameless
- ⊗ Touch control

QUICK-LIGHT HOBS

Extra Wide Quick-Light Hob & Quick-Light Hobs

T11D83X2

Extra Wide Quick-Light Hob



FEATURES


- ⊗ 2 dual zones
- ⊗ 1 extendable zone
- ⊗ Electronic control
- ⊗ LED display for each zone
- ⊗ LED timer for each zone with switch off function and acoustic signal
- ⊗ 4 zone ceramic hob
- ⊗ 2 stage residual heat indicators
- ⊗ Control panel lock
- ⊗ Safety cut out facility
- ⊗ Control panel suspension
- ⊗ Keep warm function

DESIGN

- ⊗ 802 mm wide
- ⊗ Frameless with front faceted glass
- ⊗ Touch control

T11D41X2

Quick-Light Hob



FEATURES


- ⊗ Electronic control
- ⊗ 1 dual zone
- ⊗ LED display for each zone
- ⊗ LED timer for each zone with switch off function and acoustic signal
- ⊗ 4 zone ceramic hob
- ⊗ 2 stage residual heat indicators
- ⊗ Control panel lock
- ⊗ Safety cut out facility
- ⊗ Control panel suspension
- ⊗ Keep warm function

DESIGN

- ⊗ 592 mm wide
- ⊗ Touch control

T10B40X2

Quick-Light Hob



FEATURES


- ⊗ Electronic control
- ⊗ LED display for each zone
- ⊗ LED timer for each zone with switch off function and acoustic signal
- ⊗ 4 zone ceramic hob
- ⊗ 2 stage residual heat indicators
- ⊗ Control panel lock
- ⊗ Safety cut out facility

DESIGN

- ⊗ 592 mm wide
- ⊗ Touch control
- ⊗ Frameless

T11K40X2

Quick-Light Hob



FEATURES

- ⊗ Electronic control
- ⊗ 4 zone ceramic hob
- ⊗ 4-stage residual-heat indicator
- ⊗ 1 stage residual heat indicator

DESIGN

- ⊗ 592 mm wide
- ⊗ Frameless with front faceted glass
- ⊗ Fixed bevelled oval controls positioned at the side

GAS HOBS

Black Glass Extra Wide Gas Hobs

T69S76N0

Extra Wide Gas Hob



◀918▶

FEATURES

- ⊗ Dual control, 6.0kW wok burner
- ⊗ 5 burner hob
- ⊗ Low profile, 1 piece burners
- ⊗ 2 piece Cast iron pan supports
- ⊗ 1 black cast iron pan support for the wok burner
- ⊗ Flame failure safety device
- ⊗ Ignition via control knob

DESIGN

- ⊗ 918 mm wide
- ⊗ Bevelled design trim
- ⊗ Bevelled oval controls positioned at the front

T69S86N0

Extra Wide Gas Hob



◀918▶

FEATURES

- ⊗ Dual control, 6.0kW wok burner
- ⊗ 5 burner hob
- ⊗ Low profile, 1 piece burners
- ⊗ 3 piece Cast iron pan supports
- ⊗ 1 black cast iron pan support for the wok burner
- ⊗ Flame failure safety device
- ⊗ Ignition via control knob

DESIGN

- ⊗ 918 mm wide
- ⊗ Bevelled design trim
- ⊗ Bevelled oval controls positioned at the front

T67S76N1

Extra Wide Gas Hob



◀708▶

FEATURES

- ⊗ Dual control, 4.2kW wok burner
- ⊗ 5 burner hob
- ⊗ Low profile, 1 piece burners
- ⊗ 2 piece black cast iron pan supports with protective rubber feet
- ⊗ Ignition via control knob
- ⊗ Flame failure safety device

DESIGN

- ⊗ 708 mm wide
- ⊗ Bevelled design trim
- ⊗ Bevelled oval controls positioned at the front

T63S46S1

Extra Wide Gas Hob



◀710▶

FEATURES

- ⊗ 4.0kW wok burner
- ⊗ 5 burner hob
- ⊗ 5 piece black cast iron pan supports
- ⊗ Ignition via control knob
- ⊗ Flame failure safety device

DESIGN


- ⊗ 710 mm wide
- ⊗ Bevelled oval controls positioned at the front
- ⊗ Two possibilities for installation:
 - Flushline installation for stone or tiled work surfaces only
 - Mounted on top of work surface

GAS HOBS

Stainless Steel Extra Wide Gas Hobs

T29S96N1

Extra Wide Gas Hob



◀915▶

FEATURES

- ⊗ 2 3.3kW wok burners
- ⊗ 6 burner hob
- ⊗ 3 piece black cast iron pan supports with protective rubber feet
- ⊗ Flame failure safety device
- ⊗ Ignition via control knob

DESIGN

- ⊗ 915 mm wide
- ⊗ Black glass control panel
- ⊗ Bevelled oval controls positioned at the front

T26S56N0

Extra Wide Gas Hob



◀702▶

FEATURES


- ⊗ 4.0kW wok burner
- ⊗ 5 burner hob
- ⊗ 2 piece black cast iron pan supports with protective rubber feet
- ⊗ Flame failure safety device
- ⊗ Ignition via control knob

DESIGN

- ⊗ 702 mm wide
- ⊗ Black glass control panel
- ⊗ Bevelled oval controls positioned at the front

T25S76N0

Extra Wide Gas Hob



◀702▶

FEATURES

- ⊗ 4.0kW wok burner
- ⊗ 5 burner hob
- ⊗ 2 piece black cast iron pan supports with protective rubber feet
- ⊗ Flame failure safety device
- ⊗ Ignition via control knob

DESIGN

- ⊗ 702 mm wide
- ⊗ Bevelled oval controls positioned at the front

T25S56N0GB

Extra Wide Gas Hob



◀702▶

FEATURES

- ⊗ 4.0kW wok burner
- ⊗ 5 burner hob
- ⊗ 2 piece black cast iron pan supports with protective rubber feet
- ⊗ Flame failure safety device
- ⊗ Ignition via control knob

DESIGN

- ⊗ 702 mm wide
- ⊗ Bevelled oval controls positioned at the front

Also available as
T25S56S0 Black

GAS HOBS

Black Glass and Stainless Steel Gas Hobs

T66S66N0

Gas Hob



◀606▶

FEATURES

- ⊗ 4 burner hob
- ⊗ Low profile, 1 piece burners
- ⊗ 2 piece black cast iron pan supports with protective rubber feet
- ⊗ Flame failure safety device
- ⊗ Ignition via control knob

DESIGN

- ⊗ 606 mm wide
- ⊗ Bevelled design trim
- ⊗ Bevelled oval controls positioned at the front

T62S26S1

Gas Hob



◀590▶

FEATURES

- ⊗ 4 burner hob
- ⊗ 2 piece black cast iron pan supports
- ⊗ Flame failure safety device
- ⊗ Ignition via control knob

DESIGN

- ⊗ 590 mm wide
- ⊗ Bevelled oval controls positioned at the front

T23S36N0GB

Gas Hob



◀582▶

FEATURES

- ⊗ 4 burner hob
- ⊗ 2 piece black cast iron pan supports with protective rubber feet
- ⊗ Flame failure safety device
- ⊗ Ignition via control knob

DESIGN

- ⊗ 582 mm wide
- ⊗ Black glass control panel
- ⊗ Bevelled oval controls positioned at the front

T22S46N0

Gas Hob



◀582▶

FEATURES

- ⊗ 3.3kW wok burner
- ⊗ 4 burner hob
- ⊗ 2 piece black cast iron pan supports with protective rubber feet
- ⊗ Flame failure safety device
- ⊗ Ignition via control knob

DESIGN

- ⊗ 582 mm wide
- ⊗ Bevelled oval controls positioned at the front

GAS HOBS

Gas Hobs

T22S36W0

Gas Hob



◀582▶

SPECIAL FEATURES

- ⊗ 3.3kW wok burner
- ⊗ 4 burner hob
- ⊗ 2 piece black cast iron pan supports with protective rubber feet
- ⊗ Flame failure safety device
- ⊗ Ignition via control knob

DESIGN

- ⊗ 582 mm wide
- ⊗ Bevelled oval controls positioned at the front

Also available as
T22S36S0 Black

T26CR48S0

Gas Hob



◀590▶

FEATURES


- ⊗ Flame failure safety device
- ⊗ 2-piece burners
- ⊗ 2 x enamelled steel supports
- ⊗ Ignition via control dials (push & turn)
- ⊗ Pre-set for natural gas

DESIGN

- ⊗ Side controls

T26BR56N0

Gas Hob



◀580▶

FEATURES

- ⊗ 1 wok style burner
- ⊗ Flame failure safety device
- ⊗ 2-piece burners
- ⊗ 2 cast iron pan supports
- ⊗ Ignition via control dials (push & turn)
- ⊗ Pre-set for natural gas

DESIGN

- ⊗ Side controls

T26BR46N0

Gas Hob



◀580▶

FEATURES

- ⊗ Flame failure safety device
- ⊗ 2-piece burners
- ⊗ 2 cast iron pan supports
- ⊗ Ignition via control dials (push & turn)
- ⊗ Pre-set for natural gas

DESIGN

- ⊗ Side controls

Also available as
T26BR46S0 Black

Also available as
T26BR46W0 White

DOMINO HOBS

FlexInduction Domino Hob, Teppan Yaki, Quick-Light Domino Hob & Gas Domino Hobs

N54D30N2

FlexInduction Domino Hob



FEATURES

- FlexInduction zone
- Boost setting
- Electronic power level display
- LED timer with switch-off function
- Automatic pan recognition
- Residual heat indicators: Hh
- Safety cut-out facility
- Control panel suspension
- 17 power levels
- Can be installed with a Neff domino hob

DESIGN

- Design trim
- Touch control

N54K40N0

Teppan Yaki



FEATURES

- Temperature range 140 – 240 °C
- Automatic safety switch off
- 1 stage residual heat indicator
- 12 power levels
- Power indicator

DESIGN

- 396 mm wide
- Comfort design
- Oval controls
- Stainless steel cooking surface
- Bevelled design trim

N14K30N2

Quick-Light Domino Hob



FEATURES

- 1 dual zone
- Electronic control
- 2 QuickLight cooking zones
- 2 stage residual heat indicator
- 9 power levels

DESIGN

- 306 mm wide
- Bevelled design trim
- Oval controls
- Bevelled design trim

N24K30N0

Gas Domino Hob



FEATURES

- Flame failure safety cut-out facility
- 1-piece low profile burner
- 1 cast iron pan support
- Variable power levels
- Can be installed with a Neff domino hob
- Pre-set for natural gas

DESIGN

- Design trim
- Front control dials

N24K35N0

Gas Domino Hob



FEATURES

- Flame failure safety cut-out facility
- 1-piece low profile burner
- 1 cast iron pan support
- Variable power levels
- Can be installed with a Neff domino hob
- Pre-set for natural gas

DESIGN

- Design trim
- Front control dials



HOB ACCESSORIES



SAUCEPANS

Ferrous metal saucepans are required for use on an induction hob. To check if a saucepan can be used with an induction hob use our quick magnetic test shown below.



Magnetic base

In most cases if the magnet sticks, the pans are made from ferrous metal and are therefore likely to be suitable for use on induction hobs.



Z9442X0



Z9416X2

FLEX INDUCTION ACCESSORIES

We have introduced a range of FlexInduction hob accessories to provide more flexibility and make cooking with Neff even more of a pleasure.

GRIDDLE PLATE

The versatile griddle plate **Z9416X2** is ideal for cooking food evenly and quickly, particularly when grilling meat, fish, seafood and vegetables. Easy to clean and dishwasher safe. Surface area: 41.5 x 26.5cm.



Z9417X2

TEPPAN YAKI


The Teppan Yaki **Z9417X2** introduces a new cooking style for creating special dishes including sweet couscous cookies, parmesan French toast and skewers of minced meat. It is highly controllable and flexible via multiple heat zones that enable you to cook and warm several dishes at once. It can also be used in the steam oven, providing a healthy alternative. Dishwasher safe. Surface area: 41.5 x 26.5cm.



Z9410X1

OVAL ROASTER AND STEAMER RACK

The oval roaster **Z9410X1** can be used on FlexInduction zones for cooking meat, fish and vegetables. Dishwasher safe and oven safe. Size (at bottom): 31 x 22cm. The steamer rack **Z9415X1** sits inside the oval roaster **Z9410X1** turning it into a steamer.



Z9415X1



EXTRACTOR HOODS



The finishing touch to the perfect kitchen

When you've cooked up a storm in the kitchen and need to clear the air before your guests arrive, a Neff extractor hood will do the job perfectly. A must-have in any kitchen, the extractor hood is the first thing people see when they enter the room, so we've got a range of styles to create the impact you're looking for. We ensure our hoods are whisper quiet, with perfect lighting, to complete the warm atmosphere that comes inherently with a Neff kitchen.



VENTILATION EXPLAINED



We have engineered and designed an extractor hood for every type of kitchen. Our powerful hoods work quietly in the background, efficiently extracting unwanted food smells.


EXTRACTION OR RECIRCULATION?

The best way to remove steam and odours is to extract the air out of the room through ducting. Unfortunately, in apartments or where the hood is too far away from an outside wall, this may not be possible. In this case, the only alternative is to recirculate the air. Stale air is sucked through a grease filter, before being purified in a charcoal filter, and then pumped back into the kitchen via an opening in the hood.


HINTS AND TIPS

The following points should be observed for optimum ducted extraction results and low noise:

1. Ensure any pipe elbow bends are at least 30cm from the hood ducting opening.
2. Avoid reducing the diameter or area of the ducting.
3. Use wide-angled pipe elbows, but keep the number used to a minimum.
4. Only install pipes with smooth, even inner surfaces. If a flexible hose has to be used, ensure it is pulled tight to smooth out the ridges before fixing.
5. Use ducting pipes with a diameter of at least 120mm, but ideally 150mm.
6. Keep piping to a minimum – use the most direct route to an external outlet.
7. Make sure that there is an adequate supply of fresh air to replace the air ducting out of the kitchen, i.e. windows that can be opened, doors to adjacent rooms, air bricks. Problems with installation may occur if points 1 – 7 are not observed.



Extraction



Recirculation



ENERGY EFFICIENCY



Energy efficient, powerful and whisper quiet:
Neff extractor hoods – a breath of fresh air

The most efficient way to extract is through ducted extraction. Our advice is to use the largest ducting size possible so the largest volume of air is extracted. Maximum ducting length should be 5 metres, reducing by 1.2 metres for every 90° bend to ensure fresh air can flow back into the kitchen. Taking these small but essential steps when installing an extractor hood will greatly improve not only the hood's extraction rate, but also drastically reduce the noise level.

USE THE FOLLOWING EQUATION TO CALCULATE YOUR EXTRACTION RATE:

Volume of kitchen (length x width x height)
eg. 4m x 3m x 2.5m = 30m³

10 changes of air per hour
eg. 10 x 30m³ = 300m³

EFFICIENT DRIVE MOTOR

Save up to 80% energy and enjoy a noise free, illuminated kitchen environment thanks to the new ultra-efficient high-speed extractor hood fan, with EfficientDrive motor technology and LED lights.

NOISE LEVEL




Quiet fans that won't
drown out the conversation

We're very proud of the fact that all our extractor hoods are exceptionally quiet. However, the noise you hear from a hood isn't just from the appliance itself – the length and type of ducting used, and the surrounding room size can also affect the noise level.

There is no international standard set-up for measuring extractor hood noise; the most common measurement is sound pressure, which is measured in dBA. Still this method does not regulate the number of microphones used during testing or the size of the room, so manufacturers can present results that are vague about the control conditions.

At Neff we prefer to calculate the sound power of our hoods in dB(A) re 1pW. With this system there are strict guidelines controlling the room size and location of microphones, which means that you can not only easily compare our models, but it also provides a better indication of noise level in your home once the hood is installed. The sound information we present can be measured on this chart, so you get a great comparison against everyday sounds for a truly informed choice.

HOW THE NEFF D39MH64N1B CHIMNEY HOOD COMPARES...



LIGHTING



THE LIGHT CREATED
BY A NEFF
EXTRACTOR HOOD
WILL COMPLEMENT
THE WHOLE KITCHEN
LIGHTING SCHEME.



STANDARD

Standard bulbs tend to give out a warmer light than halogen bulbs. They are inexpensive and easy to get hold of and fit when they need replacing.



HALOGEN SPOTLIGHTS

Controllable, dimmable halogen lights are small, tidy and provide crisp colour and good illumination. Halogen bulbs are also long-lasting and energy efficient.



LED

LED lighting not only provides bright, enduring illumination for your kitchen, but is also extremely energy efficient, consuming up to 85% less energy than an equivalent five year old model with halogen lights.

GOOD LIGHTING CAN MAKE ALL
THE DIFFERENCE TO A ROOM.



CEILING VENTILATION



Sleek and effective

- ⌚ Simply adjust the settings on your ceiling hood with the easy to operate remote control.
- 💡 Add style and illumination to your kitchen with the seven segment LED display.
- ⚙️ Select one of three speeds, plus an intensive setting which boosts the extraction rate to the maximum level to cope with particularly demanding cooking conditions.
- ⌚ Clear your kitchen of any lingering steam or smells with the automatic 15 minutes after running setting.
- 👤 Add your personal touch by choosing between a suspended or flush ceiling installation.
- 🧼 Easily remove the grease filter cassettes for cleaning when the grease filter saturation indicator alerts you. You'll never have to check them yourself.



CEILING HOODS ARE THE PERFECT
COMBINATION OF FUNCTIONALITY,
DESIGN AND LIGHTING.

CHIMNEY HOODS



Designed to match ovens perfectly

We have always been at the forefront of appliance design, rating aesthetics as highly as efficiency and build quality. That's why we offer a vast range of design options for our hoods, making a Neff hood a statement appliance for all the right reasons.



ANGLED

A real benefit for taller customers, our angled canopy hoods allow easier access to the hob.



ANGLED GLASS

Make a real design statement with the stylish black canopy on this model, designed to coordinate with our glass hobs.



CURVED GLASS

The combination of stainless steel and curved glass is hugely popular and provides a striking focal point for any kitchen.



FLAT GLASS

With their clean lines and linear styling, flat-glass hoods are a perennially popular choice. They have a contemporary architectural look, which fits well with a modern kitchen.




BOX

This style of hood is already extremely popular throughout Europe, particularly in Italy and Germany. Sleek, compact and easy to maintain, it's rapidly becoming a firm favourite in British kitchens too.



PYRAMID

Bold and dramatic, these are statement hoods that add a touch of panache to any kitchen. They break up the lines of the cabinets, and add visual interest to the room.



CONTROL PANELS



Our control panels have been carefully designed to help you get the most out of your Neff extractor hood. From classic switch controls, to an intelligent TFT touch display screen, whichever model you decide to go for you'll always be in control.



SWITCH CONTROL

Our classic extractor hoods feature simple, sleek and easy to use switch controls. These switches have a satisfying solidity about them and provide separate controls for each power level as well as the lights.



ELECTRONIC CONTROL

Our electronically controlled hoods allow for greater control over power levels, including intensive and automatic run on, and display the chosen setting on a clean, white display panel.

TOUCH CONTROL



Designed to match ovens perfectly


The new range of extractor hoods, with touch control, flawlessly complement our ovens and compact appliances for a sleek and stylish look. The high-resolution TFT display offers maximum convenience and excellent legibility.



RIM VENTILATION



Chimney hoods featuring rim ventilation have the metal grease filter cassettes hidden by a stainless steel plate to ensure a streamlined appearance. Air is drawn around the outside of the stainless steel plate before being passed through the metal grease filter. Recirculation requires charcoal carbon filters to help remove unwanted odours.



Rim ventilation filter

DOWNDRAFT HOOD



Ideal for an island unit

With an elegant design, first class functionality and the choice of using either recirculating or ducted ventilation, the stunning retractable downdraft model provides an uncluttered, space-saving solution for virtually any kitchen. It fully retracts into the worktop to create a flush finish and also features intuitive operation via a glass panel touch control, to truly combine modern minimalist design with current kitchen trends.



- ⌚ Add style and illumination to your kitchen with the seven segment LED display.
- ⌚ Clear your kitchen of any lingering steam or smells with the automatic 15 minutes after running setting.
- ⌚ Easily remove the grease filter cassettes for cleaning when the grease filter saturation indicator alerts you. You'll never have to check them yourself.
- ⌚ For neat installation in worktops.

EFFICIENT AND ELEGANT.

BUILT-IN EXTRACTOR HOODS



Even in a smaller kitchen it's really important to have an effective extractor hood. A built-in option saves valuable space, but still does the job in style.

TYPES OF BUILT-IN HOODS



CANOPY

Canopy hoods are designed to fit neatly under an overhead canopy kitchen unit. They're discreet and save valuable space.



INTEGRATED

These hoods look like they're part of the furniture. Hidden behind a unit door, they simply pull out when needed.



CONVENTIONAL

Conventional hoods fit neatly under a kitchen unit, protruding only slightly. The controls are usually positioned on the front.



TELESCOPIC

For a smaller kitchen where space is at a premium, these clever hoods pull out from the wall when required.

BUILT-IN HOODS ARE PERFECT FOR THE SMALLER KITCHEN.




FILTERS

Our extractor hoods have metal grease filters that are designed to last for the lifetime of the hood. Metal grease filters can be taken in and out very simply and are easy to clean by popping them in the dishwasher on a regular basis.

EXTRACTOR HOODS USE FILTERS TO ENSURE THAT GREASE AND ODOUR PARTICLES ARE FILTERED FROM THE ATMOSPHERE.



Standard design metal grease filter



Neff design metal grease filter





AT A GLANCE



DOWNDRAFT	090
CEILING HOODS	090
ISLAND HOODS	091
CHIMNEY HOODS WITH GLASS	091 - 093
CHIMNEY HOODS	093 - 094
TELESCOPIC HOODS	095
CANOPY HOODS	096
INTEGRATED HOODS	097
CONVENTIONAL HOOD	097



I79MT86N1B
Island Hood
Page 91

D89DK62N0B
Chimney Hood with Glass
Page 92



D2615X0GB
Integrated Hood
Page 97

EXTRACTOR HOODS

Downdraft Mounted Hood & Ceiling Hoods

I99L59N0GB

Downdraft Mounted Hood



FEATURES

- 7 segment LED display
- Interval operation
- Automatic after running (15 minutes)
- 1 x 5 Watt LED light strip
- SoftLight with dimmer
- 2 metal grease filter cassettes
- Charcoal filter
- Grease filter saturation indicator
- Touch control operation
- Rim ventilation

I99CM67N0B

Ceiling Hood



FEATURES

- For ceiling mounted installation
- LED display
- 1 x LED glass filter panel
- SoftLight with dimmer function
- 2 metal grease filter cassettes
- Saturation indicator for metal and charcoal filter
- Interval operation
- 3 speeds plus intensive
- Automatic after running (10 minutes)
- Automatic intensive revert (4 minutes)
- EfficientDrive BLDC technology
- Electronic controls
- Suitable for ducted extraction and recirculation

I96CM57N0B

Ceiling Hood



FEATURES

- For ceiling mounted installation
- LED display
- 1 x LED glass filter panel
- SoftLight with dimmer function
- 1 metal grease filter cassette
- Saturation indicator for metal and charcoal filter
- Interval operation
- 3 speeds plus intensive
- Automatic after running (10 minutes)
- EfficientDrive BLDC technology
- Electronic controls
- Suitable for ducted extraction and recirculation

I92C67N1GB

Ceiling Hood



FEATURES

- Suitable for ducted operation
- Suitable for recirculating operation
- Halogen lights
- 4 metal grease filter cassettes
- Electronic control
- Soft touch metal button control
- Remote control
- Stainless steel filter cover
- Rim ventilation
- Ceiling mounted installation
- Interval operation
- Automatic after running (10 minutes)
- 3 power levels
- Intensive setting
- Automatic intensive revert

I99C68N1GB

Ceiling Hood



FEATURES

- Suitable for ducted operation
- Electronic power level display
- Halogen lights
- 3 metal grease filter cassettes
- Electronic control
- Soft touch metal button control
- Remote control
- Stainless steel filter cover
- Rim ventilation
- Ceiling mounted installation
- Interval operation
- Automatic after running (10 minutes)
- 3 power levels
- Intensive setting
- Automatic intensive revert



EXTRACTOR HOODS

Island Hoods & Chimney Hood with Glass

I79MT86N1B

Island Hood



FEATURES

- ⊗ Efficient drive motor
- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ Electronic power level display
- ⊗ LED light strips
- ⊗ 3 metal grease filter cassettes
- ⊗ Electronic control
- ⊗ Soft touch
- ⊗ Stainless steel filter cover
- ⊗ Rim ventilation
- ⊗ Ceiling mounted installation
- ⊗ Interval operation
- ⊗ Automatic after running (10 minutes)
- ⊗ SoftLight with dimmer function
- ⊗ 3 power levels
- ⊗ 2 intensive settings
- ⊗ Automatic intensive revert

I79MT64N1B

Island Hood



FEATURES

- ⊗ Efficient drive motor
- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ Electronic power level display
- ⊗ LED light strips
- ⊗ 3 metal grease filter cassettes
- ⊗ Electronic control
- ⊗ Soft touch
- ⊗ Stainless steel filter cover
- ⊗ Rim ventilation
- ⊗ Height adjustable chimney sections
- ⊗ Ceiling mounted installation
- ⊗ Interval operation
- ⊗ Automatic after running (3/6/9 minutes)
- ⊗ SoftLight with dimmer function
- ⊗ 3 power levels
- ⊗ 2 intensive settings
- ⊗ Automatic intensive revert

I89DK62N0B

Island Hood



FEATURES

- ⊗ Efficient Drive motor
- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ Electronic power level display
- ⊗ Halogen lights
- ⊗ 2 metal grease filter cassettes
- ⊗ Electronic control
- ⊗ Soft touch
- ⊗ Stainless steel filter cover
- ⊗ Height adjustable chimney sections
- ⊗ Ceiling mounted installation
- ⊗ Interval operation
- ⊗ Automatic after running (10 minutes)
- ⊗ SoftLight with dimmer function
- ⊗ 3 power levels
- ⊗ 2 intensive settings
- ⊗ Automatic intensive revert

I89EH52N0B

Island Hood



FEATURES

- ⊗ Efficient drive motor
- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ Electronic power level display
- ⊗ 4 x LED lights
- ⊗ 1 metal grease filter cassette
- ⊗ Electronic control
- ⊗ Soft touch
- ⊗ Stainless steel filter cover
- ⊗ Height adjustable chimney sections
- ⊗ Ceiling mounted installation
- ⊗ Interval operation
- ⊗ Automatic after running (10 minutes)
- ⊗ SoftLight with dimmer function
- ⊗ 3 power levels
- ⊗ Automatic intensive revert

I79SH52N0B

Island Hood



FEATURES

- ⊗ Efficient drive motor
- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ Electronic power level display
- ⊗ 4 x LED lights
- ⊗ 3 metal grease filter cassettes
- ⊗ Electronic control
- ⊗ Soft touch
- ⊗ Stainless steel filter cover
- ⊗ Height adjustable chimney sections
- ⊗ Ceiling mounted installation
- ⊗ Automatic after running (10 minutes)
- ⊗ SoftLight with dimmer function
- ⊗ 3 power levels
- ⊗ 2 intensive settings
- ⊗ Automatic intensive revert

D39DT68N0B

Chimney Hood with Glass



FEATURES

- ⊗ For wall mounted installation
- ⊗ 7 segment LED display
- ⊗ 2 x 1W LED lights
- ⊗ SoftLight with dimmer function
- ⊗ 3 metal grease filter cassettes
- ⊗ Saturation indicator for metal and charcoal filter
- ⊗ Interval operation
- ⊗ 4 power levels plus intensive
- ⊗ Automatic after running (15 minutes)
- ⊗ EfficientDrive BLDC technology
- ⊗ Touch control
- ⊗ Electronic controls
- ⊗ Suitable for ducted extraction and recirculation

EXTRACTOR HOODS

Chimney Hoods with Glass

D39DT57N0B

Chimney Hood with Glass



FEATURES

- ⊗ For wall mounted installation
- ⊗ 7 segment LED display
- ⊗ 2 x 1W LED lights
- ⊗ SoftLight with dimmer function
- ⊗ 3 metal grease filter cassettes
- ⊗ Saturation indicator for metal and charcoal filter
- ⊗ Interval operation
- ⊗ 3 speeds plus intensive
- ⊗ Automatic after running (15 minutes)
- ⊗ Touch control
- ⊗ Electronic controls
- ⊗ Suitable for ducted extraction and recirculation

Also available as
D36DT57N0B 60cm width

D39GL64N0B

Chimney Hood with Glass



FEATURES

- ⊗ EfficientDrive motor
- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ Electronic power level display
- ⊗ LED light strips
- ⊗ 2 metal grease filter cassettes
- ⊗ Electronic control
- ⊗ Soft touch metal button control
- ⊗ Stainless steel filter cover
- ⊗ Height adjustable chimney sections
- ⊗ Wall mounted installation
- ⊗ Interval operation
- ⊗ Automatic after running (10 minutes)
- ⊗ SoftLight with dimmer function
- ⊗ 3 power levels
- ⊗ 2 intensive settings
- ⊗ Automatic intensive revert

Also available as
D39GL64S0B Black glass

D39MH64N1B

Chimney Hood with Glass



FEATURES

- ⊗ Wall mounted installation
- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ Height adjustable chimney sections
- ⊗ EfficientDrive
- ⊗ Electronic power level display
- ⊗ 3 power levels
- ⊗ Intensive setting
- ⊗ Automatic intensive revert
- ⊗ Automatic after running (10 minutes)
- ⊗ 3 x LED lights
- ⊗ SoftLight with dimmer function
- ⊗ 3 metal grease filter cassettes
- ⊗ Stainless steel filter cover
- ⊗ Electronic control
- ⊗ Soft touch control

D39E49S0GB

Chimney Hood with Glass



FEATURES

- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ Electronic power level display
- ⊗ Halogen lights
- ⊗ 3 metal grease filter cassettes
- ⊗ Electronic control
- ⊗ Soft touch metal button control
- ⊗ Glass filter cover
- ⊗ Rim ventilation
- ⊗ Wall mounted installation
- ⊗ Automatic after running (30 minutes)
- ⊗ 3 power levels
- ⊗ 2 intensive settings
- ⊗ Automatic intensive revert

Also available as
D36E49S0GB 60cm width

D89DK62N0B

Chimney Hood with Glass



FEATURES

- ⊗ EfficientDrive motor
- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ Electronic power level display
- ⊗ Halogen lights
- ⊗ 2 metal grease filter cassettes
- ⊗ Electronic control
- ⊗ Soft touch metal button control
- ⊗ Stainless steel filter cover
- ⊗ Height adjustable chimney sections
- ⊗ Wall mounted installation
- ⊗ Interval operation
- ⊗ Automatic after running (10 minutes)
- ⊗ SoftLight with dimmer function
- ⊗ 3 power levels
- ⊗ 2 intensive settings
- ⊗ Automatic intensive revert

Also available as
D86DK62N0GB 60cm width

D89EH52N0B

Chimney Hood with Glass



FEATURES

- ⊗ Wall mounted installation
- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ Height adjustable chimney sections
- ⊗ EfficientDrive
- ⊗ Electronic power level display
- ⊗ 3 power levels
- ⊗ Intensive setting
- ⊗ Automatic intensive revert
- ⊗ Automatic after running (10 minutes)
- ⊗ 2 x LED lights
- ⊗ SoftLight with dimmer function
- ⊗ 1 metal grease filter cassette
- ⊗ Electronic control
- ⊗ Soft touch control

Also available as
D86EH52N0B 60cm width

EXTRACTOR HOODS

Chimney Hoods with Glass & Chimney Hoods

D89GR22N0B

Chimney Hood with Glass



FEATURES

- ⊗ Wall mounted installation
- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ Height adjustable chimney sections
- ⊗ 3 power levels
- ⊗ 2 x LED lights
- ⊗ 1 metal grease filter cassette
- ⊗ Stainless steel filter cover
- ⊗ Rocker switch control

Also available as
D86GR22N0B 60cm width

D89ER22N0B

Chimney Hood with Glass



FEATURES

- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ Electronic power level display
- ⊗ 2 x LED lights
- ⊗ 1 metal grease filter cassette
- ⊗ Switch control
- ⊗ Stainless steel filter cover
- ⊗ Height adjustable chimney sections
- ⊗ Wall mounted installation
- ⊗ 3 power levels

Also available as
D87ER22N0B 70cm width
D86ER22N0B 60cm width

D99L20N0GB

Chimney Hood



FEATURES

- ⊗ EfficientDrive motor
- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ Electronic power level display
- ⊗ 1 x LED light
- ⊗ 3 metal grease filter cassettes
- ⊗ Electronic control
- ⊗ Touch control
- ⊗ Stainless steel filter cover
- ⊗ Rim ventilation
- ⊗ Height adjustable chimney sections
- ⊗ Wall mounted installation
- ⊗ Interval operation
- ⊗ Automatic after running (3/6/9 minutes)
- ⊗ SoftLight with dimmer function
- ⊗ 3 power levels
- ⊗ Intensive setting
- ⊗ Automatic intensive revert

D79MT62N1B

Chimney Hood



FEATURES

- ⊗ 3 x LED lights
- ⊗ SoftLight with dimmer function
- ⊗ 3 metal grease filter cassettes
- ⊗ Saturation indicator for metal and charcoal filter
- ⊗ Interval operation
- ⊗ 3 power levels and 2 intensive settings
- ⊗ Automatic after running (10 minutes)
- ⊗ Additional noise insulation
- ⊗ Efficient BLDC technology
- ⊗ Touch control
- ⊗ Electronic controls
- ⊗ Suitable for ducted extraction and recirculation

D79MT86N1B

Chimney Hood



FEATURES

- ⊗ 3 x LED lights
- ⊗ SoftLight with dimmer function
- ⊗ 3 metal grease filter cassettes
- ⊗ Saturation indicator for metal and charcoal filter
- ⊗ Interval operation
- ⊗ 3 power levels and 2 intensive settings
- ⊗ Automatic after running (10 minutes)
- ⊗ Additional noise insulation
- ⊗ Touch control
- ⊗ Electronic controls
- ⊗ Suitable for ducted extraction and recirculation

D79MH52N1B

Chimney Hood



FEATURES

- ⊗ 3 x LED lights
- ⊗ SoftLight with dimmer function
- ⊗ Saturation indicator for grease filter
- ⊗ Interval operation
- ⊗ 3 power levels and 2 intensive settings
- ⊗ Automatic after running (10 minutes)
- ⊗ Additional noise insulation
- ⊗ Soft touch control
- ⊗ Electronic controls
- ⊗ Suitable for ducted extraction and recirculation

Also available as
D76MH52N1B 60cm width

EXTRACTOR HOODS

Chimney Hoods

D69SH52N0B

Chimney Hood



FEATURES

- ⊗ EfficientDrive motor
- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ Electronic power level display
- ⊗ LED light strips
- ⊗ Electronic control
- ⊗ Soft touch metal button control
- ⊗ Stainless steel filter cover
- ⊗ Height adjustable chimney sections
- ⊗ Wall mounted installation
- ⊗ Interval operation
- ⊗ Automatic after running (10 minutes)
- ⊗ SoftLight with dimmer function
- ⊗ 3 power levels
- ⊗ 2 intensive settings
- ⊗ Automatic intensive revert

Also available as
D66SH52N0B 60cm width

D79SH52N0B

Chimney Hood



FEATURES

- ⊗ EfficientDrive motor
- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ Electronic power level display
- ⊗ LED light strips
- ⊗ Electronic control
- ⊗ Soft touch metal button control
- ⊗ Stainless steel filter cover
- ⊗ Height adjustable chimney sections
- ⊗ Wall mounted installation
- ⊗ Interval operation
- ⊗ Automatic after running (10 minutes)
- ⊗ SoftLight with dimmer function
- ⊗ 3 power levels
- ⊗ 2 intensive settings
- ⊗ Automatic intensive revert

Also available as
D76SH52N0B 60cm width

D79SR22N0B

Chimney Hood



FEATURES

- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ 2 x LED lights
- ⊗ Switch control
- ⊗ Stainless steel filter cover
- ⊗ Height adjustable chimney sections
- ⊗ Wall mounted installation
- ⊗ 3 power levels

Also available as
D76SR22N0B 60cm width

D69B21N0GB

Chimney Hood



FEATURES

- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ Halogen lights
- ⊗ 3 metal grease filter cassettes
- ⊗ Switch control
- ⊗ Stainless steel filter cover
- ⊗ Height adjustable chimney sections
- ⊗ Wall mounted installation
- ⊗ 3 power levels

Also available as
D69B21S0GB Black

D67B21N0GB

Chimney Hood



FEATURES

- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ Halogen lights
- ⊗ 2 metal grease filter cassettes
- ⊗ Switch control
- ⊗ Stainless steel filter cover
- ⊗ Height adjustable chimney sections
- ⊗ Wall mounted installation
- ⊗ 3 power levels

D66B21N0GB

Chimney Hood



FEATURES

- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ Halogen lights
- ⊗ 2 metal grease filter cassettes
- ⊗ Switch control
- ⊗ Stainless steel filter cover
- ⊗ Height adjustable chimney sections
- ⊗ Wall mounted installation
- ⊗ 3 power levels

Also available as
D66B21S0GB Black

EXTRACTOR HOODS

Built-in Telescopic Hoods

D4692X0GB

Telescopic Hood



FEATURES

- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ Electronic control
- ⊗ Electronic power level display
- ⊗ 2 halogen lights
- ⊗ SoftLight with dimmer function
- ⊗ Plug in VarioControl
- ⊗ Soft touch metal button control
- ⊗ Automatic sensor control
- ⊗ Interval operation
- ⊗ Automatic after running (10 minutes)
- ⊗ 2 metal grease filter cassettes
- ⊗ Install in, between and under furniture carcass
- ⊗ 3 power levels
- ⊗ Intensive setting

D4972X0GB

Telescopic Hood



FEATURES

- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ 3 halogen lights
- ⊗ Slider switch control
- ⊗ 2 metal grease filter cassettes
- ⊗ Install in, between and under furniture carcass
- ⊗ 3 power levels
- ⊗ Intensive setting

D4672X0GB

Telescopic Hood



FEATURES

- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ 2 halogen lights
- ⊗ Slider switch control
- ⊗ 2 metal grease filter cassettes
- ⊗ Install in, between and under furniture carcass
- ⊗ 3 power levels
- ⊗ Intensive setting

D4644X0GB

Telescopic Hood



FEATURES

- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ 2 standard bulbs
- ⊗ Rocker switch control
- ⊗ 2 metal grease filter cassettes
- ⊗ Install in, between and under furniture carcass
- ⊗ 3 power levels

D4618X0GB

Telescopic Hood



FEATURES

- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ 3 halogen lights
- ⊗ Slider switch control
- ⊗ 1 metal grease filter cassette
- ⊗ Install in, between and under furniture carcass
- ⊗ 3 power levels



EXTRACTOR HOODS

Built-in Canopy Hoods

D57ML67N0B

Canopy Hood



FEATURES

- ⊗ For installation in a kitchen cabinet
- ⊗ LED display
- ⊗ 2 x 1W LED lights
- ⊗ SoftLight dimmer function
- ⊗ 2 metal grease filter cassettes
- ⊗ Interval operation
- ⊗ Soft touch control
- ⊗ Suitable for ducted extraction and recirculation

D57MH56N0B

Canopy Hood



FEATURES

- ⊗ LED display
- ⊗ 2 x 1W LED lights
- ⊗ 2 metal grease filter cassettes
- ⊗ Soft touch control
- ⊗ Electronic controls

Also available as
D55MH56N0B 52cm width

D5855X0GB

Canopy Hood



FEATURES

- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ 2 halogen lights
- ⊗ Slider switch control
- ⊗ 2 metal grease filter cassettes
- ⊗ Install in, between and under furniture carcass
- ⊗ 3 power levels
- ⊗ Intensive setting

Also available as
D5655X0GB 53cm width


D5625X0GB

Canopy Hood



FEATURES

- ⊗ Suitable for ducted operation
- ⊗ Suitable for recirculating operation
- ⊗ 2 standard bulbs
- ⊗ Rocker switch control
- ⊗ Install in, between and under furniture carcass
- ⊗ 2 power levels
- ⊗ Intensive setting




EXTRACTOR HOODS

Integrated Hoods & Conventional Hood

D2664X0GB

Integrated Hood



FEATURES

- Ⓢ Suitable for ducted operation
- Ⓢ Suitable for recirculating operation
- Ⓢ 2 standard bulbs
- Ⓢ Rocker switch control
- Ⓢ Install in, between and under furniture carcass
- Ⓢ Furniture door required
- Ⓢ 3 power levels
- Ⓢ Intensive setting

D2654X1GB

Integrated Hood



FEATURES

- Ⓢ Suitable for ducted operation
- Ⓢ Suitable for recirculating operation
- Ⓢ 2 standard bulbs
- Ⓢ Rocker switch control
- Ⓢ Install in, between or under furniture carcass
- Ⓢ Furniture door required
- Ⓢ 3 power levels

D2615X0GB

Integrated Hood



FEATURES

- Ⓢ Suitable for ducted operation
- Ⓢ Suitable for recirculating operation
- Ⓢ 1 standard bulb
- Ⓢ Rocker switch control
- Ⓢ Install in, between and under furniture carcass
- Ⓢ Furniture door required
- Ⓢ 3 power levels

D16BS01N0B

Conventional Hood



FEATURES

- Ⓢ For wall mounted installation or suspended beneath a reduced height wall cupboard
- Ⓢ LED display
- Ⓢ 1 halogen light
- Ⓢ 3 power levels
- Ⓢ Slide control operation
- Ⓢ Mechanical controls
- Ⓢ Suitable for ducted extraction and recirculation

Also available as
D16BS01S0B Black
D16BS01W0B White





Schne
Fen
Mang
Hed
Schwa
Paw



elles Joghurt
nachschiffen
nachtauf
Fisch mit Eis
& Torte
& Cupcakes.

THE KITCHEN




FRIDGES AND FREEZERS



Keep your cool with Neff

You will no doubt be aware of the benefits of using fresh ingredients in your cooking to ensure your family enjoy a healthy, balanced diet. You can rely on our cooling appliances to perfectly store and preserve fresh food, making excessive waste a thing of the past.



FRIDGES AND FREEZERS FOR ANY SIZE KITCHEN

So which combination of fridge and freezer is right for you?


At Neff, we're constantly working to improve our range of fridges and freezers so there's something for everyone. Whether you need a streamlined space-saving model, or a large American style fridge freezer that can cope with the demands of your hungry family, we're confident that there's a model to suit you. It's our attention to detail that makes all the difference – our NoFrost, CircoCool® and AntiSpill shelf innovations are designed to make your life easier. And, of course, all of our appliances have at least an A+ energy rating for great efficiency and low running costs.



NoFrost Freezers automatically react to any signs of frost so it never has a chance to build up.



K3990X7GB
American Style Fridge Freezer





OUR INNOVATIVE VITA FRESH®
PRESERVATION SYSTEM EXTENDS
THE LIFE OF FOOD BY AT
LEAST THREE TIMES IN ORDER
TO REDUCE WASTE.

0°C VITA FRESH®



Did you know that around a third of the food we buy is thrown away?

The average family of four throws away £680* worth of food per year. At Neff, we're keen to help you manage your costs by developing the most effective food preservation systems. VitaFresh® is a 0°C compartment, independent from the fridge temperature, comprising two humidity zones. The dry section maintains 50% humidity to preserve meat and fish, while the moist zone, at 90% humidity, extends the life of vegetables, salad and fruit.



EATING A FRESH, CRUNCHY SALAD IS A JOY IN SUMMER, BUT SO OFTEN THE SHORT SHELF LIFE OF FRESH PRODUCE MEANS IT CAN BE DIFFICULT TO USE BEFORE IT WILTS.

By storing your salad items in the VitaFresh® 0°C drawer, the 90% humidity can extend the life of produce for up to three days, maintaining the nutrition levels as well as preserving the look and taste in order to support your healthy lifestyle. It's perfect for fruit and vegetables too; soft fruit such as apricots retain up to 50% more of their vitamin content when stored in the VitaFresh® 0°C compartment.



SALAD DAYS
Salad stays fresh up to
three times longer in a
VitaFresh® compartment,
compared to a salad drawer
in a conventional fridge.

*Figure according to lovefoodhatewaste.com



ACCESS TO THE VITA FRESH® DRAWERS IS EASY. THE TELESCOPIC FLEXI RAIL® SYSTEM ALLOWS THE DRAWERS TO SLIDE OUT FULLY FOR ADDED CONVENIENCE.

STORING FOOD IN YOUR NEFF FRIDGE AND FREEZER



OUR FRIDGES AND FREEZERS ARE DESIGNED TO KEEP YOUR FOOD AS SAFE AND FRESH AS POSSIBLE. SO NOW YOU CAN STORE EVERYTHING YOU NEED WITH COOL, CALM CONFIDENCE.



LED interior lights



HydroFresh vegetable drawer

LED INTERIOR LIGHTS

Gain clear, bright illumination within your cooling appliance with this efficient and long lasting lighting system.

ELECTRONIC CONTROLS

Allow you to check the temperature of your fridge or freezer at a glance and control it easily.

MULTIPLE COOLING SYSTEMS

Prevent the transference of odours and/or humidity between the fridge and freezer cavities using separate cooling circuits for independent temperature control.

CIRCO COOL®

Creates a better circulation of air inside the fridge with vent holes at the back of the shelves. This minimises 'hot spots' and maintains a more even temperature throughout.

DYNAMIC COOLING

Quick and even temperature distribution across all shelf levels, even after the door has been opened.

ICE WATER DISPENSER

Provides ice cubes, crushed ice and chilled water at any time, sourced directly from a permanent water connection.

MULTIAIRFLOW COOLING

Ensures your food stays fresher for longer by greatly improving the circulation of air around the fridge, regulating the temperature and humidity levels and eradicating condensation build-up.

HYDRO FRESH

Helps fruit and vegetables last up to twice as long by adjusting humidity levels. It also features a convenient Telescopic Rail which allows the drawer to extend completely for easier access.

CHILLER SAFE

Keeps meat, fish and ready-meals fresh by maintaining a lower temperature from the rest of the fridge.

CRISPER BOX



Protects the quality and freshness of vegetables and salad produce. The humidity is controlled to keep perishable goods moist and crisp, extending both their shelf life and nutritional value.

AIR FRESH FILTER

Reduces strong odours and keeps your fridge smelling fresh by using a carbon filter combined with cold air circulation.

ANTISPILL TRIMS

If there's an accidental spillage these trims will help save any food below by holding up to a pint of liquid.



NO FROST VS. LOW FROST

NoFrost freezers automatically react to any signs of frost so it never has a chance to build up. With a NoFrost freezer air is blown from the back wall and circulates over food items. As a result, there is no condensation or build-up of frost and food does not freeze together. It also provides more storage space due to there being no internal evaporator and you will only need to defrost your freezer 2-3 times per year.

LowFrost, within our built-in bottom freezers **KI6873F30G** and **KI6863F30G**, improves performance and reduces frost build-up in an energy efficient way.

TELESCOPIC FLEXI RAIL® DRAWERS

For even better access and added convenience, these drawers slide out fully on smooth rails.

FRONT VENTILATION

A sleek, stylish solution to ventilation, the air is drawn in through the plinth eliminating the need for a top board.

VITA CONTROL

Ensures the appliance maintains an optimal storage climate, independent of the surrounding ambient temperatures, using three intelligent sensors which monitor the temperature within the fridge, the freezer and the room outside.

VARIO SHELF


Instantly create extra space for tall or wide items, without the hassle of emptying and removing an entire shelf level. These clever safety-glass shelves divide lengthways; simply reach in and lift away the front section, it's that easy!

VARIO BOX

Lets you choose a low temperature for meat and two higher temperatures for dairy and grocery items to ensure that every food type is kept in its most appropriate conditions.



VarioShelf



FUNCTIONS OF NEFF FRIDGES AND FREEZERS

SUPER COOL

Allows for the increase in temperature that occurs when fresh food is added. As soon as the food is cold, the fridge will readjust to the normal temperature.

SUPER FREEZE

Lowers the temperature for more rapid freezing when adding fresh food.

INTELLIGENT COOLING

Uses a range of innovative sensors to calculate the quantity of food in the fridge with the outside temperature and then adjusts the internal cooling power accordingly.

DOOR OPEN AND HIGH TEMPERATURE ALARM SYSTEMS

If the door has been left open or a power cut has occurred, the cooling appliance will alert you. A rise in temperature would result in spoiled food, so this system ensures that your ingredients are kept in the best possible environment for freshness and quality.



AT A GLANCE



BUILT-IN FRIDGE FREEZERS	110 - 111
BUILT-IN SINGLE DOOR FRIDGES	112 - 113
BUILT-IN SINGLE DOOR FREEZERS	114
BUILT-IN SINGLE DOOR FRIDGES AND FREEZERS UNDER 90CM	114 - 115
AMERICAN STYLE FRIDGE FREEZERS	116



KI6873F30G
Built-in fridge freezer
Page 110

KI2422S30G
Built-in single door fridge
Page 113



K3990X7GB
American style fridge/freezer
Page 116

REFRIGERATION

Built-in Fridge Freezers

K8345X0

Built-in Fridge Freezer



FEATURES

- ⊗ Automatic defrost freezer
- ⊗ SoftClose door
- ⊗ Fixed hinge
- ⊗ Right hinged door, reversible
- ⊗ Twin LED electronic control panel
- ⊗ VitaFresh®
- ⊗ Twin LED electronic control panel
- ⊗ Single compressor
- ⊗ Acoustical door open warning signal

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Annual energy consumption 250 kWh (per year)
- ⊗ Total net capacity: 251 litres
- ⊗ Net fridge capacity: 132 litres
- ⊗ Net freezer capacity: 62 litres
- ⊗ 70/30 split
- ⊗ 57 litre VitaFresh® 0°C chiller section
- ⊗ Noise 39dB

KI7863D30G

Built-in Fridge Freezer



FEATURES

- ⊗ SoftClose hinge
- ⊗ LED Interior light
- ⊗ 2 cooling circuits
- ⊗ HydroFresh
- ⊗ Electronic control
- ⊗ SuperCool function
- ⊗ NoFrost

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 223 kWh per year
- ⊗ Total net capacity 257 litres
- ⊗ Refrigerator net capacity 189 litres
- ⊗ Freezer net capacity 68 litres
- ⊗ 60/40 split
- ⊗ Noise 39dB
- ⊗ Dimensions (H x W x D mm) 1772 x 558 x 54

KI7853D30G

Built-in Fridge Freezer



FEATURES

- ⊗ SoftClose hinge
- ⊗ LED Interior light
- ⊗ 2 cooling circuits
- ⊗ HydroFresh
- ⊗ Electronic control
- ⊗ SuperCool function
- ⊗ NoFrost

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 234 kWh per year
- ⊗ Total net capacity 249 litres
- ⊗ Refrigerator net capacity 155 litres
- ⊗ Freezer net capacity 94 litres
- ⊗ 50/50 split
- ⊗ Noise 39dB
- ⊗ Dimensions (H x W x D mm) 1772 x 558 x 545

KI6873F30G

Built-in Fridge Freezer



FEATURES

- ⊗ LED Interior light
- ⊗ 2 cooling circuits
- ⊗ HydroFresh
- ⊗ Electronic control
- ⊗ SuperCool function
- ⊗ LowFrost

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 226 kWh per year
- ⊗ Total net capacity 272 litres
- ⊗ Refrigerator net capacity 211 litres
- ⊗ Freezer net capacity 61 litres
- ⊗ 70/30 split
- ⊗ Noise 35dB
- ⊗ Dimensions (H x W x D mm) 1772 x 558 x 545

KI6863F30G

Built-in Fridge Freezer



FEATURES

- ⊗ LED Interior light
- ⊗ 2 cooling circuits
- ⊗ HydroFresh
- ⊗ Electronic control
- ⊗ SuperCool function
- ⊗ LowFrost

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 219 kWh per year
- ⊗ Total net capacity 268 litres
- ⊗ Refrigerator net capacity 194 litres
- ⊗ Freezer net capacity 74 litres
- ⊗ 70/30 split
- ⊗ Noise 38dB
- ⊗ Dimensions (H x W x D mm) 1772 x 558 x 545

KI7862F30G

Built-in Fridge Freezer



FEATURES

- ⊗ LED Electronic control
- ⊗ Removable magnetic door seals – easy to clean
- ⊗ FreshSense
- ⊗ Single cooling circuit
- ⊗ Automatic defrost fridge
- ⊗ Bright interior LED fridge light
- ⊗ NoFrost freezer
- ⊗ Automatic defrost freezer
- ⊗ SuperFreeze function with automatic deactivation
- ⊗ Acoustical door open warning signal

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 222 kWh per year.
- ⊗ Total net capacity: 255 litres
- ⊗ Net fridge capacity: 188 litres
- ⊗ Net freezer capacity: 67 litres
- ⊗ 60/40 split
- ⊗ Noise 39dB
- ⊗ Dimensions (H x W x D mm) 1772 x 538 x 542

REFRIGERATION

Built-in Fridge Freezers

K9524X7GB

Built-in Fridge Freezer



FEATURES

- ⊗ Manual defrost freezer
- ⊗ Automatic defrost fridge
- ⊗ Fixed hinge
- ⊗ Right hinged door, reversible
- ⊗ Electronic control (LED chain)
- ⊗ 5 safety glass shelves in fridge compartment of which 4 are height adjustable
- ⊗ 4 star freezer rating
- ⊗ 3 freezer drawers
- ⊗ SuperFreeze function with automatic deactivation

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Energy efficiency class: A+
- ⊗ Annual energy consumption (per year).
- ⊗ Total net capacity: 276 litres
- ⊗ Net fridge capacity: 218 litres
- ⊗ Net freezer capacity: 58 litres
- ⊗ 70/30 split
- ⊗ Noise 40dB

Discontinuing in August 2015, replaced by KI587230G

K4254X7GB

Built-in Fridge Freezer



FEATURES

- ⊗ Daylight
- ⊗ 1 cooling circuit
- ⊗ HydroFresh
- ⊗ Electronic control

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 300 kWh per year
- ⊗ Total net capacity 262 litres
- ⊗ Refrigerator net capacity 168 litres
- ⊗ Freezer net capacity 94 litres
- ⊗ 50/50 split
- ⊗ Noise 40dB
- ⊗ Dimensions (H x W x D mm) 1772 x 541 x 545

Discontinuing in August 2015, replaced by KI5852F30G

K4204X8GB

Built-in Fridge Freezer



FEATURES

- ⊗ LED interior light
- ⊗ 1 cooling circuit

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 287 kWh per year
- ⊗ Total net capacity 262 litres
- ⊗ Refrigerator net capacity 167 litres
- ⊗ Freezer net capacity 95 litres
- ⊗ 50/50 split
- ⊗ Noise 40dB
- ⊗ Dimensions (H x W x D mm) 1772 x 541 x 545

Discontinuing in August 2015, replaced by KI5852S30G

K8524X8GB

Built-in Fridge Freezer



FEATURES

- ⊗ Interior light
- ⊗ 1 cooling circuit

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 276 kWh per year
- ⊗ Total net capacity 277 litres
- ⊗ Refrigerator net capacity 217 litres
- ⊗ Freezer net capacity 60 litres
- ⊗ 70/30 split
- ⊗ Noise 40dB
- ⊗ Dimensions (H x W x D mm) 1772 x 541 x 545



REFRIGERATION

Built-in Single Door Fridges

K8315X0GB

Built-in Single Door Fridge



FEATURES

- LED interior light
- 2 cooling circuits
- VitaFresh®
- Electronic control
- SuperCool function

PERFORMANCE/TECHNICAL INFORMATION

- Total energy consumption 133 kWh per year
- Total net capacity 306 litres
- Refrigerator net capacity 306 litres
- Noise 39dB
- Dimensions (H x W x D mm) 1772 x 556 x 545

K8115X0

Built-in Single Door Fridge



FEATURES

- LED interior light
- 2 cooling circuits
- VitaFresh®
- AirFresh filter
- Electronic control
- SuperCool function

PERFORMANCE/TECHNICAL INFORMATION

- Total energy consumption 125 kWh per year
- Total net capacity 233 litres
- Refrigerator net capacity 233 litres
- Noise 39dB
- Dimensions (H x W x D mm) 1397 x 556 x 545

KI8513D30G

Built-In Single Door Fridge



FEATURES

- LED interior light
- 2 cooling circuits
- VitaFresh®
- Electronic control

PERFORMANCE/TECHNICAL INFORMATION

- Total energy consumption 163 kWh
- Total net capacity 230 litres
- Refrigeration net capacity 230 litres
- Noise 37dB
- Dimensions (H x W x D mm) 1398 x 538 x 533

KI8413D30G

Built-in Single Door Fridge



FEATURES

- LED interior light
- 2 cooling circuits
- VitaFresh®
- Electronic control

PERFORMANCE/TECHNICAL INFORMATION

- Total energy consumption 148 kWh
- Total net capacity 192 litres
- Refrigeration net capacity 192 litres
- Noise 37dB
- Dimensions (H x W x D mm) 1221 x 538 x 53

KI2823F30G

Built-in Single Door Fridge



FEATURES

- LED interior light
- 2 cooling circuit
- HydroFresh
- Electronic control

PERFORMANCE/TECHNICAL INFORMATION

- Total energy consumption 211 kWh per year
- Total net capacity 287 litres
- Refrigerator net capacity 252 litres
- Freezer net capacity 35 litres
- Noise 35dB
- Dimensions (H x W x D mm) 1772 x 558 x 545

Launching June 2015

KI1813F30G

Built-in Single Door Fridge



FEATURES

- LED interior light
- 1 cooling circuit
- HydroFresh
- Electronic control
- SuperCool function

PERFORMANCE/TECHNICAL INFORMATION

- Total energy consumption 116 kWh per year
- Total net capacity 319 litres
- Refrigerator net capacity 319 litres
- Noise 37dB
- Dimensions (H x W x D mm) 1772 x 558 x 545

REFRIGERATION

Built-in Single Door Fridges

KI1413D30G

Built-in Single Door Fridge



FEATURES

- ⊗ LED Electronic control
- ⊗ FreshSense
- ⊗ Single cooling circuit
- ⊗ Bright interior LED fridge light
- ⊗ SuperCool function with automatic deactivation
- ⊗ Acoustical door open warning signal

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 105 kWh per year
- ⊗ Total net capacity: 211 litres
- ⊗ Net fridge capacity: 211 litres
- ⊗ Noise 33dB
- ⊗ Dimensions (H x W x D mm) 1221 x 558 x 545

KI1413F30G

Built-in Single Door Fridge



FEATURES

- ⊗ LED interior light
- ⊗ 1 cooling circuit
- ⊗ HydroFresh
- ⊗ Electronic control
- ⊗ SuperCool function

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 105 kWh per year
- ⊗ Total net capacity 214 litres
- ⊗ Refrigerator net capacity 214 litres
- ⊗ Noise 33dB
- ⊗ Dimensions (H x W x D mm) 1221 x 558 x 5453

KI2422S30G

Built-in Single Door Fridge



FEATURES

- ⊗ Electronic control
- ⊗ Single cooling circuit
- ⊗ Bright interior LED fridge light
- ⊗ SuperCool function with automatic deactivation

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 172 kWh per year
- ⊗ Total net capacity: 195 litres
- ⊗ Net fridge capacity: 180 litres
- ⊗ Net freezer capacity: 15 litres
- ⊗ Noise 38dB
- ⊗ Dimensions (H x W x D mm) 1221 x 538 x 545

KI1412S30G

Built-in Single Door Fridge



FEATURES

- ⊗ Electronic control
- ⊗ Single cooling circuit
- ⊗ Bright interior LED fridge light
- ⊗ SuperCool function with automatic deactivation
- ⊗ 6 safety glass shelves (5 height adjustable)

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 105 kWh per year
- ⊗ Total net capacity 211 litres
- ⊗ Net fridge capacity 211 litres
- ⊗ Noise 37dB
- ⊗ Dimensions (H x W x D mm) 1225 x 560 x 550

KI1312F30G

Built-in Single Door Fridge




FEATURES

- ⊗ LED interior light
- ⊗ 1 cooling circuit
- ⊗ Warning signal
- ⊗ HydroFresh
- ⊗ Electronic control

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 100 kWh per year
- ⊗ Total net capacity 174 litres
- ⊗ Refrigeration net capacity 174 litres
- ⊗ Noise 33dB
- ⊗ Dimensions (H x W x D mm) 1021 x 558 x 545

Launches June 2015



REFRIGERATION

Built-in Single Door Freezers & Built-in Single Door Fridges Under 90cm

G8320X0

Built-in Single Door Freezer



FEATURES

- ⊗ SoftClose hinge
- ⊗ LED interior light
- ⊗ 1 cooling circuit
- ⊗ Electronic control
- ⊗ NoFrost
- ⊗ SuperFreeze function

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 244 kWh per year
- ⊗ Total net capacity 213 litres
- ⊗ Freezer net capacity 213 litres
- ⊗ Noise 40dB
- ⊗ Dimensions (H x W x D mm) 1772 x 556 x 545

G8120X0

Built-in Single Door Freezer



FEATURES

- ⊗ SoftClose hinge
- ⊗ LED interior light
- ⊗ 1 cooling circuit
- ⊗ Electronic Control
- ⊗ NoFrost
- ⊗ SuperFreeze function

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 209 kWh per year
- ⊗ Total net capacity 160 litres
- ⊗ Freezer net capacity 160 litres
- ⊗ Noise 40dB
- ⊗ Dimensions (H x W x D mm) 1397 x 556 x 545

G4655X7GB

Built-in Single Door Freezer



FEATURES

- ⊗ SoftClose hinge
- ⊗ LED interior light
- ⊗ 1 cooling circuit
- ⊗ Electronic Control
- ⊗ NoFrost
- ⊗ SuperFreeze function

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 325 kWh per year
- ⊗ Total net capacity 213 litres
- ⊗ Freezer net capacity 213 litres
- ⊗ Noise 40dB
- ⊗ Dimensions (H x W x D mm) 1772 x 556 x 545

KI1213F30G

Built-in Single Door Fridge Under 90cm



FEATURES

- ⊗ LED interior light
- ⊗ 1 cooling circuit
- ⊗ HydroFresh
- ⊗ Electronic Control
- ⊗ SuperCool function

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 97 kWh per year
- ⊗ Total net capacity 145 litres
- ⊗ Refrigerator net capacity 145 litres
- ⊗ Noise 33dB
- ⊗ Dimensions (H x W x D mm) 1874 x 558 x 545

KI1212F30G

Built-in Single Door Fridge Under 90cm



FEATURES

- ⊗ Electronic control
- ⊗ Single cooling circuit
- ⊗ Bright interior LED fridge light
- ⊗ SuperCool

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 97 kWh per year
- ⊗ Total net capacity 144 litres
- ⊗ Net fridge capacity: 144 litres
- ⊗ Noise 36dB
- ⊗ Dimensions (H x W x D mm) 880 x 560 x 550

Launching June 2015

KI1212S30G

Built-in Single Door Fridge Under 90cm



FEATURES

- ⊗ Electronic control
- ⊗ Single cooling circuit
- ⊗ SuperCool function with automatic deactivation
- ⊗ VarioShelf – useful storage when required

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 97 kWh (per year).
- ⊗ Total net capacity: 144 litres
- ⊗ Net fridge capacity: 144 litres
- ⊗ Noise 36dB
- ⊗ Dimensions (H x W x D mm) 874 x 538 x 542

REFRIGERATION

Built-in Single Door Fridges Under 90cm, Built-under Single Door Fridges Under 90cm, Built-in Single Door Freezers Under 90cm

K1514X7GB

Built-in Single Door Fridge Under 90cm



FEATURES

- ⊗ Interior light

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 128 kWh per year
- ⊗ Total net capacity 151 litres
- ⊗ Refrigerator net capacity 151 litres
- ⊗ Noise 34dB
- ⊗ Dimensions (H x W x D mm) 874 x 541 x 542

K4336X8GB

Built-under Single Door Fridge Under 90cm



FEATURES

- ⊗ Interior light
- ⊗ 1 cooling circuit
- ⊗ Ice box
- ⊗ Auto Defrost

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 140 kWh per year
- ⊗ Total net capacity 125 litres
- ⊗ Refrigerator net capacity 110 litres
- ⊗ Freezer net capacity 15 litres
- ⊗ Noise 38dB
- ⊗ Dimensions (H x W x D mm) 820 x 598 x 548

K4316X7GB

Built-under Single Door Fridge Under 90cm



FEATURES

- ⊗ Interior light
- ⊗ 1 cooling circuit

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 118 kWh per year
- ⊗ Total net capacity 138 litres
- ⊗ Refrigerator net capacity 138 litres
- ⊗ Noise 38dB
- ⊗ Dimensions (H x W x D mm) 820 x 598 x 548

G5624X7GB

Built-in Single Door Freezer Under 90cm



FEATURES

- ⊗ 1 cooling circuit
- ⊗ SuperFreeze function

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 194 kWh per year
- ⊗ Total net capacity 96 litres
- ⊗ Freezer net capacity 96 litres
- ⊗ Noise 36dB
- ⊗ Dimensions (H x W x D mm) 874 x 541 x 542

G1524X7GB

Built-in Single Door Freezer Under 90cm



FEATURES

- ⊗ 1 cooling circuit
- ⊗ SuperFreeze function

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 194 kWh per year
- ⊗ Total net capacity 96 litres
- ⊗ Freezer net capacity 96 litres
- ⊗ Noise 36dB
- ⊗ Dimensions (H x W x D mm) 874 x 541 x 542

G4344X7GB

Built-in Single Door Freezer Under 90cm



FEATURES

- ⊗ 1 cooling circuit
- ⊗ SuperFreeze function

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 184 kWh per year
- ⊗ Total net capacity 98 litres
- ⊗ Freezer net capacity 98 litres
- ⊗ Noise 38dB
- ⊗ Dimensions (H x W x D mm) 820 x 598 x 548

REFRIGERATION

American Style Fridge Freezers

K3990X7GB

American Style Fridge Freezer



FEATURES

- ⊗ Interior light
- ⊗ 1 cooling circuit
- ⊗ MultiAirflow cooling
- ⊗ VarioBox
- ⊗ Electronic control
- ⊗ SuperCool function
- ⊗ Bottle rack
- ⊗ NoFrost
- ⊗ SuperFreeze function

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 441 kWh per year
- ⊗ Total net capacity 497 litres
- ⊗ Refrigerator net capacity 333 litres
- ⊗ Freezer net capacity 155 litres
- ⊗ Noise 45dB
- ⊗ Dimensions (H x W x D mm) 1808 x 903 x 682

K5930D1GB

American Style Fridge Freezer



FEATURES

- ⊗ Interior light
- ⊗ 2 cooling circuits
- ⊗ MultiAirflow cooling
- ⊗ VarioBox
- ⊗ AirFresh filter
- ⊗ Electronic control
- ⊗ SuperCool function
- ⊗ Bottle rack
- ⊗ NoFrost
- ⊗ SuperFreeze function

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 464 kWh per year
- ⊗ Total net capacity 528 litres
- ⊗ Refrigerator net capacity 351 litres
- ⊗ Freezer net capacity 177 litres
- ⊗ Noise 44dB
- ⊗ Dimensions (H x W x D mm) 1756 x 910 x 725

K5920L0GB

American Style Fridge Freezer




FEATURES

- ⊗ Interior light
- ⊗ 2 cooling circuits
- ⊗ MultiAirflow cooling
- ⊗ VarioBox
- ⊗ AirFresh filter
- ⊗ Electronic control
- ⊗ SuperCool function
- ⊗ NoFrost
- ⊗ SuperFreeze function

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Total energy consumption 455 kWh per year
- ⊗ Total net capacity 562 litres
- ⊗ Refrigerator net capacity 385 litres
- ⊗ Freezer net capacity 177 litres
- ⊗ Noise 44dB
- ⊗ Dimensions (H x W x D mm) 1756 x 910 x 725





DISHWASHERS



All Cookaholics need a Neff dishwasher to clean up afterwards

Whether you're hosting a full-scale dinner party or cooking a meal for one, our dishwashers can handle anything from bulky pans and casserole dishes to delicate glasses and fine china. Innovations like our unique VarioFlexPro® baskets with VarioDrawerPro provide the complete flexibility needed for the way we cook today.

Model shown:
S517P70Y0G Fully Integrated Dishwasher



EFFICIENCY

We do our best to make all of our appliances as energy efficient as possible, and our dishwashers are no exception. All of our machines are A rated for washing and drying and A+ or A+++ rated for energy performance. Tests have proven that they can use less water than washing up by hand and you can even use the timer to take advantage of off-peak electricity costs.

INTEGRATION

Most of the dishwashers in our current range are fully integrated, accepting a full furniture door to conceal everything, including the control panel. They're easy to fit and will coordinate with the rest of your kitchen.

Some models, like the **S42M69N0GB** and the **S41E50N1GB**, are semi-integrated and feature a visible control panel on the front of the dishwasher, with a furniture door fitted below the panel. Elegant stainless steel side trims can be used on all 60cm models to create a more finished appearance (**Z7860X0** for 815cm high and **Z7861X0** for 865cm high).

NOISE

Enjoy the conversation in the kitchen even when the dishwasher is on. With selected models operating at just 42dB, about the same noise as a whisper, you'll never again have to compete with the dishwasher to be heard.

OUR DISHWASHERS PROVIDE EXPERT CLEANING WITH PROGRAMMES SUITED TO EVERYTHING A BUSY KITCHEN CAN PROVIDE.

PROGRAMMES

Every day is different, and this is as true for your dishwasher as it is for you. From the biggest pan to the smallest spoon, our dishwashers are ready to handle every meal time eventuality.

INTENSIVE WASH ZONE

Activates higher wash temperatures and increases spray arm pressure in the bottom basket, while maintaining a more gentle wash in the top basket. It's almost like creating dual zones in the dishwasher.

HYGIENE PLUS OPTION

Provides a hotter final rinse, with 70°C water for ten minutes, to effectively cleanse items such as chopping boards and cooking utensils.

AUTOMATIC PROGRAMMES

Around half of all dishwasher users choose the wrong wash temperature. We have therefore developed three automatic programmes (model dependent) to choose from: normal (Auto 45°C-65°C), delicate (Auto 35°C-45°C) and intensive (Auto 65°C-75°C).

VARIO SPEED® AND VARIO SPEED® PLUS

A quicker wash option that still provides a hygienically clean and dry load. VarioSpeed® reduces programme times by up to 50% and VarioSpeed® Plus by up to 66%.

HALF LOAD

Uses up to 20% less water and up to 10% less energy than a full load. This programme will wash up to six place settings and is flexible enough to allow for loading dishes anywhere in the dishwasher.



Fully integrated



Semi integrated



Slimline



DOOR OPEN ASSIST
Allows you to open the
door by lightly pressing the
front of the unit, perfect
for premium no handle
kitchen design.

ALL NEFF DISHWASHERS COME WITH A
CHOICE OF PROGRAMMES, FROM INTENSIVE
WASH CYCLES CAPABLE OF TACKLING TOUGH
BURNT ON FOOD, TO DELICATE WASHES
FOR GLASSWARE AND CROCKERY.



Model shown:
S517P70Y0G Fully Integrated Dishwasher

GET THE BEST FROM YOUR NEFF DISHWASHER

At Neff, we aim to inspire passionate cooks so our dishwashers really do need to be able to handle everything, from pans and roasting tins, to 14-place dinner sets. When browsing the range, we are confident there will be functions and programmes to suit your requirements.

CHEF 70°



Makes even the dirtiest dishes look brand new

Perfect for cleaning even the dirtiest cooking utensils, Chef70° uses a hotter setting with a powerful spray head. Items placed in the lower basket are subject to higher spray pressures to remove stubborn food residue, ideal for pots and pans that would otherwise require soaking.

No more soaking overnight and scrubbing in the morning.



VarioFlexPro®

Lay bulky items flat in your dishwasher baskets using VarioFlexPro®. Spray from the top, bottom and middle of the machine then cleans them thoroughly.

VARIO FLEX PRO® BASKETS



Lots of room, lots of convenience

Gain full use of the space in your dishwasher with the flexible VarioFlexPro® rack system. There's more room for large plates in the bottom rack, more safety for glasses in the top rack and more flexibility with the lowerable VarioDrawerPro and the three stage height-adjustable RackMatic.



VarioDrawerPro with triple RackMatic

Raise and lower the top basket in your dishwasher across three levels using RackMatic. You're also able to pull the top basket out until it's full extended, for easy loading and unloading.

AS THE NAME SUGGESTS, VARIO FLEX PRO® PROVIDES ALL OF THE FLEXIBILITY NEEDED TO MAKE THE MOST OF A NEFF DISHWASHER.



NEFF SPARKLE®

We've done our research and found that one of the main things that puts people off buying a new dishwasher is potential damage to glassware. Even people who can't live without their dishwashers tend to wash their best glasses by hand to keep them in pristine condition.

Taking this into account, we developed the NeffSparkle® glass care system. NeffSparkle® models combine delicate auto programmes (Glasscare 40°C or Auto 35-45°C) with glass-friendly baskets, a gentle heat exchanger and a protective water softener.

NEFF SPARKLE® IS AN AUTOMATIC PROGRAMME THAT TREATS GLASSWARE WITH EXTRA CARE, DESIGNED SPECIALLY FOR MIXED LOADS.



FINISH QUANTUM SHINE & PROTECT

We have tested and recommend using Finish dishwashing products. For the ultimate clean and shine, plus added protection against glass corrosion, we recommend new Finish Quantum Shine & Protect.

ZEOLITH®

Perfect drying with no excessive energy use

A form of naturally occurring mineral, Zeolith® has the ability to absorb moisture and turn it in to heat. The heat produced naturally by Zeolith® is used during the drying cycle. No additional energy is therefore required to heat up the contents of your dishwasher for the drying process (as with a standard drying system).



USING YOUR NEFF DISHWASHER



AQUASTOP

Protects inlet and outlet hoses from leakage. A safety valve prevents any more water from entering the dishwasher and overflowing – even when the machine is off.

CHILD SAFETY LOCK

Prevents children from being able to open the door easily and can be fitted to the machine at the time of installation.

CONCEALED HEATER

Warms up the water that flows through it. Placed under the base of the dishwasher, it protects plastic dishes in the bottom basket from melting.

CONTROL PANEL LOCK

A tamper-proof control to prevent children from starting or changing the programmes. Simply press and hold the 'key' symbol for four seconds to activate/deactivate.

DOSAGE ASSIST

Releases the dishwasher tablet into a tray at the front of the upper basket. A targeted jet of water from the spray arm ensures that the tablet is dissolved and used at precisely the right time during the wash cycle.

DUOPOWER SPRAY ARM

Powerfully distributes water for a truly thorough clean.

DOOR OPEN ASSIST

Allows you to open the dishwasher door by lightly pressing the front of the unit. There's no need for a handle.

HEAT EXCHANGER

Ensures that the drying phase of programmes is energy efficient and glassware is fully protected by preventing extreme temperatures.

EXTRA HEIGHT MODELS

For more flexible installation, two models, the **S727P70Y0G** and the **S72M66X1GB**, are taller and height adjustable from 865mm-925mm. This is particularly useful in kitchens with higher worktops.

INFO LIGHT

Projects a red light on to the floor at the front of the machine while the programme is running as an added safety feature.

TIME LIGHT

Useable on any coloured surface, this feature projects the remaining time of the dishwashing cycle on to the floor at the front of the machine.

LARGE ITEM SPRAY

Designed for washing tall items such as roasting pans, oven shelves and tall vases, the top basket is removed, and an additional spray head is fitted to the back of the appliance. This showers the items to achieve excellent cleaning results.

RESIDUAL DRYING SYSTEM

Uses a very hot final rinse programme to evaporate the water and subsequently leave items beautifully clean and dry. If putting plasticware in the dishwasher we would recommend using the ExtraDry function to leave them perfectly dry.

SERVOLOCK

Allows the door to close virtually by itself. It is achieved through precision engineering of the spring pressure on the door catch, giving a tight, secure seal with minimum effort.

TIME DELAY


Lets you pre-programme the dishwasher in advance to take advantage of off-peak electricity costs.

VARIO HINGE

Allows for easier installation of dishwashers in kitchens with limited door to plinth clearance.



ALL ADJUSTABLE
ELEMENTS ARE
MARKED CLEARLY IN
RED, MAKING THEM
EASY TO IDENTIFY
AT A GLANCE.





AT A GLANCE



FULLY INTEGRATED DISHWASHERS 128 - 130

SLIMLINE DISHWASHERS 131

SEMI INTEGRATED DISHWASHERS 131 - 132



S517P70Y0G
Fully integrated dishwasher
Page 128



S58T69X1GB
Slimline dishwasher
Page 131



S41E50N1GB
Semi integrated dishwasher
Page 132

DISHWASHERS

Fully Integrated Dishwashers

S517P70Y0G

Fully Integrated Dishwasher



FEATURES

- 7 programmes. 4 Special options: Shine and Dry, Intensive wash zone, VarioSpeed Plus, Hygiene Plus
- VarioFlexPro® basket system
- VarioDrawer Pro
- 3 stage RackMatic height-adjustable top basket
- DoorOpen Assist – Simple to use, designed for handleless kitchens
- NeffSparkle® – glass care system
- Zeolith® – Energy efficient and hygienic drying
- DosageAssist detergent dispenser
- AquaSensor®, Load sensor
- Neff AquaStop® with guarantee
- White interior EmotionLight
- Red InfoLight®

PERFORMANCE/TECHNICAL INFORMATION

- Energy Efficiency Class: A+++
- Capacity: 13 place settings
- Noise level dB (A) re 1pW: 42dB

S727P70Y0G

Fully Integrated Dishwasher



FEATURES

- 7 programmes. 4 Special options: Shine and Dry, Intensive wash zone, VarioSpeed Plus, Hygiene Plus
- VarioFlexPro® basket system
- VarioDrawer Pro
- 3 stage RackMatic height-adjustable top basket
- DoorOpen Assist – Simple to use, designed for handleless kitchens
- NeffSparkle® – glass care system
- Zeolith® – Energy efficient and hygienic drying
- Heat exchanger – Hygienic and efficient drying
- AquaSensor®, Load sensor
- Neff AquaStop® with guarantee
- White interior EmotionLight
- Red InfoLight®

PERFORMANCE/TECHNICAL INFORMATION

- Energy Efficiency Class: A+++
- Capacity: 13 place settings
- Noise level dB (A) re 1pW: 42dB

S51M66X0GB

Fully Integrated Dishwasher



FEATURES

- 4 Special options: Intensive wash zone, VarioSpeed Plus, Hygiene Plus, Extra dry
- EcoDry – end of cycle door opening for perfect results
- VarioFlex Plus basket system
- VarioDrawer Plus
- 3 stage RackMatic height-adjustable top basket
- NeffSparkle® – glass care system
- Heat exchanger – Hygienic and efficient drying
- DosageAssist detergent dispenser
- DetergentAware
- AquaSensor®, Load sensor
- Neff AquaStop® with guarantee
- White interior EmotionLight

PERFORMANCE/TECHNICAL INFORMATION

- Energy Efficiency Class: A++
- Capacity: 13 place settings
- Noise level dB (A) re 1pW: 44dB

S72M66X1GB

Fully Integrated Dishwasher



FEATURES

- 6 programmes. 3 special options: Intensive wash zone, VarioSpeed Plus, Extra dry
- VarioFlex Plus basket system
- 3 stage RackMatic height-adjustable top basket
- NeffSparkle® – glass care system
- Heat exchanger – Hygienic and efficient drying
- Efficient SilentDrive BLDC motor
- DosageAssist detergent dispenser
- AquaSensor®, Load sensor
- Neff AquaStop® with guarantee
- White interior EmotionLight

PERFORMANCE/TECHNICAL INFORMATION

- Energy Efficiency Class: A++
- Capacity: 13 place settings
- Noise level dB (A) re 1pW: 44dB

DISHWASHERS

Fully Integrated Dishwashers

S71M66X1GB

Fully Integrated Dishwasher



FEATURES

- 6 programmes. 3 special options: Intensive wash zone, VarioSpeed® Plus, Extra dry
- VarioFlex® Plus basket system
- 3 stage RackMatic height-adjustable top basket
- NeffSparkle® – glass care system
- Heat exchanger – Hygienic and efficient drying
- AquaSensor®, Load sensor
- Neff AquaStop® with guarantee
- White interior EmotionLight
- Red InfoLight®

PERFORMANCE/TECHNICAL INFORMATION

- Energy Efficiency Class: A++
- Capacity: 13 place settings
- Noise level dB (A) re 1pW: 44 dB

S51M53X2GB

Fully Integrated Dishwasher



FEATURES

- 5 programmes. 3 special options: VarioSpeed®, Half load
- VarioFlex® basket system
- 3 stage RackMatic height-adjustable top basket
- NeffSparkle® – glass care system
- Residual drying
- Curved spray arms
- DosageAssist detergent dispenser
- DetergentAware
- AquaSensor®, Load sensor
- Neff AquaStop® with guarantee
- Red InfoLight®

PERFORMANCE/TECHNICAL INFORMATION

- Energy Efficiency Class: A++
- Capacity: 13 place settings
- Noise level dB (A) re 1pW: 46 dB

S51L58X0GB

Fully Integrated Dishwasher



FEATURES

- 5 programmes. 1 special option: VarioSpeed® Plus
- VarioFlex® basket system
- VarioDrawer on third level
- 3 stage RackMatic height-adjustable top basket
- DosageAssist detergent dispenser
- DetergentAware
- AquaSensor®, Load sensor
- Neff AquaStop® with guarantee
- Red InfoLight®
- Red LED indicators

PERFORMANCE/TECHNICAL INFORMATION

- Energy Efficiency Class: A++
- Capacity: 13 place settings
- Noise level dB (A) re 1pW: 48 dB

S51L53X0GB

Fully Integrated Dishwasher



FEATURES

- 5 programmes. 1 special option: VarioSpeed®
- VarioFlex® basket system
- 3 stage RackMatic height-adjustable top basket
- NeffSparkle® – glass care system
- Residual drying
- DosageAssist detergent dispenser
- DetergentAware
- AquaSensor®, Load sensor
- Neff AquaStop® with guarantee
- Red InfoLight®

PERFORMANCE/TECHNICAL INFORMATION


- Energy Efficiency Class: A+
- Capacity: 12 place settings
- Noise level dB (A) re 1pW: 48 dB

DISHWASHERS

Fully Integrated Dishwashers

S51L43X0GB

Fully Integrated Dishwasher



FEATURES


- ⊗ 4 programmes. 2 special options: VarioSpeed, Extra dry
- ⊗ VarioFlex® basket system
- ⊗ 3 stage RackMatic height-adjustable top basket
- ⊗ NeffSparkle® – glass care system
- ⊗ Residual drying
- ⊗ DosageAssist detergent dispenser
- ⊗ DetergentAware
- ⊗ AquaSensor®, Load sensor
- ⊗ Neff AquaStop® with guarantee

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Energy Efficiency Class: A+
- ⊗ Capacity: 12 place settings
- ⊗ Noise level dB (A) re 1pW: 48 dB

S51E50X3GB

Fully Integrated Dishwasher



FEATURES


- ⊗ 5 programmes
- ⊗ Vario basket system
- ⊗ NeffSparkle® – glass care system
- ⊗ Residual drying
- ⊗ DosageAssist detergent dispenser
- ⊗ DetergentAware
- ⊗ Load sensor
- ⊗ Neff AquaStop® with guarantee

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Energy Efficiency Class: A+
- ⊗ Capacity: 12 place settings
- ⊗ Noise level dB (A) re 1pW: 52 dB

S51E40X2GB

Fully Integrated Dishwasher



FEATURES

- ⊗ 4 programmes
- ⊗ NeffSparkle® – glass care system
- ⊗ Residual drying
- ⊗ DosageAssist detergent dispenser
- ⊗ DetergentAware
- ⊗ Load sensor
- ⊗ Neff AquaStop® with guarantee

PERFORMANCE/TECHNICAL INFORMATION

- ⊗ Energy Efficiency Class: A+
- ⊗ Capacity: 12 place settings
- ⊗ Noise level dB (A) re 1pW: 52 dB



DISHWASHERS

Fully Integrated Dishwashers & Semi Integrated Dishwashers

S58T69X1GB Slimline

Fully Integrated Dishwasher



FEATURES


- 6 programmes. 4 Special options: Intensive wash zone, VarioSpeed® Plus, Half load, Hygiene Plus
- VarioFlex® Plus basket system
- VarioDrawer on third level
- 3 stage RackMatic height-adjustable top basket
- NeffSparkle® – glass care system
- Heat exchanger – Hygienic and efficient drying
- DuoPower Spray Arm
- DosageAssist detergent dispenser
- DetergentAware
- AquaSensor®, Load sensor
- Neff AquaStop® with guarantee
- White interior EmotionLight

PERFORMANCE/TECHNICAL INFORMATION

- Energy Efficiency Class: A++
- Capacity: 10 place settings
- Noise level dB (A) re 1pW: 44 dB

S58T40X0GB Slimline

Fully Integrated Dishwasher



FEATURES

- 4 programmes. 1 special option: VarioSpeed®
- Vario basket system
- NeffSparkle® – glass care system
- Heat exchanger – Hygienic and efficient drying
- DuoPower Spray Arm
- DosageAssist detergent dispenser
- AquaSensor®, Load sensor
- Neff AquaStop® with guarantee

PERFORMANCE/TECHNICAL INFORMATION

- Energy Efficiency Class: A+
- Capacity: 9 place settings
- Noise level dB (A) re 1pW: 48 dB

S42M69N0GB

Semi Integrated Dishwasher



FEATURES


- 6 programmes. 4 Special options: Intensive wash zone, VarioSpeed® Plus, Hygiene Plus, Extra dry
- EcoDry – end of cycle door opening for perfect results
- VarioFlex® Plus basket system
- 3 stage RackMatic height-adjustable top basket
- NeffSparkle® – glass care system
- Heat exchanger – Hygienic and efficient drying
- Efficient SilentDrive BLDC motor
- Curved spray arms
- DosageAssist detergent dispenser
- DetergentAware
- AquaSensor®, Load sensor
- Neff AquaStop® with guarantee

PERFORMANCE/TECHNICAL INFORMATION

- Energy Efficiency Class: A++
- Capacity: 13 place settings
- Noise level dB (A) re 1pW: 44 dB

S41E50W1GB

Semi Integrated Dishwasher



FEATURES

- 5 programmes. 2 special options: VarioSpeed®, Half load
- Vario basket system
- NeffSparkle® – glass care system
- Residual drying
- Efficient SilentDrive BLDC motor
- Curved spray arms
- DosageAssist detergent dispenser
- DetergentAware
- AquaSensor®, Load sensor
- Neff AquaStop® with guarantee

PERFORMANCE/TECHNICAL INFORMATION


- Energy Efficiency Class: A+
- Capacity: 12 place settings
- Noise level dB (A) re 1pW: 46 dB

DISHWASHERS

Semi Integrated Dishwashers

S41E50N1GB

Semi Integrated Dishwasher



FEATURES

- 5 programmes. 2 special options: VarioSpeed®, Half load
- Vario basket system
- Height adjustable top basket
- NeffSparkle® – glass care system
- Residual drying
- Efficient SilentDrive BLDC motor
- Curved spray arms
- DosageAssist detergent dispenser
- DetergentAware
- AquaSensor®, Load sensor
- Neff AquaStop® with guarantee

PERFORMANCE/TECHNICAL INFORMATION

- Energy Efficiency Class: A+
- Capacity: 12 place settings
- Noise level dB (A) re 1pW: 46 dB

S41M63N1GB

Semi Integrated Dishwasher



FEATURES


- 6 programmes
- VarioFlex® baskets
- NeffSparkle®
- DosageAssist
- VarioSpeed® Plus
- Extra Dry
- Intensive wash zone
- RackMatic 3-stage

PERFORMANCE/TECHNICAL INFORMATION

- Energy Efficiency Class: A++
- Capacity: 13 place settings
- Noise level dB (A) re 1pW: 42 dB

S41E50S1GB

Semi Integrated Dishwasher




FEATURES

- 5 programmes. 2 special options: VarioSpeed, Half load
- Vario basket system
- Height adjustable top basket
- NeffSparkle® – glass care system
- Residual drying
- Efficient SilentDrive BLDC motor
- Curved spray arms
- DosageAssist detergent dispenser
- DetergentAware
- AquaSensor®, Load sensor
- Neff AquaStop® with guarantee

PERFORMANCE/TECHNICAL INFORMATION

- Energy Efficiency Class: A+
- Capacity: 12 place settings
- Noise level dB (A) re 1pW: 46 dB









LAUNDRY



Whatever your lifestyle there's a laundry appliance to suit you

From sports kits, to work shirts, to baby clothes, whatever your laundry basket contains, you need an appliance you can rely on to both clean and care for your clothes. Most of our washing machines come with our CircoCare Drum, a system of paddles and jets that provide a safe, effective wash for perfect results and peace of mind every time.

WHAT SHOULD I LOOK FOR IN A LAUNDRY APPLIANCE?



Most of all, you need to feel confident in a laundry appliance. Confident that you can leave it to get on with the business of effectively washing or drying your clothes while you turn your attention to other things, inside or out of the house.

BUILT-IN

Discreet and unobtrusive, our built-in washing machines remain hidden behind cabinet doors in the kitchen, maintaining a clean and coordinated look and feel.

INTEGRATION

Our machines are easy to fit, slotting in neatly between two units. A full height furniture door has to be fitted to the front of the machine and can be hinged from the left or right, but remember, the porthole door on the machine cannot be changed around. A plinth, which is easily removable or cut out to allow access to the pump and vent, should be fitted across the bottom.

FREESTANDING

The standard option for most households. Accessible, easy to install, operate and service, a freestanding washing machine simply slots into a recess and quietly gets on with its job.

COMBINED WASHER DRYER

Where space is an issue, dual-function washer dryers come into their own. Our machines are self-cleaning and use an innovative system that dries laundry without water.

Our CircoCare Drum system will treat every single piece of laundry with the care it deserves.

CIRCO CARE – DRUM ROLL PLEASE...

All Neff washing machines feature our CircoCare Drum system as standard. We constantly strive to achieve perfect wash results and with this system we've created a range of machines that will deliver unrivalled washing perfection every time.

The CircoCare Drum system features a series of raised droplets across the surface. These ensure that the clothes are given a more powerful, yet gentle, wash and work in conjunction with the paddles which are designed to provide a greater movement of water. The combination of these two features means that detergent can penetrate deeper into fabrics and the rinse will be more thorough.

LAUNDRY APPLIANCES THAT TAKE CARE OF YOUR MOST PRECIOUS ITEMS.

EFFICIENCY

Laundry appliances are a necessity in the home, so we have set out to make them as efficient as possible. We've done our best to see that our machines use less water, energy and detergent than other brands on the market.

ENERGY

All of our washing machines have been designed to gain the best energy performance rating in their class.

DETERGENT

Programme the washing appliance correctly and follow the loading instructions carefully to use less detergent.

TIME

Short wash cycles as standard (inverse logic), or as an option, can reduce washing times by up to 40%.

WATER

We've developed a water management system which works out the optimum amount of water for every load size and fabric so only the right amount is used.

Paddles provide a greater movement of water.



Raised droplets ensure a powerful yet gentle wash.

WASHING WITH YOUR NEFF LAUNDRY APPLIANCE



LESS IRONING

Reduces the creasing of clothes as the water is gently removed from the wash with a light interval spin at the end of the cycle.

INVERSE LOGIC

Reduces the wash time by around 40% by assuming that the clothes are lightly soiled rather than dirty. For heavily soiled clothes, use the intensive setting.

TIME DELAY

Take advantage of off-peak electricity rates by programming the machine up to 24 hours in advance.

FLUFF REMOVAL CYCLE

Prevents fluff on the next wash load by ensuring the fluff created by the drying cycle inside the drum and tub is fully removed.

PAUSE SYSTEM

Lets you suspend the programme and then restart it when required.

EXTRA RINSE OPTION

Helps with sensitive skin and is available on almost every programme.

SENSOR DRYING

Delivers the finest fabric care and reduces ironing by continuously monitoring the drying performance using sophisticated sensors. The dryer stops automatically when the correct level of dryness is reached.

FOAM DETECTION SYSTEM

Automatically adjusts to reduce the foam if too much detergent has been added. It then adds an extra rinse cycle to ensure complete removal of detergent residues.

FLEXI TIME

Saves you time by cutting the programme length by up to 30%. Simply select the cycle you wish to run and then select FlexiTime.

AQUASTOP/AQUA SECURE PLUS

Protects inlet and outlet hoses from leakage. A safety valve, independent of the electricity supply, prevents any more water from entering the washing machine.

LED DISPLAY

Tells you how much time there is remaining on the cycle with programme progress symbols and a time indicator on the control panel.

A FEW OF OUR SPECIAL PROGRAMMES...

SENSITIVE WASH

Great if sensitive skin is an issue, it works by maintaining the same wash temperature throughout the cycle in order to eliminate any bacteria. It also increases the water level, giving a more intense rinse and reducing exposure to allergens that can cause irritation.

RAPID 15

Perfect for lightly soiled items, our practical short programme saves energy and water by washing and rinsing in just 15 minutes. It uses only 1.12 kWh of electricity and 36 litres of water per cycle.

POWERWASH 60

Delivers a 5kg wash in 60 minutes while ensuring an A rated wash performance.

NIGHT WASH

Designed to wash and dry clothes in the quietest way possible, both the washing and drying cycles are quiet enough to be used throughout the night, making the most of off-peak electricity.

THE 3D AQUA SPA WASH SYSTEM

The 3D AquaSpa wash system thoroughly cleans clothes in less time by using a combination of specially designed paddles, perforations in the drum and a unique cascade programme.



LARGER CAPACITY AND EXTRA LARGE DOOR

The **W5420X1GB** and **W5440X1GB** feature an even larger drum than ever before. It's one of the largest drums currently available on an integrated laundry appliance and can now cope with 7kg (that's around 15lb) of laundry in a single wash. This means you can get plenty more clothes washed, saving you time and energy. The other benefit is that you get greater fabric care and therefore less creasing when washing a normal sized load. The size of the door has increased to 32cm, making it even easier to load and unload your machine.

LAUNDRY

Integrated Washing Machines & Integrated Washer Dryers

W5440X1GB

Integrated Washing Machine



FEATURES

- Fully electronic control dial for all wash and special programmes
- Special programmes: Dark Wash, Sensitive, Sports Wash, Rapid 15, PowerWash 60, Mixed Load, Handwash wool, Delicates/silk
- Option buttons: Start, Prewash, Less Ironing, Rinse plus, Temperature, Spin speed reduction, Time Delay
- 3D AquaSpa wash system
- Large display for programme progress indication, temperature, spin speed, time remaining and time delay
- Safeguard monitoring system adjusts load distribution
- Divider for Liquid Detergent
- Buzzer to indicate the end of cycle

PERFORMANCE/TECHNICAL INFORMATION

- Energy efficiency class: A+
- Capacity: 7 kg
- Maximum spin speed: 1400rpm
- Remaining moisture: 54%
- B spin class

W5420X1GB

Integrated Washing Machine



FEATURES

- Fully electronic control dial for all wash and special programmes
- Special programmes: Mixed load programme 30°C, Handwash wool, Delicates/silk
- Option buttons: Start, Prewash, Less Ironing, Rinse plus, Spin speed reduction
- 3D AquaSpa wash system
- Safeguard monitoring system adjusts load distribution
- Divider for Liquid Detergent
- Buzzer to indicate the end of cycle

PERFORMANCE/TECHNICAL INFORMATION

- Energy efficiency class: A+
- Capacity: 7 kg
- Maximum spin speed: 1200rpm
- Remaining moisture: 59%
- C spin class

V6540X0GB

Integrated Washer Dryer



FEATURES

- Special programmes: Night Wash, Mixed Load, Rapid 15, Delicates/silk
- Special programme – drying: Fluff removal cycle
- Option buttons: Menu select
- Fully electronic control dial for all wash and special programmes
- Electronic humidity control, Timed Programmes
- Large display for programme progress indication, temperature, spin speed, time remaining and 24 hours time delay, and indication of drying level
- Buzzer to indicate the end of cycle
- Child safety lock

PERFORMANCE/TECHNICAL INFORMATION

- B energy, A wash and B spin class
- Capacity: 6 kg washing: 3 kg drying
- Non-stop wash and dry programme 4 kg
- Maximum spin speed: 1400rpm
- Energy consumption wash and dry 4.81 kWh Water consumption wash and dry 79 litres
- Drum volume: 52 litres

V6320X0GB

Integrated Washer Dryer



FEATURES

- Special programmes: Mixed load programme 30°C, Handwash wool, delicates
- Special programme – drying: Fluff removal cycle
- Option buttons: Start, Spin speed reduction, menu, Drying time
- Fully electronic control dial for all wash and special programmes
- Timed Programmes
- Display for programme progress indication, time remaining and 19 hours time delay
- Buzzer to indicate the end of cycle
- Child safety lock

PERFORMANCE/TECHNICAL INFORMATION

- B energy, A wash and B spin class
- Capacity: 6 kg washing: 3 kg drying
- Non-stop wash and dry programme 4 kg
- Maximum spin speed: 1400rpm
- Energy consumption wash and dry 4.85 kWh Water consumption wash and dry 83 litres
- Drum volume: 52 litres

LAUNDRY

Freestanding Washing Machine, Freestanding Washer Dryer & Freestanding Condensor Dryer

W7460X2GB

Free Standing Washing Machine



FEATURES

- Fully electronic control dial for wash programmes and special programmes
- Special programmes: Down wear, Dark wash, Nightwash, Drum clean, Shirts, Sports wash, Mixed Load, Allergy +, Rapid 15 minutes / Rapid 30 minutes
- EcoSilence drive
- WaveDrum – Gentle washing thanks to a unique drum structure
- Large LED display for programme status indication, temperature, spin speed, remaining time and 24 hour time delay
- 3D AquaSpa wash system
- Buzzer to indicate the end of cycle

PERFORMANCE/TECHNICAL INFORMATION

- Energy Efficiency Class: A+++ -30%
- Capacity: 9 kg
- Maximum spin speed: 1400rpm
- Remaining moisture: 53%
- B spin class

V7446X1GB

Free Standing Washer Dryer



FEATURES

- Special programmes: Down wear, Drum clean, Mixed Load, Rapid 15, Allergy +, Hygiene care, Handwash wool, Delicates/Silk, Fluff removal cycle
- Touch control buttons: Start / Reload / Pause, Rinse plus, Time Delay, Spin speed reduction, Temperature, Drying time, EcoPerfect, SpeedPerfect
- EcoSilence Drive
- CircoCare Drum – Gentle washing thanks to a unique drum structure
- Large LED display for programme status indication, temperature, spin speed, remaining time and 24 hour time delay
- Child safety lock

PERFORMANCE/TECHNICAL INFORMATION

- A energy, A wash and B spin class
- Capacity: 8 kg washing, 5 kg drying
- Non-stop wash and dry programme 5 kg
- Energy consumption wash and dry 5.44 kWh
- Water consumption wash and dry 118 litres
- Drum volume 56 litres

R8580X2GB

Free Standing Condensor Dryer




FEATURES

- Special programmes: Woollen finish, Mixed load, Timed programme warm, Timed programme cold, Allergy +, Sportswear, Down wear, Rapid 40, Shirts 15
- Touch control buttons: Low heat, Buzzer, Programme length, Start/Pause, Less ironing, fine-tuning for drying level, 24 hours Time Delay
- Large LED display for remaining time and 24 hours time delay, programme progress indication and special functions
- DUO-Tronic drying system
- Drum interior light
- Child safety lock
- Buzzer to indicate the end of cycle

PERFORMANCE/TECHNICAL INFORMATION

- Energy efficiency class: B
- Capacity: 9 kg



BE ENERGY EFFICIENT WITH NEFF



Improving energy efficiency and minimising water consumption are right at the heart of our environmental agenda, but we also carefully consider the entire life cycle of our products – from manufacture, to delivery, to usage, to disposal.

WE CONTINUE TO INVESTIGATE WAYS
TO IMPROVE THE ENERGY EFFICIENCY
OF ALL OUR APPLIANCES WITHOUT
COMPROMISING THEIR PERFORMANCE.





COMMITTED TO THE ENVIRONMENT

We are also committed to dealing fairly with our employees, partners and suppliers and contributing positively to the communities in which we operate. Domestic appliances are responsible, on average, for about half of the energy consumption in a household. By using new, energy-efficient domestic appliances you can save real money over the long life of the appliance – and also protect the environment.

When you buy a new domestic product, it is therefore highly recommended that you pay close attention to low consumption values for energy and water. This information has been communicated by the European energy label since 1995. However, technical progress has now led to a situation where most appliances today fall within the best energy classes. The energy label continues to provide essential information for laundry, dishwashers, cooling and ovens, and the information for the first three product groups has recently been amended to show A+, A++ and A+++ ratings, in order to better reflect the improved energy efficiency on these products since labeling was introduced. In addition, annual consumption values for energy and water are now shown for laundry and dishwashers. The label must also show a value for noise emissions.

AT NEFF, WE TAKE OUR
RESPONSIBILITIES AS A HOME
APPLIANCE MANUFACTURER
EXTREMELY SERIOUSLY.

GERMAN ENGINEERING

Neff was founded over 135 years ago in Baden-Württemberg, Southern Germany. All of our single and double ovens are made in Germany, the majority in our state-of-the art, 105,000 m² factory in Bretten, and we are the largest employer in the region. We are constantly researching new ways to improve the quality and sustainability of our appliances, keeping the Neff brand right at the forefront of kitchen technology and ecological thinking. As well as having a proud manufacturing and engineering heritage, Germany legislates and encourages the highest environmental standards. A manufacturing centre in Germany also means there's less distance involved transporting goods to European customers, which helps to keep down our overall carbon footprint.

BAKE IT YOURSELF



Visit the UK's largest baking community on Facebook

Are you crazy about cakes? Passionate about pastry? Do you love creating amazing bakes, both savoury and sweet? Do you cook everything from bread to casseroles, stews to roasts? Are you a Cookaholic? We are too!



We launched Bake It Yourself to share our love of all things food, so whether you want to find out how to avoid soggy bottoms on your cakes, perfect your pies, pick up top tips, or simply spend time online with over half a million people who share your passion for cooking, Bake It Yourself is the place for you.

JOIN TODAY AT
[FACEBOOK.COM/BAKEITYOURSELF](https://facebook.com/bakeityourself)

TAKE A LOOK AT OUR WIDER SOCIAL MEDIA CHANNELS TOO:

twitter.com/_bakeityourself
instagram.com/_bakeityourself
pinterest.com/biybyneff



BAKE IT YOURSELF ON YOUTUBE

We have recently relaunched our Bake It Yourself YouTube channel. It now features a host of videos to inspire you to get creative in the kitchen and become a Cookaholic too!

Cookaholics go one step further, taking home-cooking to a whole new level. These real people create delicious culinary masterpieces, from entire gingerbread villages with people, cars and even a gingerbread dog, to eccentric food art, all using their Slide&Hide® oven.

The channel also features:

- Neff brand movies
- Short feature-videos
- Tutorials with baking tips and technical advice
- Recipe demonstrations



SUBSCRIBE NOW: [YOUTUBE.COM/BAKEITYOURSELF](https://youtube.com/bakeityourself)

EASILY ACCESSED VIA OUR WEBSITE, IN LESS THAN THREE CLICKS YOU CAN DISCOVER WHAT REAL PASSION FOR COOKING MEANS.



NEFF.CO.UK

NEFF WEBSITE

Our website provides a wealth of useful information on product ranges, promotions, and the latest Neff events. With in-depth product details all in one place, it is ideal for comparing products directly. Guarantees can also be registered on the site and replacement parts, cleaning products and accessories can be purchased from the eShop. There's always something new, so be sure to check back regularly.

FIND YOUR NEAREST NEFF EXPERT

Simply click on the Dealer Locator tab on our website, enter your details (postcode or town), click the 'Search' button and the address of your nearest Neff dealer will appear.

Our dealers are experts on all things Neff. They'll be able to answer all of your questions, advise you on the most suitable appliances, and give you the opportunity to see and touch before you buy. In their showrooms, you'll discover an extensive range of Neff appliances. We have also defined Neff MasterPartners who are leading kitchen specialist retailers and Neff Accredited Appliance Retailers who are leading electrical retailers.

NEFF CUSTOMER SERVICE



Neff home appliances are built to the highest standards, but if you do need a visit from a Neff engineer, we are here to help. Our engineers are employed and trained by Neff* and are based locally around the country. We analyse all repairs in advance and the parts likely to be needed to complete the repair on the first visit are sent to the engineer's van the night before the appointment**.

Get an expert repair from a Neff engineer
Book online at: neff.co.uk or call today on 0344 892 8989

*In some areas we may use an approved service partner. **In areas where we use a service partner, the repair process may vary.

Calls will be answered 24 hours a day. Our specialist advisors are available Monday to Friday 8am to 8pm, Saturday 8am to 4pm and Sunday 9am to 3pm. Calls are charged at the basic rate, please check with your telephone service provider for exact charges.

NEFF CLEANING PRODUCTS, ACCESSORIES AND REPLACEMENT SPARE PARTS

At Neff, we believe that our relationship doesn't end after an appliance has been purchased from us. Make the most out of your appliance with accessories and cookware, while keeping it looking good using our range of tested and approved cleaning and care products.

ACCESSORIES

In the Neff eShop, we offer a large range of approved Neff accessories to assist in the kitchen when cooking. Our range includes baking trays, saucepan sets, pots and pans, roasters, water filters, spare parts and the amazing E-Cloth. We also sell a range of branded Neff approved cleaning products which have been tested for use on our appliances.

You can buy cleaning products, accessories and replacement spare parts using the details below:

UK:
neff-eshop.co.uk 0344 892 8989

ROI:
neff-eshop.ie (01) 450 2655



These cleaning and care products have been tested and approved in Neff facilities.



E-Cloths use just water to clean a range of kitchen surfaces and appliances.



Locate and buy original replacement spare parts for Neff appliances.



REPAIRS

We employ locally based Neff trained engineers to deal with repairs. Our Technical team analyses repairs in advance to ensure the engineer arrives with the replacement spare parts likely to be needed for the repair, which we keep in stock for up to 10 years*.

To arrange an appointment please call 0344 892 8989. We will answer your call seven days a week, 24 hours a day.

Product advice is also available by calling 0344 892 8989. Republic of Ireland customers can contact Neff Customer Service on (01) 450 2655.

* In some areas we may use an approved service partner. In these areas the repair process may vary.

GUARANTEE

New Neff appliances are fully guaranteed for two years from the date of purchase. During that period, any repairs needed will be carried out by our service engineers. Appliances can be registered by returning the guarantee card that comes with it, phoning the number printed on the card or online at neff.co.uk.

For all dishwashers, in addition to our standard appliance warranty, we provide a ten year warranty against rusting-through of the dishwasher's inner tub. For full terms and conditions, please visit our website or call the customer service team.

For further peace of mind, we have teamed up with leading specialist warranty provider Domestic & General, to offer you a protection plan for your kitchen appliances. The plan protects against parts and labour costs for approved repairs.



Commended in the
Domestic and General
Total Excellence and
Quality Award

CONTACTING NEFF

We hope you find what you're looking for in this brochure, but if you have any queries or issues relating to Neff appliances, please contact us on our Customer Service telephone number below:
United Kingdom 0344 892 8989
Ireland (01) 4502655

WE CAN HELP WITH THE FOLLOWING...

- ☎ Requesting a visit from a Neff engineer. UK appointments can also be booked online.
- ☎ Replacement spare parts and accessories (we keep a comprehensive range of replacement spare parts for up to 10 years).
- ☎ Product advice (UK only) – call us for all additional information regarding Neff appliances, including pre-sales advice and user-related queries. Many of your questions can be answered via the Neff brochure or by visiting our website.

Calls will be answered 24 hours a day. Our specialist advisors are available Monday to Friday 8am to 8pm, Saturday 8am to 4pm and Sunday 9am to 3pm. Calls are charged at the basic rate, please check with your telephone service provider for exact charges. Calls may be monitored and recorded in case we need to check we have carried out your instruction correctly and to help us improve our quality of service.



THERE IS MORE TO NEFF THAN THE APPLIANCES



We want you to feel totally confident with your choice of appliances. That's why we hold regular demonstrations around the country at our Dealer Showrooms – and once you have made your purchase, if you're looking for even more assistance we have cookery school partners around the country.

APPLIANCE DEMONSTRATION EVENTS

To help you make your decision about the correct appliances for you, please join us at one of our Appliance Demonstration Events. We hold these events regularly at Neff Kitchen Showrooms and they provide the ideal opportunity to come and see a range of our cooking appliances in a working environment. During the event a Home Economist will run question and answer sessions and cook using our appliances to show off our innovative features and allow you to enjoy the tasty end results.

VISIT ONE OF OUR FANTASTIC COOKERY SCHOOL PARTNERS...

We are delighted to offer consumers the chance to see our appliances in action at our cookery school partners.

These demonstrations will be hosted by our experienced Home Economists who will create recipes using the unique Neff functions to show how to get the most from your oven.

You'll also have the chance to talk to the Home Economist and ask any questions that you may have about buying or using Neff appliances. The sessions will focus on cooking using the Neff oven with a Slide&Hide® door and CircoTherm® technology, as well as many other appliances including compact microwave ovens, warming drawers and induction hobs.

There is no charge to attend a Neff appliance demonstration at a cookery school.

To find a **FREE** demonstration event near you, simply go to neff.co.uk/events

To check your nearest event, please visit neff.co.uk/cookery-schools



HOW TO CONTACT NEFF



We hope you find what you're looking for in this brochure, but if you have any queries relating to Neff appliances, please contact us on our Customer Service telephone number below.

United Kingdom 0344 892 8989

Ireland (01) 4502655

PRODUCT ADVICE

Call us for all additional information regarding our appliances, including presales advice and user-related queries. Many of your questions can be answered via the Neff brochure or by visiting our website.

WEB & ESHOP

neff.co.uk

neff-eshop.co.uk

neff-eshop.ie

ENGINEER VISITS

Arrange a visit from a Neff engineer. UK appointments can also be booked online.

REPLACEMENT SPARE PARTS AND ACCESSORIES

Remember, we keep a comprehensive range of spare parts for all Neff appliances, for up to ten years. Call us or order online.

Our Customer Service Headquarters are based in our Milton Keynes head office, supported by our Contact Centre located in Kettering.

**Neff Customer Service
Grand Union House
Old Wolverton Road
Milton Keynes
Buckinghamshire
MK12 5PT**

Calls will be answered 24 hours a day. Our specialist advisors are available Monday to Friday 8am to 8pm, Saturday 8am to 4pm and Sunday 9am to 3pm. Calls are charged at the basic rate, please check with your telephone service provider for exact charges.



COOKING PASSION SINCE 1877.





COOKING PASSION SINCE 1877



COLOUR ILLUSTRATIONS

Due to variables in photographic and printing processes, all colours in this brochure are subject to deviation from the appliance actually illustrated.

IMPORTANT NOTES

This brochure is current as from the publication date and supersedes all previous brochures for these products. This brochure should not be regarded as an infallible guide nor as an offer for sale of any particular product. Whilst BSH Home Appliances Ltd believes that all information contained within this brochure is correct at the time of going to print, no representation or warranty, express or implied, is or will be made and no responsibility or liability is or will be accepted by BSH Home Appliances Ltd in relation to the accuracy or completeness of this information and any liability is expressly disclaimed. To the extent permitted by law, BSH Home Appliances Ltd expressly excludes: i) all conditions, warranties and other terms which might otherwise be implied by statute, common law or the law of equity and ii) any liability for any direct, indirect or consequential loss or damage (including, without limitation, damages for loss of business or loss of profits) arising in contract, tort or otherwise from the use of or reliance on any information contained within this brochure or from any action or decision taken as a result of such use or reliance. BSH Home Appliances Ltd reserves the right to modify technical data and all other information contained within this brochure without notice. All rights reserved.

All photography and copy in this brochure are the property of, or under licence to, Neff and must not be used without prior permission. Please contact the Neff Marketing Department for assistance.

Slide&Hide®, VarioSteam®, CircoTherm®, NeffLight®, VitaFresh®, EasyClean®, VarioFlexPro®, TwistPad®, EcoClean® and NeffSparkle® are trade marks of BSH Home Appliances Limited.

For product specifications please go to neff.co.uk or ask your local retailer.

Neff Dealers are not agents of Neff and therefore have no authority to bind Neff by any express or implied undertaking or representation.

Neff Customer Service
Grand Union House
Old Wolverton Road
Milton Keynes
Buckinghamshire
MK12 5PT

BSH Home Appliances Ltd.
M50 business Park
Ballymount
Dublin 12
T 1890 626 041
www.neff.ie

Neff, a division of BSH Home Appliances Ltd.
Grand Union House
Old Wolverton Road
Wolverton
Milton Keynes
MK12 5PT
www.neff.co.uk

