

||||| newworld

Designed for life

glossary



Conventional gas oven
A conventional gas oven works on the
principle that heat rises. It is hotter at
the top than at the bottom – ideal for
cooking different dishes simultaneously.



Electric conventional oven A conventional electric oven works on the principle that heat rises. It is hotter at the top than at the bottom – ideal for cooking different dishes simultaneously.



Fan defrost

The oven fan assists defrosting by circulating air around the food ideal for delicate frozen foods such as cream gateaux and cheesecakes.



Conventional grill
The conventional grill cooks by using heat from above the food and is ideal for a range of dishes from toast to steak.



This feature allows you to use the whole of the grill or just part of it for grilling smaller auantities economically.



Fan grilling
The fan circulates heat from the over
grill around the food simultaneously
browning and sealing the juices in.
Economical rotisserie or spit effect.



Variable grill
Grilling temperature can be altered
by selecting a high or low setting.



Bottom heat only This setting allows you to cook the bottom of pizza, flan or pastries without drying



Top heat only
Ideal for browning foods such as rice pudding
or cauliflower cheese as the heat is not as



Oven light

A light in the oven for better visibility



Base fan



Ideal for dishes that require bottom heat, such as pizzas.



Fan oven

The heating element surrounds a fan which distributes hot air around the oven. The result is a more even temperature throughout the oven and much faster cooking - ideal for batch baking.



Frost free

Gone are the days of having to defrost your freezer, no ice build up means there's plenty of room for your ice lollies.



Flame safety device

For added safety, this device is designed to detect if the flame goes out on your hob and will cut off the gas supply immediately.



Made in Britain

This icon denotes all products that are Made in Britain.



A energy rating Relates to the efficiency of the specific appliance.



A+ energy rating
A+ energy is the most efficient



AA energy rating

AA energy rating relates to both the top and main cavity of a double oven.



Open door grilling

Leaving the door open whilst grilling means the air inside the grill circulates, therefore grills rather than bakes.

Main oven

The larger cavity in a double oven.

Top oven

, The smaller cavity in a double oven.

Double oven

An oven with two cavities. The top oven includes a arill.

Ceramic hob

The electric element is held in place under the ceramic glass. Ceramic hobs are easy to keep clean. Not all pans are suitable for ceramic hobs.

Red spot elements

Sealed electric hob elements that heat up quicker than standard elements.

Dual fuel

The perfect combination of a gas hob with an electric oven and grill that distributes an even temperature.

Induction

Induction technology works by heating the pan rather than the hob.

The New World range of colours



steel



Black



White



Red



urple

G

Green



Silver



Chrome



Charcoal

 $Owing\ to\ the\ limitations\ of\ the\ printing\ process,\ colours\ in\ this\ brochure\ may\ not\ be\ entirely\ accurate.$


welcome

There's nowhere quite like your kitchen. It's where you get the family together, it's where you catch up with friends, it's the place where everyone congregates. Your kitchen is filled with good times and fond memories and that's the way it should be, so we design beautiful, simple and intelligent appliances that let you get on with living.

From our built-in and range collections to freestanding and integrated, we've got the perfect appliance for you, designed for life.

Built-in	pages 4 - 8
Ovens	pages 6 - 7
Hobs	page 8
managamanananananananananananananananana	pages 9 - 17
50cm	pages 12 - 13
55cm	pages 14 - 15
60cm	pages 14 - 15 pages 16 - 17
Range cookers	pages 18-20
Made in Britain	page 21
Hoods and splashbacks	pages 22 - 2
Hoods	page 24
Splashbacks	page 25
Integrated appliances	pages 26 -30
Refrigeration	page 28
Wine Coolers	раде 29
Dishwashers	page 30
Washing Machines	page 30
Customer care, aftercare and cleaning	page 31
Home delivery	page 32
auaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa	pages 33 - 3









Liven up your kitchen with our eye-catching new colours collection of built-in ovens. Available in a range of sizes and metallic red, green and purple colour options, no matter what you're cooking, your kitchen's never been more stylish. Matching hobs available on page 8.



NW601FP

60cm high electric fanned oven with programmable timer

Finishes; SS 444441483 Bk 444441484 W 444441632 R 444441633 P 444441634 G 444441636

- ▶ Fanned electric oven with programmer
- ▶ Variable electric grill
- Defrost function
- Drop down door
- ▶ 2 shelves, 5 positions

- A energy rating
- Dimensions in mm:

▶ Heat reflective door glass

h585 x w595 x d550



NW601G

60cm high single gas oven

Finishes: SS 444441475 444441478 444441622

- ▶ Conventional gas oven
- ▶ Fixed rate electric grill
- Drop down door
- ▶ 2 shelves, 5 positions ▶ Heat reflective door glass
- ▶ Dimensions in mm·

h585 x w595 x d550



NW601F

60cm high single electric fanned oven

Finishes: 55 444441481 Bk 444441482 W 444441627 R 444441628 P 444441629 G 444441631

- ▶ Fanned electric oven
- ▶ Variable electric grill
- Defrost function
- ▶ Drop down door
- ▶ 2 shelves, 5 positions
- ▶ Heat reflective door glass
- A energy rating
- Dimensions in mm: h585 x w595 x d550



60cm high single electric fanned oven with programmable timer

- ▶ Fanned electric oven with programmer
- ▶ Variable electric grill
- ▶ Defrost function
- > Drop down door
- > 2 shelves, 5 positions
- ▶ Heat reflective door glass
- A energy rating
- ▶ Dimensions in mm: h585 x w595 x d550



70cm high built-under gas twin cavity oven

Finishes: SS 444441477 Bk 444441478
W 444441623 R 444441624

- ▶ Conventional gas oven main cavity
- ▶ Variable rate gas grill
- Drop down doors
- ▶ Top cavity grill 1 shelf, 2 positions
- ▶ Main cavity gas oven 2 shelves, 5 positions
- ▶ Heat reflective door glass
- Dimensions in mm: h703 x w595 x d550



NW701D0

70cm high built-under/ built-in electric double oven



- ▶ Main fanned electric oven
- ▶ Top conventional electric oven
- ▶ Fixed rate dual circuit grill
- Drop down doors
- ▶ Top cavity 1 shelf, 2 positions
- ▶ Main cavity 2 shelves, 5 positions
- ▶ Heat reflective door glass ▶ AA energy rating
- ▶ Dimensions in mm: h703 x w595 x d550



NW901G

90cm high built-in gas twin cavity oven




- ▶ Conventional gas oven main cavity
- ▶ Variable rate gas grill
- Drop down doors
- ➤ Top cavity 1 shelf, 2 positions ▶ Main cavity – 2 shelves, 5 positions
- ▶ Heat reflective door glass
- Dimensions in mm: h885 x w595 x d550



NW901D0

90cm high built-in electric double oven



- ▶ Main fanned electric oven
- ▶ Top conventional electric oven
- ▶ Fixed rate dual circuit grill ▶ Drop down doors
- ▶ Top cavity 1 shelf, 2 positions
- ▶ Main cavity 2 shelves, 5 positions
- ▶ Heat reflective door glass
- ▶ AA energy rating
- Dimensions in mm: h885 x w595 x d550



NW901DOP

90cm high built-in electric double oven with programmable timer



▶ Main fanned electric oven

▶ Top conventional electric oven

▶ Fixed rate dual circuit grill

Drop down doors

▶ Top cavity – 1 shelf, 2 positions ▶ Main cavity – 2 shelves, 5 positions

▶ Heat reflective door glass

▶ AA energy rating

▶ Dimensions in mm:

h885 x w595 x d550















60cm black granite effect ceramic hob

Finishes: Bk 444441154

- ▶ 4 elements in 2 sizes
- ▶ Rotary controls to match ovens
- ▶ Easy clean glass hob
- ▶ Flush fitting
- ▶ 6 power settings
- Dimensions in mm: w590 x d520

NWCR602

60cm black ceramic hob

Finishes: Bk 444441155

- ▶ 4 elements in 3 sizes
- ▶ Rotary controls to match ovens
- ▶ Easy clean glass hob
- ▶ Flush fitting
- ▶ 6 power settings
- ▶ Hob hot indicator
- Dimensions in mm: w590 x d520

NWGHU601 60cm wide gas hob



- 4 gas burners
- ▶ 1 rapid burner, 2 semi-rapid, 1 auxilliary
- ▶ Enamel pan supports
- ▶ Push button ignition
- ▶ Side control knobs to match ovens
- ▶ Flame safety device
- Dimensions in mm: w580 x d510

NWSHU601

60cm wide sealed plate hob

Finishes: SS 444449473

- ▶ Electric solid plate hob
- Side controls
- ▶ 1 rapid response red spot
- Dimensions in mm: w580 x d510



60cm black granite effect ceramic hob





70cm wide black ceramic hob

Finishes: Bk 444441162

- ▶ 4 elements in 2 sizes
- ▶ Touch controls
- ▶ Easy clean glass hob
- ▶ Flush fitting
- ▶ 9 power settings
- ▶ Central on/off key Auto heat up
- ▶ Child/key safety lock
- ▶ Hob hot indicator
- ▶ Safety shutdown
- Dimensions in mm: w590 x d520



Finishes: Bk 444441169

- ▶ 4 elements in 3 sizes
- ▶ Touch controls
- ▶ Easy clean glass hob
- Flush fitting
- ▶ 9 power settings
- ▶ Central on/off key Auto heat up
- ▶ Child/key safety lock
- Hob hot indicator
- Safety shutdown Dimensions in mm: w680 x d504



NWGHU701

70cm wide gas hob

Finishes: Bk 444441492 SS 444441491

▶ 5 gas burners

- ▶ 1 wok burner, 1 rapid, 2 semi-rapid, 1 auxilliary
- ▶ Enamel pan supports
- ▶ Push button ignition
- > Front control knobs to match ovens
- ▶ Flame safety device
- Dimensions in mm: w680 x d510

New low cost induction model



60cm electric induction hob with touch controls

Finishes: Bk 444443434

- ▶ Minute minder and timer on each element

- ▶ 4 elements with power boost 9 power settings plus boost
 - ▶ Child lock ▶ Pan detection and pan

overheat detection

- ▶ Easy clean ceramic glass surface

dian

Dimensions in mm: w660 x d560





Liven up your kitchen with our eye-catching new colours collection of freestanding cookers. Available in a range of sizes and metallic red, green and purple colour options, no matter what you're cooking, your kitchen's never been more stylish.



NW601GTCL


60cm wide gas twin cavity cooker with lid



- 4 burner gas hob with enamel pan supports
- ▶ Top cavity variable gas grill
- ▶ Main cavity conventional gas oven
- ▶ Oven light in main oven

▶ Glass lid

- ▶ Removable inner door glass
- ▶ Easy clean enamel > Flame safety device
- Dimensions in mm: h900-915 x w600 x d600



50cm gas and electric cookers



50cm wide electric single cavity cooker

Finishes: Bk 444441616 W 444449044

- ▶ Electric hob with 4 solid hotplates
- ▶ Conventional electric oven
- ▶ Electric grill
- ▶ Glass drop down door
- ▶ Wipe-clean enamel oven interior
- A energy rating
- Dimensions in mm: h885-915 x w500 x d600



50cm wide electric twin cavity cooker

Finishes: Bk 444440488 W 444440486

- ▶ Electric hob with 4 solid hotplates
- ▶ Conventional electric oven with side open door
- ▶ Wipe-clean enamel oven interior
- ▶ A energy rating
- Dimensions in mm: h900 x w500 x d600



50cm wide ceramic electric twin cavity oven

Finishes: Bk 444442482 W 444442481

- ▶ 4 zone ceramic hob
- > Conventional main oven
- Oven light
- ▶ Variable rate electric grill
- ▶ Adjustable feet
- Ceramic hob
- Dimensions in mm: h900 x w500 x d600



500TSIDL

50cm wide gas twin cavity cooker

Finishes: 444440028 444440027 W 444440026

- ▶ 4 burner gas hob with enamel pan supports
- Glass hotplate lid
- ▶ Gas variable grill in top cavity
- ▶ Conventional gas main oven
- ▶ Oven light
- ▶ Removable inner door glass
- ▶ Flame safety device
- ▶ Wipe-clean enamel
- Dimensions in mm: h900-915 x w500 x d600



50cm wide freestanding high level electric cooker

Finishes: W 444440532

- ▶ 4 electric zone sealed plate hob
- > Fanned electric main oven
- ▶ High level electric grill
- ▶ Wipe-clean enamel oven interior
- ▶ Side opening door
- Dimensions in mm:
- h1110 x w502 x d602



50cm wide freestanding high level gas cooker

Finishes: Bk 444440156 W 444440155

- ▶ Gas hob with 4 burners
- Conventional main oven ▶ High level Sola gas grill
- ▶ Grill and serve captive grill pan
- ▶ Double glazed oven door
- ▶ Mains powered ignition
- Storage compartment
- ▶ Wipe-clean enamel oven interior ▶ Flame safety device
- Dimensions in mm: h1110 x w502 x d602



50cm electric double oven

Finishes: W 444441619 Bk 444441620

- ▶ Electric hob with four solid hotplates
- 2 conventional electric ovens
- ▶ Fixed rate electric grill with glass drop down door
- ▶ Wipe-clean enamel oven interior
- AA energy rating Dimensions in mm:
- h900 x w500 x d600



EDF50

50cm electric fanned double oven

Finishes: W 444441756 Bk 444441757

- ▶ Electric hob with four solid hotplates
- ▶ Conventional top electric oven ▶ Fanned main electric oven
- ▶ Fixed rate electric grill with glass drop down door
- ▶ Wipe-clean enamel oven interior
- AA energy rating
- Dimensions in mm: h900 x w500 x d600





55cm gas cookers



55HLGE

55cm wide freestanding high level electric cooker

Finishes: W 444440533

- ▶ 4 electric zone sealed plate hob
- ▶ Fanned electric main oven
- ▶ High level electric grill
- ▶ Wipe-clean enamel oven interior
- ▶ Side opening door
- ▶ Dimensions in mm· h1110 x w552 x d602



NW551ETC

55cm wide electric twin cavity cooker

Finishes: Bk 444442168 W 444442169

- ▶ 4 zone ceramic hotplate with granite effect
- ▶ Single variable electric grill in top cavity
- ▶ Fanned electric main oven
- ▶ Oven light
- ▶ Easy clean enamel
- ▶ A energy rating in main oven
- ▶ Removable inner door glass
- Dimensions (in mm): h900-915 x w550 x d600



ES550D0m

55cm wide electric double oven cooker with solid plate hob

Finishes: 444440034 W 444440033

- ▶ Hotplate with 4 solid plates, 2 high speed
- ▶ Electric grill in top oven
- ▶ Conventional electric top oven
- ▶ Fanned electric main oven
- ▶ Electronic clock/minute minder
- Oven light
- ▶ Removable inner door glass
- ▶ Wipe-clean enamel
- Dimensions in mm:
- h900-915 x w550 x d600



G55TT

55cm wide gas twin cavity cooker

Finishes: 444440077 W 444440076

- ▶ Gas hob with 4 variable burners
- ▶ Conventional main oven
- ▶ 2 enamel pan supports
- ▶ Separate variable gas grill in top cavity
- ▶ Wipe-clean enamel oven interior
- ▶ Removable inner door glass for easy cleaning
- ▶ Push button ignition

55THLG

level gas cooker

55cm wide freestanding high

▶ Gas hob with 4 variable burners

▶ Grill and serve captive grill pan

▶ Wipe-clean enamel oven interior

Finishes: 🛚 444440158 👑 444440157

▶ Conventional main oven

▶ Double glazed oven door

▶ Mains powered ignition

Storage compartment

▶ Flame safety device

Dimensions in mm:

h1110 x w552 x d602

▶ High level Sola gas grill

- ▶ Flame safety device
- Dimensions in mm:

h900-930 x w552 x d602



55TWLG

55cm wide gas twin cavity cooker

Finishes: 📴 444445702 SS 444445701

- ▶ 4 variable gas burners
- ▶ Conventional gas oven
- ▶ Enamel pan supports
- Variable grill
- ▶ Wipe-clean enamel
- ▶ Available in LPG
- ▶ Flame safety device
- Dimensions in mm: h900-930 x w552 x d602



NW551GTC

55cm wide gas twin cavity cooker

Finishes: Bk 444442147 W 444442148 SS 444442149
R 444442150 P 444442151

- ▶ 4 burner gas hob with enamel pan supports
- ▶ Top cavity variable gas grill
- ▶ Main cavity conventional gas oven
- ▶ Oven light in main oven
- ▶ Removable inner door glass
- ▶ Easy clean enamel
- ▶ Flame safety device
- Dimensions in mm: h900-915 x w550 x d600



550TSIDLm

55cm wide gas twin cavity cooker

Finishes: 444440030 W 444440029

- ▶ 4 burner gas hob with enamel pan supports
- ▶ Glass hotplate lid
- ▶ Gas variable grill in top cavity
- ▶ Conventional main gas oven
- ▶ Electronic clock/minute minder
- Oven light
- ▶ Removable inner door glass
- ▶ Wipe-clean enamel
- ▶ Flame safety device
- Dimensions in mm: h900-915 x w550 x d600



550TSID0m

55cm wide gas double oven cooker

▶ 4 burner gas hob with enamel pan supports

▶ Glass hotplate lid ▶ Electric grill in top oven

Finishes: 444440032 W 444440031

▶ Conventional top gas oven

▶ Conventional main gas oven

▶ Electronic clock/minute minder

▶ Oven light

▶ Removable inner door glass

▶ Wipe-clean enamel

▶ Flame safety device

Dimensions in mm:

h900-915 x w550 x d600




60cm dual fuel and gas cookers



60cm wide electric double oven cooker

Finishes: SS 444447228 W 444447227

- > Ceramic hob with 4 elements
- ▶ Fanned main oven
- ▶ Top oven with electric grill
- ▶ Wipe-clean enamel oven interior
- ▶ Removable inner door glass for easy cleaning
- Dimensions in mm:





NW601ED0

60cm wide electric double oven cooker

Finishes: 444442178 W 444442179 S 444442180 R 444442181

- ▶ 4 zone ceramic hotplate with granite effect ▶ Conventional electric top oven with electric grill
- in top cavity
- ▶ Fanned electric main oven
- ▶ Oven light
- ▶ Easy clean enamel
- ▶ A energy rating in main oven
- ▶ Removable inner door glass
- ▶ Dimensions in mm: h900-915 x w600 x d600



EC600D0m

60cm wide electric double oven cooker with ceramic hob

Finishes: Bk 444440041 3 444440040

- ▶ Hotplate with 4 radiant ceramic zones
- ▶ Electric grill in top oven
- ➤ Conventional electric top oven
- ▶ Fanned electric main oven
- ▶ Electronic clock/minute minder
- ▶ Oven light
- ▶ Removable inner door glass
- ▶ Wipe-clean enamel
- Dimensions in mm: h900-915 x w600 x d600



Finishes: 444442172 W 444442173 SS 444442174 R 444442175

- 4 zone ceramic hotplate with granite effect
- ▶ Single variable electric grill in top cavity
- > Fanned electric main oven
- ▶ Oven light
- ▶ Easy clean enamel
- ▶ A energy rating in main oven
- ▶ Removable inner door glass
- Dimensions in mm: h900-915 x w600 x d600



60cm wide dual fuel double oven cooker

▶ 4 burner gas hob with enamel pan supports

DF600TSID0m

Finishes: 444440042

Oven light

▶ Glass hotplate lid

▶ Electric grill in top oven

▶ Conventional electric top oven

▶ Electronic clock/minute minder

> Fanned electric main oven

▶ Removable inner door glass

h900-915 x w600 x d600

▶ Flame safety device

▶ Wipe-clean enamel

Dimensions in mm:

DF60DT

60cm wide dual fuel double oven cooker

Finishes: SS 444440080

- ▶ Gas hob with 4 variable burners
- ▶ 2 enamel pan supports ▶ Fanned main oven
- ▶ Glass lid with safety cut-off
- > Top oven with electric grill
- ▶ Wipe-clean enamel oven interior
- Removable inner door glass for easy cleaning
- ▶ Push button ignition
- ▶ Flame safety device
- ▶ Dimensions in mm· h900-915 x w600 x d600



NW601DFD0L

60cm wide dual fuel double oven cooker with glass lid

Finishes: 🕸 444442188 5 444442189 🔃 444442190

000 - 000

- 4 burner gas hob with enamel pan supports
- ▶ Conventional electric top oven with electric grill
- ▶ Fanned electric main oven
- Oven liaht
- ▶ Easy clean enamel
- ▶ Flame safety device
- ▶ A energy rating in main oven
- ▶ Removable inner door glass
- Dimensions in mm: h900-915 x w600 x d600



600TSIDOm

60cm wide gas double oven cooker

Finishes: 444440039 W 444440038

- ▶ 4 burner gas hob with enamel pan supports
- ▶ Conventional gas top oven
- ▶ Conventional main gas oven
- ▶ Glass hotplate lid
- ▶ Electric grill in top oven
- ▶ Electronic clock/minute minder
- Oven light
- ▶ Removable inner door glass
- ▶ Wipe-clean enamel ▶ Dimensions in mm·
- h900-915 x w600 x d600



G60DT

60cm wide gas double oven cooker

Finishes: SS 444440079 W 444440078

- ▶ Gas hob with 4 variable burners
- ▶ Conventional main oven
- ▶ 2 enamel pan supports
- ▶ Glass lid with safety cut-off ▶ Top oven with electric grill
- Wipe-clean enamel oven interior
- ▶ Removable inner door glass for easy cleaning
- ▶ Push button ignition
- ▶ Flame safety device
- Dimensions in mm: h900-930 x w602 x d602



NW601GTCL

60cm wide gas twin cavity cooker with lid

Finishes: 444442152 W 444442153 SS 444442154 R 444442155
444442151 G 444442158 C 444442160

- ▶ 4 burner gas hob with enamel pan supports
- ► Top cavity variable gas grill
- ▶ Main cavity conventional gas oven
- ▶ Glass lid
- ▶ Oven light in main oven
- ▶ Removable inner door glass
- ▶ Easy clean enamel
- ▶ Flame safety device
- ▶ Dimensions in mm: h900-915 x w600 x d600



600TSIDLm

60cm wide gas twin cavity cooker

Finishes: Bk 444440037 5 444440036 444440035

- ▶ 4 burner gas hob with enamel pan supports ▶ Glass hotplate lid
- ► Gas variable grill in top cavity ▶ Conventional main gas oven
- ▶ Electronic clock/minute minder
- Oven light ▶ Removable inner door glass
- ▶ Wipe-clean enamel
- ▶ Flame safety device
- Dimensions in mm: h900-915 x w600 x d600



NW601GDOL

60cm wide gas double oven cooker with lid

Finishes: 88 44442194 W 444442195 SS 444442196 R 444442197

- ▶ 4 burner gas hob with enamel pan supports
- ▶ Top cavity conventional gas oven with electric grill
- ▶ Main cavity conventional gas oven
- ▶ Glass lid
- ▶ Oven light main oven
- ▶ Removable inner door glass
- ▶ Easy clean enamel ▶ Flame safety device
- Dimensions in mm:
- h900-915 x w600 x d600



range cookers

100cm gas and dual fuel range cookers



100DFT Spirit

100cm wide dual fuel range cooker

Finishes: 🕸 444441989 🔄 444441990

- ▶ 8 burner gas hob
- ▶ Enamel pan supports
- ▶ 1 large fanned oven and 1 large conventional oven
- ▶ Separate electric variable grill
- ➤ Storage compartment ▶ Minute minder
- ▶ LPG convertible
- with kit supplied
- A energy rating
- ▶ Flame safety device
- Dimensions in mm:
- h885-915 x w1000 x d600



100cm wide dual fuel range cooker

Finishes: 444440216 444440463

- ▶ 8 burner gas hob
- ▶ Enamel pan supports
- 2 large ovens 1 fanned electric 1 conventional
- ▶ Separate electric grill
- ▶ Storage compartment
- ▶ Electronic clock/
- Viewing windows (on silver model only)
- ▶ LPG convertible with optional extra kit
- ▶ A energy rating
- ▶ Flame safety device
- Dimensions in mm: h900-930 x w996 x d595





100cm wide gas range cooker

Finishes: 1 444440218 444440462

- ▶ 8 burner gas hob
- ▶ Enamel pan supports
- ▶ 2 large conventional gas ovens
- ▶ Separate gas grill
- ▶ Storage compartment
- ▶ Electronic clock/
- Viewing windows (on silver model only)
- ▶ Flame safety device
- ▶ Dimensions in mm: h900-930 x w996 x d595



company manufacturing right here in the UK and we're firmly committed to keeping it that way.

Why? We're proud to say that our UK-based manufacturing enables us to sustain over 1,000 local jobs using the skills and experience of local craftsman. And by overseeing our manufacturing from design right through to packing, we have peace of mind that every product that leaves our premises is ideally suited to the UK consumer and built to our exacting standards.



Designed for life

Please visit www.newworldappliances.co.uk



hoods

60cm, 70cm, 90cm and 100cm hoods

600CGH / 700CGH / 900CGH

60cm, 70cm and 90cm wide curved glass hoods

Finishes: SS 444448742 (600CGH) / 444448743 (700CGH) / 444448744 (900CGH)

- → 3 fan speeds
- ▶ Twin lights
- ▶ Push button controls
- Dimensions in mm: 600CGH - h100 x w600 x d490 700CGH - h100 x w700 x d490 900CGH - h100 x w900 x d490



Chim60 / Chim70 / Chim90

60cm, 70cm and 90cm wide chimney hoods

Finishes: SS 444448843 (Chim60) / 444448803 (Chim70) / 444448844 (Chim90)

- ▶ Extendable chimney section
- 3 fan speeds
- ▶ Push button controls
- ▶ Twin lights

Dimensions in mm: Chim 60 (SS) - h190 x w600 x d485 Chim 60 (Bk) - h190 x w600 x d485 Chim 70 - h260 x w700 x d495 Chim 90 - h190 x w900 x d485



UH100 100cm wide chimney hood

Finishes: Bk 444449654 55 444449653

- ▶ Extendable chimney section
- ▶ 3 fan speeds
- ▶ Push button controls
- ▶ Twin lights
- Dimensions in mm: h190 x w1000 x d485



UCH60S

60cm wide canopy cooker hood

Finishes: 3 444449649

- ▶ 3 speed fan
- ▶ Integral light
- ▶ Washable grease filter
- Slider controls
- Dimensions in mm: h157 x w525 x d282







UIH60S

60cm wide integrated cooker hood

Finishes: 3 444449650

- ▶ 3 speed fan
- ▶ Integral light
- ▶ Washable grease filter
- ▶ Slider controls
- Dimensions in mm:
- h400 x w600 x d270



UVH50W

50cm wide visor cooker hood

Finishes: W 444441259

- 3 speed fan
- ▶ Integral light ▶ Washable grease filter
- Slider controls
- Dimensions in mm: h150 x w500 x d505





Utensils not available

SBK60 splashback: with or without rail 60cm wide splashback

Finishes: Bk 444449521 SS 444449519 SS (withrail) 444449520

- ▶ Ideal for use with freestanding cookers or 60cm wide hobs and hoods
- ▶ Dimensions in mm: h750 x w600

SBK90 splashback: with or without rail 90cm wide splashback

Finishes: Bt 444449526 SS 444449524 SS (withrail) 444449525

- ▶ 90cm wide
- ▶ Dimensions in mm: h750 x w900

SBK70 splashback: without rail 70cm wide splashback

Finishes: SS 444449522

- ▶ Ideal for use with 70cm wide hobs and hoods
- ▶ Dimensions in mm: h750 x w700

SBK100 splashback: with or without rail 100cm wide splashback

Finishes: Bk 444449529 SS 444449527 SS (withrail) 444449528

- ▶ 100cm wide
- ▶ Ideal for use with all 100cm range cookers and the Chim 100 hood
- ▶ Dimensions in mm: h750 x w1000



15cm, 30cm, 60cm wine coolers



Built-under larder refrigerator

Finishes: W 444441933

- ▶ Total capacity 128 litres
- ▶ Adjustable thermostat
- ▶ Interior light
- ▶ 2 wire shelves
- ▶ 2 door containers (1 with lid)
- ▶ Salad crisper
- Egg tray
- ▶ A+ energy rating
- Dimensions in mm: h820 x w598 x d545



50/50 built-in frost free fridge-freezer

Finishes: W 444441938

- ▶ Total net capacity 217 litres
- ▶ Automatic defrost in fridge, frost free in freezer
- ► Adjustable thermostat in fridge
- 3 shelves
- ▶ 1 dairy compartment with lid & 2 door containers
- ▶ 1 salad crisper with glass lid
- Egg tray
- 4 freezer drawers
- ▶ 4kg/24hr freezing capacity
- ▶ A+ energy rating
- ▶ Dimensions in mm: h1776 x w540 x d535



IFZ800

Built-under larder freezer

Finishes: W 444441934

- ▶ Total net capacity 87 litres
- ▶ Adjustable thermostat
- ▶ Manual defrost
- ▶ 3 freezer baskets
- Fast freeze
- ▶ 6kg/24hr freezing capacity
- ▶ A+ energy rating
- ▶ Dimensions in mm: h820 x w598 x d545



70/30 built-in fridge-freezer

Finishes: W 444441935

- ▶ Total net capacity 240 litres
- ▶ Automatic defrost in fridge, manual in freezer
- ▶ Adjustable thermostat in fridge
- ▶ 3 wire shelves
- ▶ 1 dairy compartment with lid & 2 door containers
- ▶ 1 salad crisper with glass lid
- ▶ Egg tray
- → 3 freezer baskets
- ▶ 4kg/24hr freezing capacity
- ▶ A+ energy rating
- Dimensions in mm: h1776 x w540 x d535



Great for your pocket and the environment with an adjustable thermostat and an A+ energy rating

50/50 built-in fridge-freezer

Finishes: W 444441937

- ▶ Total net capacity 224 litres
- ▶ Automatic defrost in fridge, manual in freezer
- ▶ Adjustable thermostat in fridge
- ▶ 3 wire shelves
- ▶ 1 dairy compartment with lid & 2 door containers
- ▶ 1 salad crisper with glass lid & egg tray
- ▶ 4 freezer compartments
- ▶ 4kg/24hr freezing capacity A+ energy rating
- Dimensions in mm: h1776 x w540 x d535



Make life super easy with an automatic defrost fridge and frost free freezer

70/30 built-in frost free fridge-freezer

Finishes: W 444441936

- ▶ Total net capacity 240 litres
- ▶ Automatic defrost in fridge, frost free in freezer
- ▶ 3 glass shelves
- ▶ 1 dairy compartment with lid & 2 door containers
- ▶ 1 salad crisper with glass lid
- ▶ Egg tray
- ▶ 3 freezer draws 1 with flap
- ▶ 2.5kg/24hr freezing capacity
- ▶ A+ energy rating
- ▶ Dimensions in mm: h1776 x w540 x d535

600WC

60cm wide wine cooler

Finishes: Bk 444443283 SS 444440919

- ▶ 6 wooden shelves
- ▶ 46 bottle capacity
- ▶ External handle
- ▶ Reversible door
- ► Digital temperature display
- ▶ Dual zone thermostat
- ▶ Internal LED light
- ▶ Dimensions (with handle) in mm: h870-890 x w595 x d568

Serve your guests wine at the right temperature whether it be red, rose or white thanks to a dual zone thermostat





150WC

15cm wide wine cooler

Finishes: Bk 444443281 55 444440918

- ▶ 6 chrome wire shelves
- ▶ 7 bottle capacity
- ▶ External handle
- ▶ Reversible door
- ▶ Digital temperature display
- ▶ Internal LED light
- ▶ Dimensions (with handle) in mm: h870-890 x w148 x d525



300WC

30cm wide wine cooler

Finishes: 🕸 444443282 🛐 444440918

- ▶ 6 wood shelves with stainless trim
- ▶ 18 bottle capacity
- ▶ External handle
- ▶ Reversible door
- ▶ Digital temperature display
- ▶ Internal LED light
- Dimensions (with handle) in mm: h870-890 x w295 x d568



customer care, aftercare and cleaning



No.1 for customer care.

customer care

Our customer care team were voted number 1 at the Domestic & General Awards 3 years running. Our award winning team can be contacted 7 days a week, 363 days a year. Lines are open Monday to Friday from 8.00am to 6.00pm, Saturday from 8.30am to 2.00pm and Sunday 10.00am to 2.00pm. With trained staff to handle your call, a fixed price repair scheme for peace of mind, a spares department which holds over 1 million spare parts, and a specialised team of nationwide service engineers, you know you can rely on New World.

Contact customer care on 0844 815 3747



WMI12

1200rpm integrated washing machine

Finishes: W 444441176

- ▶ 400-1200 variable spin speed
- ▶ Variable rinse
- ▶ Delay timer
- ▶ 7kg capacity ▶ 12 washing programmes
- ▶ A+ energy rating
- ▶ Dimensions in mm: h830 x w600 x d540





45cm wide integrated dishwasher

Finishes: 444440453

- ▶ 9 place settings
- Delay timer
- ▶ 6 wash programmes, including pre rinse, delicate, eco, intensive and normal wash
- ▶ 4 temperature settings
- > Salt and rinse aid indicators
- ▶ Rinse and hold
- Quick wash
- ▶ Noise level max 49dBA
- Dimensions in mm: h850 x w455 x d540



Simply fits behind your cupboard doors for a sleek finish to your kitchen

60cm wide integrated dishwasher

Finishes: 444440452

- ▶ 12 place settings
- 6 wash programmes inc. rinse and hold, delicate wash, eco wash, intensive and normal
- ▶ 4 temperature settings and a half load option
- ▶ Delay start function
- > Salt and rinse aid indicators
- ▶ Noise level max 49dBA
- Quick wash
- ▶ A energy rating
- ▶ Dimensions in mm: h850 x w595 x d540



Replacement carbon filters Keep your kitchen odour-free by replacing your cooker hood filter every 3-4 months (depending on usage).

Product no: 082634706, 082612620, 082620630, 082642391



Restor-A-Cloth™

A chemical-free cleaning product, ideal for cleaning and polishing glass and stainless steel.

Product no: 082813300



Ceramic hob scraper kit

Ideal for removing stubborn cooked-on marks from ceramic glass hobs.

Product no: 082606781



Sealed hotplate conditioner

Restores the sleek matt black finish to your solid electric hotplates.

Product no: 082606783



Stainless steel cleaner

The perfect product for removing stubborn marks and generally keeping your appliances clean and shiny.

Product no: 082641262



Ceramic hob cleaner and conditioner

Makes your ceramic hob easier to clean and extends its lifespan. Also prevents the build-up of mineral deposits, which can cause surface discolouration.

Product no: 082606780



Oven cleaner trigger spray Cuts through the grease and burnt-on grime that collects on

cooker walls and glass doors. Product no: 082606786



Multi-purpose kitchen cleaner

An excellent multi-surface cleaner for general cleaning in the kitchen.

Product no: 082606782

SPECIFICATIONSbuilt-in oven specifications

home delivery

We are delighted to offer you our new and improved home delivery services that are available as an optional extra when you buy your New World appliance.

We know how important it is to make sure that every step of your appliance purchase is just perfect so we've developed a service that fits the bill:

- We offer quicker delivery times and can deliver to anywhere within the UK, 6 days a week
- We will position and install the appliance in your room of choice
- We offer a service to dispose of your old appliances
- Our team of expert installers will test everything to make sure it's in perfect working order.

For more information about this service, please speak to your retailer when you buy your New World appliance.

Order Day 1 for delivery Day 3. Delivery available to the whole of the UK to most postcodes 6 days a week.





Delivery and installation is available Monday to Friday. Delivery is available to the whole of the UK, followed up with installation by our fleet of national engineers.



Our all-in-one service that includes it all. Delivery, disconnection, installation and removal all in one convenient visit on a choice of days. UK mainland only.



Summary	Туре	NW601G	NW601F	NW601FP	NW701G	NW701D0	NW901G	NW901D0	NW901DOP
Top cavity	Function	-	-	-	Grill	Conventional oven and grill	Grill	Conventional oven and grill	Conventional oven and gril
	Fuel	-	-	-	Gas	Electric	Gas	Electric	Electric
Gas oven/grill	Variable rate gas grill	-	-	-	Yes	-	Yes	-	-
	Automatic ignition	-	-	-	Yes	-	Yes	-	-
Electric oven/grill	Fixed rate dual circuit grill	-	-	-	-	Yes	-	Yes	Yes
	Conventional electric oven	-		-	-	Yes	-	Yes	Yes
Carrière fa atressa	Energy rating	-	-	-	39	A 39	39	A 39	A 39
Cavity features	Actual capacity (litres) Usable capacity (litres)		-	-	29	35	29	35	35
			-						
	Power (kw)	-	-	-	2.4	2.7	2.4	2.7	2.7
	No. of shelves	-	-	-	1	1	1	1	1
	Safety stop shelves	Yes	Yes	-	Yes	Yes	Yes	Yes	Yes
	No. of shelf positions	-	-	-	2	2	2	2	2
	No. of oven lights		-	-	-	-	-	-	-
Main cavity	Function	Conventional oven & grill	Fanned oven & grill	Fanned oven & grill	Conventional oven	Fanned oven	Conventional oven	Fanned oven	Fanned over
	Fuel	Oven gas grill electric	Electric	Electric	Gas	Electric	Gas	Electric	Electric
Gas oven/grill	Fixed rate gas grill	-	-	-	-	-	-	Yes	-
	Conventional gas oven	Yes	-	-	Yes	-	Yes	-	-
	Automatic ignition	Yes	-	-	Yes	-	Yes	-	-
Electric oven/grill	Fixed rate electric grill	Yes	-	-	-	-	-	-	-
	Variable rate electric grill	-	Yes	Yes	-	-	-	-	-
	Conventional electric oven	-	-	-	-	-	-	-	-
	Fanned electric oven	-	Yes	Yes	-	Yes	-		Yes
	Defrost	-	Yes	Yes	-	Yes	-	Yes	Yes
	Grill with fan	-	Yes	Yes	-	-	-	-	-
	Energy rating	-	A	A	-	A	-	A	A
	Base heat only Top heat only	-	-	-	-	-	-	-	-
Cavity features	Actual capacity (litres)	69	69	69	59	59	69	69	69
cuvity reatures	Usable capacity (litres)	51	58	58	43	50	51		58
		Oven 2.5,	Oven 2.0,	Oven 2.0,					
	Power (kw)	grill 1.8	grill 1.85	grill 1.85	2.5	2.0	2.5		2.0
	No. Of shelves	2	2	2	2	2	2		2
	Safety stop shelves	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	No. Of shelf positions	5	5	5	5	5	5		5
_	No. Of oven lights	Single rear	Single rear	Single rear	Single rear	Single rear	Single rear	Single rear	Single rear
Timer	Mechanical timer	-	-	-	-	-	-	-	-
	Electronic clock/minute minder	-	-	Yes	-	-	-	-	Yes
	Electronic clock/programmer Touch control clock/programmer	-	-	res	-	-	-	-	res
Cooling	Facia cooling system	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Accessories									
(included)	Grillpan / trivet	Yes	Yes	Yes	Yes	Yes	Yes		Yes
Removable parts	Inner door glass	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
(For cleaning)	Shelves	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Shelf runners	Yes	Yes	Yes	Yes	Yes	Yes		Yes
Compatibility	Hob available to match oven	Yes	Yes	Yes	Yes	Yes	Yes		Yes
Installation	Gas type	Nat gas	-	-	Nat gas	-	Nat gas	-	-
	Gas inlet type	1/2"BSP female	-	-	1/2"BSP female	-	1/2"BSP female		-
	Gas inlet position	Rear right	- 12		Back right		Back right		- 22
Dimensions product	Fuse size (a) Height (mm)	13 585	13 585	13 585	13 703	703	13 885		32 885
Jimensions product	Width (mm)	595	595	595	595	595	595		595
	Depth (mm)	550	550	550	550	550	550		550
	Weight (kg)	27	24	24	41	41	47	47	47
Packed dimensions	Height (mm)	725	725	750	845	845	1025	1025	1025
	Width (mm)	660	660	660	660	660	660	660	660
	Depth (mm)	720	720	720	720	720	720	720	720
	Weight (kg)	30	27	27	45	45	50	50	50
Finish & codes	Stainless steel	444441475	444441481	444441483	444441477	444441485	444441479	444441487	444442272
	White	444441621	444441627	444441632	444441623	444441637	444441625	444441642	444442271
	Black	444441476	444441482	444441484	444441478	444441486	444441480	Flectric Yes	444442270
	Metalic red	444441622	444441628	444441633	444441624	444441638	444441626		444442273
	Metalic purple Metalic green	-	444441629 444441631	444441634 444441636	-	444441639 444441641	-		444442274

built-in hob specifications



Summary	Туре	NWCR601	NWCR602	NWSHU601	NWCT601	NWCT701	NWGHU601	NWGHU701	NWIHT601
Hob	No of burners/elements	4	4	4	4	4	4	5	4
ias hob	Front left (kw)	-	-	-	-	-	Rapid [3.0]	Auxiliary [1.0]	-
	Rear left (kw)	-	-	-	-	-	Semi-rapid [2.0]	Semi-rapid [2.0]	-
	Rear right (kw)	-	-	-	-	-	Semi-rapid [2.0]	Rapid [3.0]	-
	Front right (kw)	-	-	-	-	-	Auxiliary [1.0]	Semi-rapid [2.0]	-
	Centre (kw)	-		-		-	-	Wok [3.5]	-
	Gloss enamel pan supports	-	-	-	-	-	Yes	Yes	-
	Push button ignition (mains)	-	-		-	-	Yes	Yes	-
	Side rotary controls	Yes	Yes	-	-	-	-	-	-
	Front rotary controls	-	-	-	-	-	-	-	-
lectric hob	Front left (kw)	Medium	Large	Large	Large	Dual ceramic	_	-	1.4 Power
	Rear left (kw)	ceramic 1.7 Small	ceramic 2.1 Small	solidplate 2.0 Small	ceramic 1.8 Small	(2.2/0.7) Small	-	-	1.4 Power boost 1.9
	Rear right (kw)	ceramic 1.2 Medium	ceramic 1.2 Medium	solidplate 1.0 Large solidplate	ceramic 1.2 Large	ceramic 1.2 Medium		_	1.4 Power
		ceramic 1.7 Small	ceramic 1.7 Small	high-speed 1.5 Small	ceramic 1.8 Small	ceramic 1.8 Small		_	boost 1.9 1.4 Power
	Front right (kw)	ceramic 1.2	ceramic 1.2	solidplate 1.0	ceramic 1.2	ceramic 1.2	-	-	boost 1.9
	Dual zone	-	-	-	-	Yes	-	-	-
	Easy clean ceramic glass surface	Yes	Yes	-	Yes	Yes	-	-	Yes
	Side rotary controls	-	-	-	-	-	Yes	-	-
	Front rotary controls	-	-	-	-	-	-	Yes	-
eatures	Rotary controls	Yes	Yes	Yes	-	-	Yes	Yes	-
	Touch controls	-	-	-	Yes	Yes	-	-	-
	Residual heat indicator	-	Yes	-	-	-	-	-	Yes
	Digital power display	-	-	-	Yes	Yes	-		Yes
	Power levels	6	6	-	9	9	-	-	9
	Hot hob light	-	-	-	Yes	Yes	-	-	Yes
	Central on/off key	-	-	-	Yes	Yes	-	-	Yes
	Minute minder	-	-	-	-	-	-	-	Yes
	Child lock	-	-	-	Yes	Yes	-	-	Yes
	Automatic heat-up	-	-	-	Yes	Yes	-	-	-
	Automatic standby	-	-	-	Yes	Yes	-	-	Yes
	Timer	-	-	-	-	-	-	-	Yes
	Power slider	-	-	-	-		-	-	-
	Granite finish	Yes	-	-	-				-
Removable parts For cleaning)	Hob burners		-	-	-	-	Yes	Yes	-
	Pan supports	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Compatibility nstallation	Oven available to match hob	res -	res	res	res -	res -			tes -
Historia	Gas type						Nat gas 1/2" BSP female	Nat gas 1/2" BSP female	-
	Gas inlet type Gas inlet position		-				Rhs rear	Rhs rear	
	LPG convertible	-	-	-	-	-	Kns reur	Kris rear	-
	Electrical connection	Fixed wiring	Fixed wiring	-	Fixed wiring	Fixed wiring		-	Fixed wiring
	Terminal block position	Rear centre	Rear centre	-	Rear centre	Rear centre	-	-	Rear centre
	Power supply	240V	240V		220V - 240V	220V - 240V		-	220V - 240V
	Supply frequency (Hz)	50Hz	50Hz	-	50Hz	50Hz	-		50Hz
	Total rating at 230V (kW)	5.8	6.2	-	6.0	6.4		-	7.6
	Fuse size (A)	32	32	32	32	32	3	3	32
Dimensions	Width (mm)	590	590	580	590	680	580	680	580
roduct	Depth (mm)	520	520	510	520	504	510	510	510
	Weight (kg)	7.2	7.1	7.2	6.8	7.1	7.2	11	8
	Depth below worktop (mm)	40	40	40	40	40	40	40	60
	Cutout width (mm)	560	560	555	560	660	555	555	60
	Cutout depth (mm)	490	490	485	490	490	485	485	490
	Can be flush fitted	Yes	Yes	-	Yes	Yes	-	-	-
acked dimensions	Width (mm)	560	560	720	560	560	720	820	720
	Depth (mm)	130	130	645	130	130	645	645	645
	Weight (Kg)	7.7	7.8	8	7.5	8.4	8	12	8.8
inishes & codes	Stainless steel	-	-	-	-	-	444441489	444441491	-
	Colour - control knob	-	-	-	-	-	Chrome effect	Chrome effect	-
	White enamel	-	-	444449474	-	-	444441647	-	-
	Colour - control knob	-	-	White	-	-	Chrome effect	-	-
	Black enamel	-	-	-	-	-	444441490	444441492	-
	Colour - control knob	-	-	-	-	-	Chrome effect	Chrome effect	-
	Black ceramic glass	-	444441155	-	-	444441169	-	-	444443434
	Colour - control knob	-	Chrome effect	-	-	-	-	-	-
	Granite effect ceramic glass	444441154	-	-	444441162	-	-	-	-

rreestan	ding specificatio													
Summary	Туре	ES50S	ET50	ETC50	50HLGE	ED50	EDF50	500TSIDL	50THLG	55HLGE	NW551ETC	ES550DOM	G55TT	55TWLG (LP Gas)
Hob	No of burners/elements	4	4	4	4	4	4	4	4	4	4	4	4	4
Gas hob	Front left (kW) Rear left (kW)	-	-	-	-	-	-	Small (1.0) Medium (2.0)	Small (1.0) Medium (2.0)	-	-	-	Small (1.0) Medium (2.0)	Small (1.0) Medium (2.0)
	Rear right (kW)	-	-	-	-	-	-	Medium (2.0)	Medium (2.0)	-	-		Medium (2.0)	Medium (2.0)
	Front right (kW) Wire pan supports-	-	-	-	-	-	-	Large (3.0)	Large (3.0)	-	-	-	Large (3.0)	Large (3.0)
	gloss enamel	-	-	-	-	-	-	Yes	Yes	-	-	-	Yes	Yes
	Cast iron pan supports - matt enamel	-	-	-	-	-	-	-	-	-	-	-	-	-
	Push button ignition													
	(battery) Push button									-				
	ignition (mains)	-	-	-	-	-	-	Yes	Yes	-	-	-	Yes	Yes
	Automatic ignition	-	-	-	-	-	-	- V	-	-	-		-	-
	Glass lid with auto shutoff Glass lid	-	-	-	-	-	-	Yes Yes	-	-	-	-	-	-
Electric hob	Front left (kW)	Large solid	Large solid	Small solid	1	Large solid	Large solid	-		1	Small (1.2)	Small solid		
		plate (1.5) Small solid	plate (1.5) Small solid	plate (1.2) Small solid		plate (1.5) Small solid	plate (1.5) Small solid					plate (1.0) Large solidplate		
	Rear left (kW)	plate (1.0)	plate (1)	plate (1.2)	2	plate (1.0)	plate (1.0)	-	-	2	Large (1.7)	high-speed (2.0)	-	-
	Rear right (kW)	Large solid plate (1.5)	Large solid plate (1.5)	Large solid plate (1.8)	1	Large solid plate (1.5)	Large solid plate (1.5)	-	-	1	Small (1.2)	Small solid plate (1.0)	-	-
	Front right (kW)	Small solid	Small solid	Large solid	1.5	Small solid	Small solid			1.5	Large (1.7)	Large solidplate		
	Easy clean ceramic	plate (1.0)	plate (1)	plate (1.8)		plate (1.0)	plate (1.0)					high-speed (2.0)		
	glass surface	-	-	Yes	-	-	-	-	-	-	Yes	-	-	-
High-level grill	Function	-	-	-	Yes	-	-	-	-	Yes	-	-	-	-
	Fuel	-	-	-	Electric	- 20	-	-	Gas	Electric	-	-	-	-
T '	Power(kW)			- ·	2.35	2.0 Conventional	Conventional	C TP	3.5	2.0		Conventional	6.71	
Top cavity	Function	-	Grill	Grill	-	oven and grill	oven and grill	Grill			Grill	oven and grill		Grill
	Fuel	-	Electric	Electric	-	Electric	Electric	Gas	-	-	Electric	Electric	Gas	Gas
Gas oven/grill	Fixed rate gas grill Variable rate gas grill	-	-	-	-	-	-	Yes	-	-	-	-	- Vac	- Yes
	Conventional gas oven	-	-	-	-		-	ies -	-	-	-	-	ies -	res -
Electric	Fixed rate electric grill	_				Yes	Yes	_				_		
oven/grill	Variable rate electric grill	-	Yes	Yes				-			Yes	Yes		
	Conventional electric oven	-	-	-	-	Yes	Yes	-	-	-	Yes	Yes	-	-
	Top heat only	-	-	-	-	Yes (Max only)	Yes (Max only)	-	-	-	-	-	-	-
	Base heat only Energy rating				-	Yes (Max only) A	Yes (Max only) A	-	-		- A	- A		-
Cavity features	Actual capacity (litres)		_	_	_	26	26	35		_	39	39		39
cuvity leutures		-	22	22	-	22	22	24	-	-	27	35		27
	Usable capacity (litres)	-				1.5 (Grill)	1.5 (Grill)		-	-		Oven (1.3)		
	Power (kW)	-	1.5	1.5	-	1.2 (Oven)	1.2 (Oven)	2.4	-		2.4	grill (0.6/1.7/2.7)		2.4
	No of shelves No of shelf positions	-	3	3	-	3	3	2	-	-	2	2		2
Main cavity	Function	Conventional	Conventional	Conventional	Fanned oven	Conventional	Fanned	Conventional	Conventional	Fanned	Fanned oven	Fanned oven	Conventional	Conventional
r-idii Cdvicy	Fuel	oven & grill Electric	oven Electric	oven Electric	Electric	oven Electric	oven Electric	oven Gas	oven Gas	oven Electric	Electric	Electric	oven	oven Gas
Gas oven/grill	Fixed rate gas grill	-	-	-	-	-	-	-	-	-	-	-	-	-
	Conventional gas oven	-	-	-	-	-	-	Yes	Yes	-	-	-	Yes	Yes
Electric oven/grill	Conventional electric oven	Yes	Yes	Yes	-	Yes	-	-	-		-	-	-	-
overi/gritt	Fanned electric oven	-	-	-	Yes	-	Yes	-	-	Yes	Yes	Yes		-
	Conventional electric grill	Yes	-	Yes	-	-	-	-	-	-	-	-	-	-
	Defrost Base heat only	Yes	-	Yes	-	-	-	-	-	-	Yes	Yes	-	-
	Energy rating	A	A	A	A	A	A	-	-	A	A	A	-	-
Cavity features	Actual capacity (litres)	55	55	55	62	56	56	62	62	69	69	69	69	69
	Usable capacity (litres)	47 Oven (2.0)	48	48	42	48	48	42	42	48	59	59		48
	Power (kW)	grill (1.5)	2	2	2	2	2	2.5	2.5	2	2	2		2.4
	No of shelves	1	2	2	2	2	2	2	2	2	2	2		2
	No of shelf positions	5	5	5	5	5	5	5	5	5	5	5		5
	Storage compartment	-	-	-	Yes	-	-	-	Yes	Yes	-	-		-
Features	Fascia cooling system Adjustable feet	- Yes	- Yes	- Yes	- Yes	- Yes	Yes	Yes Yes	- Yes	- Yes	Yes Yes	Yes		Yes Yes
Accessories	Grillpan/handle/trivet	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	ies		Yes
(included)	•											-		
Installation	Gas type	-	-	-	-	-	-	Nat gas 1/2" BSP	Nat gas	-	Electric	-		LP gas
	Gas inlet type	-	-	-	-	-	-	female	1/2"BSP female	-	-	-		
	Gas inlet position Fuse size (A)	32	40	32	-	40	40	Rear right	Rear right	-	32	32	Rear right	Rear right
	Fitted 3 pin plug	-	-	-	-	-	-	Yes	Yes	-	Yes	-	Yes	Yes
Dimensions	Height (mm)	885-915	900	900	1110	900	900	900-915	1110	1110	900-915	900-915		900-930
product	Width (mm)	500	500	500	502	500	500	500	502	552	550	550		552
	Depth (mm)	600	600	600	602	600	600	600	602	602	600	600	602	602
	Weight(kg)	44	48	41	41.9	48	48	43	41.9	46.9	54	45	41.8	41.8
Packed dimensions	Height (mm)	950	970	1020	1412-1440	970	970	1025	1412-1440	1412-1440	1025	1025	1025	1025
	Width (mm)	580	560	560	610	580	580	615	610	610	715	665	665	665
	Depth (mm)	690	680	700	710	690	690	715	710	710	715	715	715	715
Finishes & codes	Weight (kg) Stainless steel	48	51	45	45	51	51	46	45	50	58 44442170	54		46 444445701
es ex coues	White	444449044	444440486	444442481	444440532	444441619	444441756	444440026	444440155	444440533	44442170	444440033	444440076	-
	Silver	-	-	-	-	-	-	444440027	-	-	-	444440034	444440077	-
	Black Metallic red	444441616	444440488	444442482	-	444441620	444441757	444440028	444440156	-	44442168 44442171	-		444445702
	Metallic red Metallic green	-	-	-	-	-	-	-	-	-	-	-	-	-
	Metallic purple	-	-	-	-	-	-	-	-	-	-	-	-	-
	Chrome	-	-	-	-	-	-	-	-	-	-	-		-

freestanding cooker specifications

specifications range cooker specifications

Minor	Freestand	ling specification	ns															
Martine Mart				55THLG	550TSIDLm	550TSIDOm	E60D	EC600DOm	NW601ETC	NW601EDO	DF60DT	DF600TSIDOm	NW601DFDOL	G60DT	600TSIDL	600TSIDOm	NW601GTCL	NW601GDOL
	Hob	No of burners/elements	4	4	4	4			4	4	4	4	4	4	4	4	4	4
Perform Perf	Gas hob						-	-	-									Small (1.0) Medium (2.0)
March Marc			Medium (2.0)		Medium (2.0)						Medium (2.0)	Medium (2.0)						Medium (2.0)
March Marc								-			-							
Marter M		_	163	ies	163	165			-		165	ies	163	ies	ies	ies	165	163
Method M		- matt enamel	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Marche M		(battery)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Marie September Part			Yes	Yes	Yes	Yes	-	-	-	-	Yes	-	Yes	Yes	Yes	Yes	Yes	Yes
Second S							-							-				
Minor Mino							-							Yes				
Non-yinform	Electric hob	Front left (kW)	-	-	-	-			Small (1.2)		-	-	-	-	-	-	-	-
Marche M		Rear left (kW)	-	-	-	-		Large ceramic (1.8)	Large (1.7)	Large ceramic (1.8)	-	-	-	-	-	-	-	-
Second S		Rear right (kW)					Small ceramic	Small ceramic	Small (1.2)	Small ceramic	-	-	-	-				-
Page				_		_	Large ceramic	Large ceramic		Large ceramic	_	_		_				
Second S				-					-			-						
May May		glass surface	-	-	-	-	Yes	Yes		Yes	-	-	-	-	-	-	-	-
Secondary Seco	riign-level grill		-		-	-	-	-		-	-	-	-	-			-	
Martine Mart			-		-	-	-	-		-	-	-	-	-				-
Controlled Maritime Maritim	Top cavity	Function	Grill	-	Grill				Grill		Grill				Grill			Conventional oven and grill
Source seed New Person Ne			Gas		Gas	Gas/Electric	Electric	Electric	Electric	Electric	Electric	Electric	Electric	Gas	Gas	Gas/Electric	Gas	Gas/Electric
Content control Co	Gas oven/grill		- Yes		Yes	-		-	-	-	-		-		Yas		-	-
Monther control of the control of							-											
Construction of the content of the	Electric oven/grill	Fixed rate electric grill	-	-	-	Yes	Yes	-	-	-	Yes	-	-	-	-	Yes	-	Yes
Sphelescopy		•					- Voc	- Vos		- Vos	- Voc		- Voc	Yes			- Vos	
Except primary								-			-			-				Yes
Color Colo		·		-								- A	-				-	
Paper My	Cavity features		-	-	39	39	39		39	39	-		39	39	39	39	39	39
Profession Pro		Usable capacity (litres)	-	-	27	27	30	35	27	35	-	35	35	27	27	27	27	27
Main case		Power (kW)	-	-	2.4				2.4		-				2.4		2.4	Oven (1.8) grill (1.8)
March Conventional Conventi			-	-		1	1	1		1		1	1	1	-	1		1
Marie Mari	Main cavity																	Conventional
Search Search and part Search and part Search S	Mulii Cuvity																	
Decision consigned Convertification content Convertification content	Gas oven/grill	Fixed rate gas grill	-	-	-	-								-		-	-	-
Formal electric levels			Yes	Yes	Yes	Yes	-	-	-	-		-	-	Yes	Yes	Yes	Yes	Yes
Conventional interfer grill -	Electric oven/grill			-	-		- V-	- V				- V	- V	-	-	-	-	
Broke Nest entrolly							Yes -	Yes -						-				
Conferentions Conferential Confer			-	-	-	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-		-	Yes	-
Property (May 27					-	-	A	A	A	A	A	A	-	-	-		A	-
Prower (NW)	Cavity features										-							
No of fishelpositions																		
Storage compartment								2			2	2					2	
Features					5	5	5	5	5	5	5	5	5	5	5	5	5	5
Adjustable feet Yes Yes					-	-	-			-	-			-	-	-	-	
Part	reatures																	
Style - Not gos No		Grillpan/trivet	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Gos inlet position Rear right Rear right Rear right Fuse size (A) 3 3 3 3 3 3 3 3 3		Gas type	-	Nat gas	Nat gas	Nat gas	-	-	Electric	-	Nat gas	Nat gas	Nat gas	Nat gas	Nat gas	Nat gas	Nat gas	Nat gas
Fuse size (A) 3 3 3 13 32 32 32 32 32 32 32 32 32 32 32 32 32				1/2"BSP female	1/2" BSP female	1/2" BSP female	-	-	-	-	1/2"BSP female	1/2" BSP female	1/2" BSP female	1/2"BSP female	1/2" BSP fem	ale 1/2" BSP female	1/2" BSP female	1/2" BSP female
Fitted 3 pin plug Yes																		Rear right
Product Prod																		
Width (mm)		Height (mm)	900-915	1450-1480	900-915	900-915	900-930	900-915	900-915	900-915	895-910	900-915	900-915	900-930	900-915	900-915	900-915	900-915
Weight kg 46 46.9 47 46 50.8 51 54 54 49.2 49 53 55 49 56 53 53 Packed dimensions Height (mm) 1025 1110 1025 1025 1025 1025 1025 1025 1025 1025 1025 1025 1025 1025 1025 1025 1025 Width (mm) 665 660 665 665 715																		
Packed dimensions																		
Width (mm) 665 660 665 665 715	Packed dimensions																	
Weight (kg) 51 50 51 51 55 55 58 57 54 53 56 55 53 60 56 58																		
Finishes & codes Stainless steel 44442149																		
Silver - 444440030 444440032 - 444440040 - - 444440042 - 44440036 44440039 - - Block 4442177 4444018 - - 4444218 - - 44440037 - 4444215 4444218 Metallic red 4442100 - - - 4444218 - - 44442190 - - - 44442155 4444218 Metallic green - - - - 4444218 - - - 4444215 4444218 Metallic purple 4442151 - - - 4444218 - - - - 4444215 4444218	Finishes & codes	Stainless steel	44442149	-	-	-	444447228	-	44442174	44442180	444440080		44442189	444440079		-	44442154	44442196
Black 44442147 444440158 444440041 44442172 44442181 444442188 - 444440037 - 44442152 44444215 Metallic green														444440078				44442195
Metallic green - - - - - - - - - - - 44442158 - - - - - 44442151 - - - - - 44442151 44442151 - - - - - 44442151 44442151 - - - - - 44442151 - - - - - - - 44442151 - - - - - - 44442151 - - - - - - 44442151 - - - - - - - 44442151 - <td></td> <td>Black</td> <td></td> <td></td> <td>-</td> <td>-</td> <td></td> <td>444440041</td> <td>44442172</td> <td></td> <td></td> <td>-</td> <td>444442188</td> <td></td> <td>44444003</td> <td>-</td> <td>44442152</td> <td>444442194</td>		Black			-	-		444440041	44442172			-	444442188		44444003	-	44442152	444442194
Metallic purple 44442151 44442176 44442182 44442151 44442151 4444219		Metallic red	44442150										44442190					
Chrome 44442186 44442180 4444210			-	-	-	-	-	-	-	44442184	-	-	-	-			44442158	44442200

	cations			
Summary	Туре	100DFT Spirit*	100DFT*	100GT*
Hob	No of burners/elements	8	8	8
Gas hob	Burner 1 (kw)	Large (2.4)	Small (1.0)	Small (1.0)
	Burner 2 (kw)	Medium (1.75)	Medium (2.0)	Medium (2.0)
	Burner 3 (kw)	Small (1.0)	Large (3.0)	Large (3.0)
	Burner 4 (kw) Burner 5 (kw)	Medium (1.75) Large (2.4)	Medium (2.0) Small (1.0)	Medium (2.0) Small (1.0)
	Burner 6 (kw)	Medium (1.75)	Medium (2.0)	Medium (2.0)
	Burner 7 (kw)	Small (1.0)	Large (3.0)	Large (3.0)
	Burner 8 (kw)	Medium (1.75)	Medium (2.0)	Medium (2.0)
	Enamel pan supports	Yes	Yes	Yes
	Cast iron pan supports	-	-	-
	Gloss pan supports	-	-	-
	Push button ignition (mains)	-	Yes	Yes
	Automatic ignition	Yes	-	-
Electric hob	Element 1 (kw) Element 2 (kw)	-	-	-
	Element 3 (kw)	-	-	-
	Element 4 (kw)	-	-	-
	Element 5 (kw)	-	-	-
	Easy clean ceramic plates	-	-	-
Cavity 1	Position	Top left	Top left	Top left
•	Function	Conventional Grill	Grill	Grill
	Fuel	Electric	Electric	Gas
Gas oven/grill	Fixed rate gas grill	-	-	-
	Variable rate gas grill	-	-	Yes
	Conventional gas oven	-	-	-
Electric oven/grill	Variable rate electric grill	Yes	Yes	-
	Fanned electric oven	-	-	-
	Defrost Energy rating	-	-	-
Cavity footures	Energy rating Actual capacity (litros)	26	35	35
Cavity features	Actual capacity (litres) Usable capacity (litres)	26	28	24
	Power (kw)	2.0	1.8	2.4
	No of shelves	1	1	1
	No of shelf positions	3	2	2
	No of oven lights	-	-	-
	Interior finish	Wipe-clean	Wipe-clean	Wipe-clean
		enamel	enamel	enamel
Cavity 2	Position	Bottom left	Bottom left	Bottom left
	Function	Conventional Oven	Conventional oven	Conventional ove
	Fuel	Electric	Electric	Gas
Gas oven/grill	Conventional gas oven	-	-	Yes
Electric oven/grill	Conventional electric oven	Yes	Yes	-
	Fanned electric oven	-	-	-
	Energy rating	Α	Α	-
Cavity features	Actual capacity (litres)	55	62	62
	Usable capacity (litres)	48	52	42
	Power (kw)	2.0	2.0	2.5
	No of shelves	2	2	2
	No of shelf positions	5	5	5
	Interior finish	Wipe-clean enamel	Wipe-clean enamel	Wipe-clean enamel
Cavity 3	Position	Top right	Top right	Top right
		Fanned oven		
	Function		Fanned oven	Conventional ove
	Fuel	Electric	Electric	Gas
Gas oven/grill	Conventional gas oven	-	-	Yes
Electric oven/grill	Variable rate dual circuit electric grill	-	-	-
	Conventional electric oven	- V	- V	-
	Fanned electric oven Defrost	Yes Yes	Yes Yes	-
	Energy rating	A	A	-
Cavity features	Actual capacity (litres)	55	62	62
	Usable capacity (litres)	48	52	42
	Power (kw)	2.0	2.0	2.5
	No of shelves	1	2	2
	No of shelf positions	5	5	5
	Interior finish	Wipe-clean	Wipe-clean	Wipe-clean
		enamel	enamel	enamel
Cavity 4	Position	Bottom-right	Bottom-right	Bottom-right
	Function	Storage compartment	Storage compartment	Storage compartment
C 1 C .	T. 1. 1. 6.1.1	comparament	Wipe-clean	Wipe-clean
Cavity features	Interior finish	-	enamel	enamel
Timer	Electronic clock/minute minder	-	Yes	Yes
	Analogue minute minder	Yes	-	-
Features	Fascia cooling system	-	Yes	Yes
	Adjustable feet	Yes	Yes	Yes
Accessories (included)	Grillpan/handle/trivet	-	Yes	Yes
Installation	Gas type Gas inlet type	Nat gas 1/2" BSP female	Nat gas 1/2" BSP female	Nat gas 1/2" BSP female
	Gas inlet type Gas inlet position	Rear right	Rear centre	Rear centre
	·		Yes with optional	Reui Ceritre
	Lpg convertible	Yes	extra kit	-
	Fuse size (a)	32	32	3
	Fitted 3 pin plug	-	-	Yes
Product dimensions	Height (mm)	885-915	900-930	900-930
	Width (mm)	1000	996	996
	Depth (mm)	600	595	595
	Weight (kg)	70	89	89
Packed dimensions	Height (mm)	1070	1035	1035
	Width (mm)	1100	1130	1130
	Depth (mm)	700	720	720
	Weight (kg)	90	79	79
Finishes & codes	Stainless steel	-	-	-
	Silver	444441990	444440463	444440462
	Charcoal	44441330	444440216	444440218

hood, splashback, dishwasher and washing machine specifications cooling appliance specifications

Summary	Туре	600CGH MK2	700CGH MK2	900CGH MK2	CHIM60 (SS) MK2	CHIM60B	CHIM70 MK2	CHIM90 MK2	UH100	UCH60S	UIH60S	UVH50W
Features	No of fan speeds	3	3	3	3	3	3	3	3	3	3	3
	Lights - traditional	-	-	-	-	-	-	-	-	-	-	-
	Lights - halogen	2	2	2	2	2	2	2	2	1	1	1
	Slider control	-	-	-	-	-	-	-	-	Yes	Yes	Yes
	Push button	-	-	-	Yes	Yes	Yes	Yes	Yes	-	-	-
	Grease filter(s)	1	1	1	2	2	2	3	3	1	1	1
Extraction	Max extraction rate (m3/h)	380	380	380	350	350	350	350	350	356	191	241
	Motor rating (w)	150	150	150	120	120	150	120	120	130	100	110
	Max noise level (dba) (acoustic pressure)	50	50	50	52	52	59	52	52	53	49	52
	Position of ducting outlet	Тор	Тор	Тор	Тор	Тор	Тор	Тор	Тор	Тор	Тор	Тор
Installation	Ducting kit dia (mm)	150/120	150/120	150/120	150	150	120/150	150	150	120/100	120/100	120/100
Dimensions product	Height (excl chimney where fitted) (mm)	100	100	100	190	190	260	190	190	157	400	150
	Width (mm)	600	700	900	600	600	700	900	1000	525	600	500
	Depth (mm)	490	490	490	485	485	495	485	485	282	270/495	505
	Weight (kg)	13	13.6	19.7	10.98	10.98	13	12.84	12.84	6	9.02	5.53
	Chimney height (incl hood) (mm)	535-965	535-965	535-965	560/905	560/905	755-1100	560-905	560/905	-	-	-
	Chimney width (mm)	318	318	318	250	250	250	250	250	-	-	-
	Chimney depth (mm)	259	259	259	183	183	183	183	183	-	-	-
	Min height above hob (mm)	650	650	650	650	650	730	650	650	650	650	650
Packed dimensions	Height (mm)	615	615	615	655	655	580	979	1050	566	675	543
	Width (mm)	690	790	990	290	290	780	373	287	190	325	191
	Depth (mm)	430	430	430	550	550	375	575	525	325	460	555
	Weight (kg)	16.1	18	19.7	13.40	13.40	16	17	17	7.8	10.29	6.37
Finishes & codes	Stainless steel	444448742	444448743	444448744	444448843	-	444448803	444448844	444449653	-	-	-
	Black	-	-	-	-	444449651	-	-	444449654	-	-	-
	Silver	-	-	-	-	-	-	-	-	444449649	444449650	-
	White	-	-	-	-	-	-	-	-	-	-	444441259
	No of charcoal filters required	2	2	2	2	2	2	2	2	1	1	1
	Charcoal filter part no	082641708	082641708	082641708	082641708	082641708	082641708	082641708	082620630	082636458	082636458	082636458
Optional extras (not supplied)	Ducting kit part no - 125mm dia x 1m length	082611309	082611309	082611309	082611309	082611309	082611309	082611309	082611309	082611309	082611309	082611309
	Ducting kit part no - 125mm	082611310	082611310	082611310	082611310	082611310	082611310	082611310	082611310	082611310	082611310	082611310

Splashback sp	ecifications							
Summary	Туре	SBK60	SBK60R	SBK70	SBK90	SBK90R	SBK100	SBK100R
Features	Rail	-	Yes	-	-	Yes	-	Yes
Dimensions product	Height (mm)	750	750	750	750	750	750	750
	Width (mm)	600	600	700	900	900	1000	1000
	Fixing hole centre from vertical edge (mm)	150	10	125	150	10	150	10
	Fixing hole centre from top/ bottom edges (mm)	6	100	6	6	100	6	100
	Rail hole centre from vertical edge	-	120	-	-	155	-	205
	Weight (kg)	6	6.5	6.7	9	9.7	10.2	11
Packed dimensions	Height (mm)	870	1010	870	870	1010	870	1010
	Width (mm)	655	655	755	955	955	1055	1055
	Depth (mm)	30	30	30	30	30	30	30
	Weight (kg)	6.5	7	7.5	9.9	10.6	11.2	12
Finishes & codes	Stainless steel	444449519	444449520	444449522	444449524	444449525	444449527	444449528
	Black	444449521	-	-	444449526	-	444449529	-

Summary	Туре	DW45	DW60
Features	No of place settings	9	12
	No of temperature levels	4	4
	Delay timer	24	24
	Drying type	Residual drying	Residual drying
	Rinse aid refill indicator	Yes	Yes
	Salt refill indicator	Yes	Yes
	Adjustable water softener	Yes	Yes
	Overflow protection	Yes	Yes
	Adjustable upper basket	Yes	Yes
	Removable cutlery basket	Yes	Yes
	Adjustable racking	Yes	Yes
	Half load	-	Yes
Programmes	No of programmes	6	6
-	Normal wash	Yes	Yes
	Rinse and hold	Yes	Yes
	Intensive wash	Yes	Yes
	Pre-rinse	-	-
	Economy wash	Yes	Yes
	Soak	Yes	Yes
	Rapid/quick wash	Yes	Yes
Performance	Water consumption (litres/cycle)	10.5	12
	Energy Consumption (kWh/cycle)	0.74	1.05
	Energy rating	A	A+
	Cleaning rating	Α	A
	Drying rating	A+	A
	Noise level (dB)	52	52
Installation	Fuse size (A)	13	13
	Fitted 3 pin plug	Yes	Yes
Dimensions product	Height (mm)	850	850
	Width (mm)	455	595
	Depth (mm)	540	540
	Weight (kg)	34	40
Dimensions packed	Height (mm)	885	885
	Width (mm)	485	635
	Depth (mm)	620	620
	Weight (kg)	39	45
Finishes & codes	Integrated (white)	444440453	444440452

Summary	Type	WMI12
	**	*************
Features	Delay timer	Yes 0-24Hr
	Full spin speed (rpm)	1200
	Variable spin speed (rpm)	400 - 1200
	Variable rinse	Yes
	Washing capacity (kg)	7
Programmes	No of washing programmes	12
Performance	Energy rating	A+
	Washing rating	A
	Water consumption (litres/cycle)	52
	Energy consumption (kWh/cycle)	1.19
	Noise level (dBA)	65
Installation	Water supply	Cold fill
	Fuse size (A)	10
	Fitted 3 pin plug	Yes
Dimensions product	Height (mm) include adjustment	830
	Width (mm)	600
	Depth (mm)	540
	Weight (kg)	71
Dimensions packed	Height (mm)	880
·	Width (mm)	650
	Depth (mm)	600
	Weight (kg)	73
Finishes & codes	Integrated (white)	444441176

	_	~•	# ·	
C	わんべい	$\Box \cap \cap$	TIO	nc
	peci	ucu	LIU	IJ
_				

Summary	Туре	ILA800	IFZ800	IFF50	IFF50FF	IFF70	IFF70FF	600SSWC	600BLKWC	150SSWC	150BLKWC	300SSWC	300BLKWC
Features	Total gross capacity (ltrs)	130	96	242	230	283	60	MK2 145	145	MK2 22	22	MK2 58	58
reacures	Total net capacity (ltrs)	128	87	224	217	244	240	46 (Bottles)	46 (Bottles)	7 (Bottles)	7 (Bottles)	18 (Bottles)	18 (Bottles
	Frost free operation	-	-	-	Yes	-	Yes	-	-	-	-	-	-
	Dual control thermostat	-	-	-	-	-	-	Yes	Yes	-	-	-	-
	Handle type			-	-	-	-	Exterior	Exterior	Exterior	Exterior	Exterior	Exterior
	Hinge type	Heavy duty metal hinges	Heavy duty metal hinges	Slider	Slider	Slider	Slider	-	-	-	-	-	-
	Reversible doors	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Technical	Cfc/hfc free	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
specification		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a		R600a
	Refrigerant type Energy rating	A+	A+	A+	A+	A+	A+	-	-	-	-	-	-
	Energy consumption	118	186	269	275	271	274						
	(kwh/year)							-	-	-	-	-	-
	Noise level db(a)	39	42	38	41	41	41	39	39	39	39		39
	Replaceable door gaskets Power cut safe time (hrs)	Yes -	Yes 19	Yes 14	Yes 20	Yes 20	Yes 20	Yes	Yes -	Yes	Yes	Yes	Yes
	Temperature warning light	-	Yes	-	-	-	-	-	-	-	-	-	-
								Yes - LED	Yes - LED	Yes - LED	Yes - LED		Yes - LED
	Mains light	-	Yes	-		-	-	display	display	display	display	display	display
	Climate class	Sn	Sn	Sn	Sn	Sn	Sn	N	N	N	N	N	N
Fridge specification	Gross capacity (litres)	130	-	156	74	220	220	145	145	22	22	58	58
	Net capacity (litres)	128	-	155	155	189	193	-	-	-	-	-	-
	Adjustable thermostat	Yes	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Defrost function	Automatic	-	Automatic	Automatic	Automatic	Automatic	-	-	-	-	-	-
	Interior light	Yes	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Furniture	Door racks	Transparent plastic	-	Solid white	Solid white	Solid white	Solid white	-	-	-	-	-	-
	Dairy compartment with lid	1	-	1	1	1	1	-	-	-	-	Exterior	-
E E	Bottle shelf	1	-	1	1	1	1	-	-	-	-	-	-
	Door storage	-	-	1	1	2	2	-	-	-	-	-	-
	Egg trays	1	-	1	1	1	1	-	-	-	-	-	-
	Shelf type	Wire 2 salad	-	Wire 3 + Salad	Glass 3 + Salad	Wire 3 + Salad	Glass 3 + Salad	Wooden	Wooden	Wire	Wire	Wooden	Wooden
	Number of shelves	crisper cover Hidden	-	crisper cover	crisper cover	crisper cover	crisper cover	6	6	6	6	58 18 (Bottles)	6
	Salad drawer(s)	compartment	-	2 Half depth	2 Half depth	2 Half depth	2 Half depth	-	-	-	-	-	-
	Salad drawer cover	Glass	-	Glass	Glass	Glass	Glass	-	-	-	-	-	-
Freezer specification	Gross capacity (litres)	-	96	86	63	63	51	-	-	-	-	-	-
specification	Net capacity (litres)	-	87	69	62	55	49	-	-	-	-	-	
	Star rating	-	4	4	4	4	4	-	-	-	-	-	-
	Fast freeze	-	Yes	-	-	-	-	-	-	-	-	-	-
	Adjustable thermostat	-	Yes	-	-	-	-	-	-	-	-	-	-
	Defrost function	-	Manual	Manual	Frost free	Manual	Frost free	-	-	-	-	-	-
	Freezing capacity (kg/24 hrs)	-	6	4	3.5	4	2.5	-	-	-	-	-	-
Furniture	Freezer front type	-	Transparent plastic	Transparent plastic	Transparent plastic	Transparent plastic	Transparent plastic	-	-	-	-	-	-
	No of drawers/baskets	-	3	-	-	3	3	-	-	-	-	-	-
	Freezer shelf with flap Hidden compartment	-	-	-	-	-	1	-	-	-	-	-	-
	at bottom	-	1	-	-	-	-	-	-	-	-	-	-
	Ice cube tray	-	Yes	Yes	Yes	Yes	Yes	-	-	-	-	-	-
Installation	Current (a)	0.35	0.3	0.5	0.5	0.5	0.5	1.2	1.2	0.4	0.4		0.6
	Connection rating (w)	60	55	90	90	100	100	100	100	65	65		85
	Levelling feet Fuse rating (a)	Yes 13	Yes 13	- 13	13	13	- 13	Yes 13	Yes 13	Yes 13	Yes 13		Yes 13
	Fitted 3 pin plug	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Yes
Dimensions product		820	820	1776	1776	1776	1776	870-890	870-890	870-890	870-890		870-890
	Width (mm)	598	598	540	540	540	540	595	595	148	148		295
	Depth (mm)	545	545	535	535	535	535	568	568	525	525		568
	Weight (kg)	30	33	60	58	58	60	47	47	19	19		29
Dimensions packed	Height (mm)	880	880	1856	1856	1856	1856	930	930	890	890		910
	Width (mm)	630	630	575	575	575	575	660	660	190	190		325
	Depth (mm)	575	575	565	565	565	565	630	630	570	570		630
	Weight (kg)	33	36	65	63	63 444441935	65 444441936	52	52	21	21	32	32
Einichas S. cadas													
Finishes & codes	Integrated Stainless steel	444441933	444441934	444441937	444441938	444441935	-	444440919	-	444440917	-	444440918	



Designed for life

Our policy is one of constant development and improvement. Whilst this brochure is accurate at the time of printing, you are advised to check these specifications with the product. It is intended to help with your purchasing decision. It is not intended to replace the installation manual which provides more detailed information and should not be disregarded if specifications and/or appearances are changed in the interest of continuous improvement. All appliances featured in this brochure are CE marked as complying with the relevant appliance directives, produced under surveillance to BS EN ISO9000 series. Appliances can become very hot with use and retain their heat for a long period of time after use. Children should be supervised at all times and should not be allowed to touch the hot surfaces or be in the vicinity when in use or until the appliance has cooled after use. All technical data are taken under laboratory conditions and may vary in use. Ratings specified are quoted at 230V, products are approved for use on a 220-240V ~ 50Hz supply. The statutory rights of the consumer are not affected.

Part No. 082530092

www.newworldappliances.co.uk

Glen Dimplex Home Appliances, Stoney Lane, Prescot, Merseyside, L35 2XW Customer Care: 0844 815 3747 Product Helpline: 0844 248 4149