



RIVA WOODBURNING & MULTI-FUEL CASSETTE FIRES, STOVES & OPEN CONVECTOR FIRES





Stovax's dedication to the development of premium quality, woodburning and multi-fuel stoves and fires over the past 34 years has helped to make it one of Europe's leading specialist manufacturers. The company's expertise has brought fire and stove technology to the very pinnacle of performance and design with the high efficiency Riva range.

Expertly crafted, the external looks of the Riva range complement their ease of operation, their technically advanced cleanburn combustion systems (which provide outstanding flame pictures) and their superior heating efficiencies. Just as important, when burning logs these stoves use an energy source that is carbon neutral, renewable and infinitely better for our environment.







SIT BACK & RELAX...

Choosing a fire for your home shouldn't be a stressful experience, we want you to be happy and relaxed from the moment you pick up this brochure, to the first time you light your kindling and for many years after! That's why we have carefully selected Expert Retailers to help you...

Expert Retailer Network

We take great care to ensure that our fires and stoves are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and visual; and ensure that you select the most appropriate product for your home. They will also be able to advise on, or assist with, the installation process as well as help provide any after-sales support and servicing your appliance may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from purchasing the product only online and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Furthermore, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.

Extended Warranty

When you choose a Stovax fire or stove, quality and technology are assured. Accordingly, when you purchase your new fire from a Stovax Expert Retailer they will provide you with a Five Year Extended Warranty. Fires and stoves purchased outside Stovax's Expert Retailer Network will carry a standard 1 Year Warranty. Further details of this warranty are on page 62.





INNOVATION & INSPIRATION...

The space in which you live is an expression of your individual style. Riva convectors, cassettes and stoves have been designed to create a striking centrepiece at the very heart of your home. Be inspired by their designs, impressed by their high levels of heating efficiency and admire their ease of control. Then simply relax in front of a real fire.

CE Marked & HETAS Accredited

All fires and stoves in this brochure are CE Marked. This means they have been independently tested to exacting European standards for both heating efficiency and emissions. All Riva Cassettes and Stoves have also been accredited by HETAS, the UK's official body recognised by the government to approve solid fuel domestic heating appliances.



Wood or Smokeless Fuel

Most Riva fires have options which will allow you to burn either logs or smokeless fuel. All Riva cassettes and stoves have a flat fuel bed because logs burn best on a level bed of ash. Smokeless fuels however, burn better on a raised grate that allows air to be drawn in from underneath. The skilful design of the Riva range permits the combustion of either fuel with equal proficiency with the exception of the Riva 76 cassette and Riva F76 Freestanding which have been designed as dedicated woodburning models only.

Woodburning

All models in this brochure have been designed for the burning of wood with optimum efficiency. Wood is an environmentally friendly fuel; when burnt, the carbon dioxide released into the atmosphere is approximately the same as that absorbed by the tree during growth. It is also a renewable resource, particularly when derived from plantations and cultivated woodland.

For optimum results, we recommend logs should be seasoned for 2 years or more to achieve a moisture content below 20%. This will not only give twice the output of freshly felled timber but also help avoid a build up of tar in your flue. Furthermore, if you can obtain hardwood logs this is better still, as they will have a significantly increased calorific value than softwoods for the same volume.







Smoke Control Area Approved

Many town and city homes are located in Smoke Control Areas as designated by the Clean Air Act 1993. The majority of Riva cassette fires and stoves, when fitted with the appropriate kit, have been approved for the burning of



wood in these areas, meaning that even the most urban of homes can benefit from this environmentally friendly fuel source.



CHOOSING YOUR FIRE OR STOVE ...

This brochure offers you three distinctive ranges; High Efficiency Glass Fronted Riva Cassette fires, Riva Stoves and Riva Open Fires, each has it's own styling and technical capabilities. All three ranges present a perfect union of form and function, and provide your home with all the warming luxury of a real fire.

RIVA | CASSETTES

RIVA | STOVES

RIVA | OPEN



The Riva range can burn wood and multi-fuel and is available in six sizes, all of which are available as hearth-mounted 3-sided models or 4-sided models for installations further up the wall.

Riva cassettes feature our classic Profil frame which is available in standard or wide formats and with a choice of five sophisticated colour options!



Riva offers two unique woodburning and multi-fuel stove ranges, the sleek Riva Vision and the stunning Riva Freestanding, which display the same stylish lines as the Riva Cassettes. Choose from 3 sizes of Riva Vision and 6 sizes of Riva Freestanding Stoves.

These stoves look equally impressive installed into an inglenook, freestanding in your room or mounted on a stove bench, extending your styling possibilities.



For those who are looking for the traditional ambience of an open fire, there are the Riva Open Convector Fires, available in a range of sizes and with both traditional and contemporary styling options to suit a wide variety of fireplace types.

RIVA | OUTSTANDING EFFICIENCY FIRES

Riva Cassettes incorporate the very latest cleanburn technology with a unique 'Opti-Burn' setting. This means that they burn logs or smokeless fuels with outstanding efficiency, resulting in more heat delivery into the room and less going up the chimney. In addition to the radiant heat, a fourth airflow between the inner and outer skins of the Riva provides convected heat. This is emitted into the room naturally or, in the case of the 50, 55, 66 and 76, via an optional fan kit. These versatile cassette fires also offer the opportunity to heat other living spaces using an optional ducting system.



Riva Cassettes direct three types of air into the glass-fronted firebox, where they combine to provide superb flame control and exceptional views of the fire, which are further enhanced by Stovax's Airwash system that helps keep the glass clean.

Key Design Features

- 1. High density, thermal brick liner system.
- 2. Heated air jets from cleanburn ports on all three sides burn hydrocarbons in smoke.
- 3. Unique stainless steel baffle (multi-fuel).
- 4. Single combustion control lever.
- **5.** Unique "Opti-Burn" setting provides optimum efficiency and visual effect for woodburning.
- 6. Airtight door with removable stainless steel handle.
- 7. Convected and radiant heat.
- 8. Externally operated riddling grate.
- 9. Convected heat ducting system outlets (Riva 50, 55, 66 & 76 cassettes only).
- 10. Easy fit flue connection through cassette.
- **11.** Removable stainless steel ashpan.
- **12.** Optional cast iron, multi-fuel kit† (not illustrated)
- 13. Optional stainless steel tool holder (not illustrated)
- Optional Smoke Control Kit enables the burning of logs in Smoke Control Areas (not illustrated)
- Optional fan-assisted convection system (Riva 50, 55, 66 & 76 cassettes only - not illustrated)
- 16. Optional ash caddy (not illustrated)











†Required if smokeless fuel is to be used regularly

RIVA | CASSETTE SIZES



The outstanding Riva Cassette fires range is available in six different sizes, offering greater installation possibilities for interiors of all proportions. With three portrait, two landscape and one virtually square size, the beautifully designed Riva fires are the perfect blend of versatility and style. Riva Cassettes are available in a choice of Jet Black Metallic or Storm Metallic. Accordingly, the Riva frame options (see below) feature the same colour finishes, plus three additional colours, designed to specifically complement the contemporary visuals of the Riva Cassettes range.

Choose from standard or wide Profil frames, both of which are available in three or four sided versions, depending on whether you want a traditional hearth mounted fire or a more contemporary 'hole in the wall' installation. Alternatively, opt for the contemporary styling of the Riva 66 Avanti which incorporates a subtly curving front section and is finished in a choice of a combination of Storm and Jet Black Metallic or solely Jet Black Metallic for a choice of bold design statements.

Cassette Sizes

	RIVA 40 (pages 10 - 13)	RIVA 45 (pages 14 - 15)	RIVA 50 (pages 16 - 19)	RIVA 55 (pages 20 - 21)	RIVA 66 (pages 22 - 25)	RIVA 76 (pages 28 - 29)
Heat Output	Nominal: 5.0kW Range: 1.7 - 7kW	Nominal: 5.0kW Range: 1.7 - 7kW	Nominal: 7.0kW Range: 2.2 - 10kW	Nominal: 8.0kW Range: 2.8 - 11kW	Nominal: 8.0kW Range: 2.8 - 11kW	Nominal: 9.0kW Range: 3.2 - 12kW
Max. Efficiency	82%	83%	83%	84%	80%	78%
Wood & Multi-fuel	\checkmark	\checkmark	1	1	1	Wood only
Max. Log Length	250mm (9¾")	250mm (9¾")	350mm (13¾")	350mm (13¾")	450mm (17¾")	510mm (20")

Frame Options











Frame Colour Options

In addition to the Jet Black Metallic and Storm Metallic finishes. there are three vibrant colour options for the Riva Profil frames - Metallic Red, Metallic Bronze and Ivory. Look for the colour symbol on the relevant pages for easy reference and see pages 30 - 31 for further details.



Metallic





3 Sided Standard Profil Frame 3 Sided Wide Profil Frame

4 Sided Standard Profil Frame 4 Sided Wide Profil Frame

Riva 66 Avanti

Jet Black Storm Metallic

Metallic Metallic Ivory Red Bronze

9

Riva 40 with removable handle in situ, and wide 3 sided frame both in Storm Metallic. Also shown: Brompton White Mantel available from Stovax 4

- Salar



1111





The smallest model in the Riva Cassette range has been specially designed to fit into a standard 22" (560mm) high x 16" (405mm) wide British fireplace opening with the chairbrick removed. So you can now update the look of your living room with minimal construction work, possibly even without the need to remove the existing hearth and mantel. Alternatively, the Riva 40 can be installed as a 'hole in the wall' fire.

In addition to providing excellent contemporary style, installing a Riva 40 significantly increases the level of heat in your room when compared to a conventional open fire. Combustion efficiency is up to four times greater;

Key Technical Data

Nominal Heat Output	5kW (1.7 - 7kW)
Max. Efficiency	82%
Max. Log Length	250mm (9¾")
Flue Connection (internal diameter)	128mm (5")

Key Options and Accessories

Fire Finishes	Storm Metallic or Jet Black Metallic	
Multi-fuel Kit*		
Stainless Steel Tool Holder		
Smoke Control Kit		
Cast Iron Reeded Surround Panel†		

giving you more heat for your money and lower fuel costs.

Frames

3 sided, standard Profil

Storm Metallic Metallic Red Metallic Bronze lvory

For detailed technical information, including firebox dimensions see pages 56 - 57.

*Required if smokeless fuel is to be used regularly - see page 57. †See image on page 13. (940mm H x 940mm W with 560mm H x 410mm W cut out)









RIVA | 40



Both the Riva 40 cassette fire and frames are finished in a choice of Stovax's Storm or Jet Black Metallic paints. However, there are three additional frame colour options available to expand your interior design possibilities, as shown on pages 30 - 31. The Riva 40 is also approved for the burning of wood in Smoke Control Areas*, so this compact and contemporary cassette can add style to your home wherever your location!

*When fitted with a Smoke Control Kit & used in accordance with the operating instructions. Additional information for the Riva 40 can be found on page 11.

Key Technical Data

Nominal Heat Output	5kW (1.7 - 7kW)
Max. Efficiency	82%
Max. Log Length	250mm (9¾")
Flue Connection (internal diameter)	128mm (5")

Key Options and Accessories

Fire Finishes	Storm Metallic or Jet Black Metallic	
Multi-fuel Kit*		
Stainless Steel Tool Holder		
Smoke Control Kit		
Cast Iron Reeded Surround Panel†		

Frames

3 sided, standard Profil 4 sided, standard Profil 3 sided, wide Profil 4 sided, wide Profil

Frame Finishes

Storm Metallic Jet Black Metallic Metallic Red Metallic Bronze Ivory

For detailed technical information, including firebox dimensions see pages 56 - 57.

*Required if smokeless fuel is to be used regularly - see page 57. †See image on right. (940mm H x 940mm W with 560mm H x 410mm W cut out)







RIVA | 45



Exhibiting the same clean and contemporary look as its smaller counterpart, the Riva 45's slightly taller stature makes a big impact.

Install your Riva 45 as either a 'hole in the wall' fire with a 4-sided frame or on a hearth with a 3-sided frame.

The choice of smart Storm or Jet Black Metallic finishes which come as standard on all our Riva Cassettes can be complemented with one of three striking colours for the Profil frame. Choose either Metallic Red, Metallic Bronze or Ivory, to inspire a bold new look for your home (see pages 30 - 31).

Key Technical Data

Nominal Heat Output	5kW (1.7 - 7kW)
Max. Efficiency	83%
Max. Log Length	250mm (9¾")
Flue Connection (internal diameter)	128mm (5")

Key Options and Accessories

Fire Finishes	Storm Metallic or Jet Black Metallic	
Multi-fuel Kit*		
Stainless Steel Tool Holder		
Smoke Control Kit		

*Required if smokeless fuel is to be used regularly - see page 57.





4 sided, standard Profil 3 sided, wide Profil 4 sided, wide Profil

Frame Finishes

Storm Metallic Jet Black Metallic Metallic Red Metallic Bronze Ivory

For detailed technical information, including firebox dimensions see pages 56 - 57.













Giving a wonderful view of the radiant, dancing flames, the Riva 50 is an impressively efficient member of the Riva family. With clean, contemporary lines designed to fit into a 22" high and wide fireplace opening, the Riva 50 can be installed with relative ease on to a hearth with a 3 sided frame, or with a 4 sided frame to create a 'hole in the wall' look.

Further images are shown on the pages 3, 6, 30, 50 and 62.

Additional information for the Riva 50 can be found overleaf.

Key Technical Data

Nominal Heat Output	7.0kW (2.2 - 10kW)
Max. Efficiency	83%
Max. Log Length	350mm (13¾")
Flue Connection (internal diameter)	128mm (5")

Key Options and Accessories

Fire Finishes	Storm Metallic o Jet Black Metalli	
Fan convection kit (240v)		
Warm air ducting kit (2 outlets)		
Multi-fuel Kit*		
Stainless Steel Tool Holder		
Smoke Control Kit		

*Required if smokeless fuel is to be used regularly - see page 57.









Storm Metallic Jet Black Metallic Metallic Red Metallic Bronze Ivory

For detailed technical information, including firebox dimensions see pages 56 - 57.

Frame Finishes

Frames

3 sided, standard Profil

4 sided, standard Profil 3 sided, wide Profil 4 sided, wide Profil













The Riva 50 can be fitted with an optional fan-assisted convection circulation kit, providing quicker heat delivery into the room when the fire is first lit. This impressive cassette fire has also been approved* for the burning of wood in Smoke Control Areas when fitted with an optional Smoke Control Kit.

Further images are shown on the pages 3, 6, 30, 50 and 62.

Additional information for the Riva 50 can be found on page 16.

Key Technical Data

Nominal Heat Output	7.0kW (2.2 - 10kW)
Max. Efficiency	83%
Max. Log Length	350mm (13¾")
Flue Connection (internal diameter)	128mm (5")

Key Options and Accessories

Storm Metallic or Jet Black Metallic		
)		
Warm air ducting kit (2 outlets)		
Stainless Steel Tool Holder		

*Required if smokeless fuel is to be used regularly - see page 57.









Frames

3 sided, standard Profil

4 sided, standard Profil 3 sided, wide Profil 4 sided, wide Profil

Frame Finishes
Storm Metallic

Jet Black Metallic

Metallic Red

lvory

Metallic Bronze

For detailed technical information, including firebox dimensions see pages 56 - 57.

RIVA | CASSETTES



RIVA 55





Providing greater heat output and a larger window to view the swirling flames, the Riva 55 can be installed into a fireplace opening that is 915mm h x 915mm w x 460mm d (36"h x 36"w x 18"d).

The Riva 55 offers you two accessories to enhance your heating options. The first is fan-assisted convection for quicker warming of the room when the Riva is first lit. The second is a ducting system that can distribute warm air into the same room or to other living spaces. Installing the fan and ducting system together really will maximise the benefits from this impressive 8kW cassette fire.

Storm Metallic or

Jet Black Metallic

Further images are shown on the pages 31 and 63.

Key Technical Data

Nominal Heat Output	8.0kW (2.8 - 11kW)
Max. Efficiency	84%
Max. Log Length	350mm (13¾")
Flue Connection (internal diameter)	128mm (5")

Key Options and Accessories

Fan convection kit (240v)

Warm air ducting kit (2 outlets)

- Multi-fuel Kit*
- Stainless Steel Tool Holder
- Smoke Control Kit

*Required if smokeless fuel is to be used regularly - see page 57.



Frames

3 sided, standard Profil 4 sided, standard Profil 3 sided, wide Profil 4 sided, wide Profil

Frame Finishes

Storm Metallic Jet Black Metallic Metallic Red Metallic Bronze Ivory

For detailed technical information, including firebox dimensions see pages 56 - 57.



Riva 55 with handle removed and standard 4 sided frame in Storm Metallic. The optional tool holder is also shown.



RIVA | 66



Not only will this magnificent landscape cassette fire provide you with significant heating capacity, but it will also be a stunning focal point in your living room. Although it is possible for the Riva 66 to be fitted into certain 'fireplace openings', to achieve such installations the deep 'Spacer' versions of the Profil frames may be required to accommodate the extra depth of the firebox. Alternatively, this model is ideal for new-build homes, barn conversions or where major refurbishment is taking place and a larger opening can be constructed.

If you expect to burn smokeless fuel then, due to the larger firebox, a multi-fuel kit must be fitted. Not only does this decrease the amount of fuel you need to load but it also guides the fuel and cinders towards the grate for improved combustion. However, you may still burn wood with equal efficiency.

Additional information for the Riva 66 can be found overleaf.

Key Technical Data

Nominal Heat Output	8.0kW (2.8 - 11kW)
Max. Efficiency	80%
Max. Log Length	450mm (17¾")
Flue Connection (internal diameter)	153mm (6")

Key Options and Accessories

Fire Finishes	Storm Metallic or Jet Black Metallic
Fan convection kit (240v)	
Warm air ducting kit (2 outlets)	

Multi-fuel Kit*

Stainless Steel Tool Holder

Smoke Control Kit

*Required if smokeless fuel is to be used regularly - see page 57. †Enables the Riva 66 to fit into 350mm fireplace recesses - see page 57.



AREAC



Frames

3 sided, standard Profil
4 sided, standard Profil
3 sided, wide Profil
4 sided, wide Profil
3 sided Profil spacer frame[†]
4 sided Profil spacer frame[†]

Frame Finishes

Storm Metallic Jet Black Metallic Metallic Red Metallic Bronze Ivory

For detailed technical information, including firebox dimensions see pages 56 - 57.







RIVA 66



You can optimise the heating potential of the Riva 66 with two accessories. Firstly, a fan-assisted convection kit, which boosts warm air entering the room at the flick of a switch. Secondly, a ducting system that diffuses some of the heat to other points in the same room or into other living spaces. Or install both the fan and ducting system for ultimate heat distribution.

Both the cassette fire and frames are finished in a choice of Stovax's Storm or Jet Black Metallic paints. There is also the option of specifying one of three exciting supplementary frame colours.

Further images of the Riva 66 are shown on pages 8 and 65.

Key Technical Data

Nominal Heat Output	8.0kW (2.8 - 11kW)
Max. Efficiency	80%
Max. Log Length	450mm (17¾")
Flue Connection (internal diameter)	153mm (6")

Key Options and Accessories

Fire Finishes	Storm Metallic or Jet Black Metallic
Fan convection kit (240v)	
Warm air ducting kit (2 outlets)	

Multi-fuel Kit*

Stainless Steel Tool Holder

Smoke Control Kit

*Required if smokeless fuel is to be used regularly - see page 57. †Enables the Riva 66 to fit into 350mm fireplace recesses - please see page 57.





Frames

3 sided, standard Profil
4 sided, standard Profil
3 sided, wide Profil
4 sided, wide Profil
3 sided Profil spacer frame[†]
4 sided Profil spacer frame[†]

Frame Finishes

Storm Metallic Jet Black Metallic Metallic Red Metallic Bronze Ivory

For detailed technical information, including firebox dimensions see pages 56 - 57.









RIVA | 66 AVANTI



Sharing exactly the same firebox features as the standard Riva 66, the Avanti differs only by its more contemporary styling - offering a design statement in its own right.

The stunning Avanti is available in two finishes, choose from the striking Storm Metallic contrasting with Jet Black rear panels, or opt for a complete Jet Black Metallic finish. The door handle locates on the right and may be removed after refuelling. The controls are discreetly positioned under the door so all you see are the crisp, clean lines of the Avanti surrounding a swirling picture of flames.

If you are considering burning smokeless fuel then a cast iron, multi-fuel kit is required. This allows you to load less fuel into the firebox and obtain even greater heating economy (plus you can still burn wood with equal efficiency).

Key Technical Data

Nominal Heat Output	8.0kW (2.8 - 11kW)
Max. Efficiency	80%
Max. Log Length	450mm (17¾")
Flue Connection (internal diameter)	153mm (6")

Key Options and Accessories

Fan convection kit (240v)
Warm air ducting kit (2 outlets)
Multi-fuel Kit*
Stainless Steel Tool Holder
Smoke Control Kit

For detailed technical dimensions see pages 56 - 57.

*Required if smokeless fuel is to be used regularly - see page 57. †Enables the Riva 66 Avanti to fit into 350mm fireplace recesses - please see page 57.





Frames

4 sided Avanti 4 sided 50mm spacer frame*

Frame Finishes

Jet Black Metallic only Storm Metallic & Jet Black Metallic

information, including firebox



RIVA | 76









A woodburning model only, the largest cassette in our range offers not only a truly panoramic view of the flames but also provides a powerful heating performance. Additionally, its larger dimensions make the Riva 76 particularly suited to new, architect-designed homes or where renovation work to a larger, existing property is being considered.

The Riva 76 is complete with an 'Opti-Burn' setting for maximum fuel efficiency. However, it can also be specified with a fan-assisted convection kit and a ducting system as an additional option. The fan-assisted convection kit provides an immediate boost of warm air into the room at the touch of a switch whilst the ducting system allows you to distribute some of the heat to other parts of the same room or to adjacent spaces.

Key Technical Data

Nominal Heat Output	9.0kW (3.2 - 12kW)
Max. Efficiency	78%
Max. Log Length	510mm (20")
Flue Connection (internal diameter)	153mm (6")

Key Options and Accessories

Fire Finishes	Storm Metallic or Jet Black Metallic
Fan convection kit (240v)	

Warm air ducting kit (2 outlets)

Stainless Steel Tool Holder



Frames

3 sided, standard Profil 4 sided, standard Profil 3 sided, wide Profil 4 sided, wide Profil

Frame Finishes

Storm Metallic Jet Black Metallic Metallic Red Metallic Bronze Ivory

For detailed technical information, including firebox dimensions see pages 56 - 57.









RIVA | COLOUR FRAME OPTIONS

For those who want to add a splash of colour to their living space, Stovax has introduced a range of new and vibrant colour options for the Profil frames in the Riva cassette range.

There is a choice of three eye-catching colours to choose from: Metallic Red, Metallic Bronze & Ivory. Please use the following suffix for your chosen colour:

- Metallic Red (RD),
- Metallic Bronze (BZ)
- Ivory (IV).

For example:

OFT OL

Profil frame for Riva 40, 3 sided, standard in Metallic Red: RV40PRO3BRD





RIVA | STOVES

Outstanding Efficiency

Stovax Riva Stoves all feature the latest cleanburn combustion systems, allowing them to burn logs or solid fuels with outstanding efficiency, resulting in more heat delivery into the room and less going up the chimney. This technological advancement is achieved by introducing pre-heated, secondary air into the firebox to burn the excess hydrocarbons in the smoke. Airwash air flow also helps keep the window clean, allowing you to enjoy the flames to the full.

HIGH CE CEARGUN CON CE

Riva Freestanding Key Features

- 1. High density, thermal brick liner system.
- 2. Heated air jets from cleanburn ports on all three sides burn hydrocarbons in smoke.
- 3. Unique stainless steel baffle (multi-fuel).
- 4. Two combustion control levers.
- 5. Unique "Opti-Burn" setting provides optimum efficiency and visual effect for woodburning.
- 6. Airtight door with removable stainless steel handle.
- 7. Convected and radiant heat.
- 8. Externally operated riddling grate.
- 9. Top or rear flue exit connecting stove to flue pipe.
- 10. Removable stainless steel ashpan.
- **11.** Optional cast iron, multi-fuel kit⁺ (not illustrated).
- 12. Optional stainless steel tool holder (not illustrated).
- **13.** Optional ash caddy (not illustrated).
- 14. Optional stove benches (not illustrated see page 46).





Smoke Control Area Approved

Many of the Riva Stoves in this brochure are approved for the burning of logs in Smoke Control Areas (when the appropriate smoke control kit is fitted) and this is shown on the relevant product pages. Your Stovax retailer can give you further help and advice.



Riva Vision Key Features

- 1. Heavy duty steel body.
- 2. Airtight contemporary glass door.
- 3. Stainless steel baffle.
- **4.** Heated air jets from cleanburn ports burn. hydrocarbons in smoke.
- 5. Single lever for state-of-the-art control of cleanburn combustion and airwash system.
- 6. High density, thermal brick liner system.
- 7. Top or rear flue exit connecting stove to flue pipe.
- 8. Optional ceramic glass top plate.
- 9. Optional external air facility for draught reduction.
- **10.** Stainless steel controls and log guard.
- **11.** Optional glass plinth.
- **12.** Optional smoke control kit (not illustrated).
- 13. Optional stove benches (not illustrated see page 46).



RIVA | STOVE SIZES





Please note this information is a summary only. For further technical information please see pages 58-59.



Riva F40 Freestanding in Jet Black Metallic with handle removed





RIVA | F40 FREESTANDING



Incorporating all the latest firebox technology of the Riva 40 cassette, the Riva F40 Freestanding is a compact stove offering stylish lines and impressive heating performance. It has full multi-fuel capability (complete with 'Opti-Burn' setting), airwash to help keep the glass window clear, externally operated riddling (accessed via the special ashpit door) and a choice of top or rear flue exits.

In addition to hearth-mounting, there is a choice of ten Riva Benches available (please see pages 46 - 47 for details) to provide alternative styling options. The Riva F40 Freestanding is finished in a choice of Stovax's Storm or Jet Black Metallic paints.

Further images of the Riva F40 Freestanding on pages 5 and 33.

Key Technical Data

Nominal Heat Output	5kW (1.7 - 7kW)
Max. Efficiency	81%
Max. Log Length	250mm (9¾")
Flue Connection (internal diameter)	128mm (5")

Jet Black N

Key Options and Accessories

Riva Stove Benches

Stainless Steel Tool Holder

Multi-fuel Kit*

Smoke Control Kit



Stove Finishes Storm Metallic Jet Black Metallic

*Required if smokeless fuel is to be used regularly - see page 57.

For detailed technical information, including firebox dimensions see pages 58 - 59.



RIVA | F66 FREESTANDING & PEDESTAL







If you are looking for the greater heating performance of the multi-fuel Riva 66 cassette, but wish to combine this with the hearth-mounted appeal of a contemporary stove, then the F66 Freestanding provides a stylish, contemporary solution.

Additionally, you can consider two options to provide you with alternative interior design choices. Firstly, the F66 Freestanding can be placed on the Riva Bench (please see pages 46 - 47 for details). Available in various sizes these benches will present a distinctive focal point whether freestanding in an open living space or positioned in a larger fireplace opening.

The second option is the Riva Pedestal which allows the F66 Freestanding to attain more of the appearance of a stove. The Pedestal is available in black only and raises the F66 stove 223mm from the floor.

Key Technical Data

Nominal Heat Output8kW (2.8 - 11kW)Max. Efficiency80%Max. Log Length450mm (17¾")Flue Connection
(internal diameter)153mm (6")

Key Options and Accessories

Matching 'Pedestal' Stand

Stainless Steel Tool Holder

Riva Stove Benches

Multi-fuel Kit*

Smoke Control Kit

Stove Finishes

Storm Metallic Jet Black Metallic

*Required if smokeless fuel is to be used regularly - see page 57.

For detailed technical information, including firebox dimensions see pages 58 - 59.




RIVA | F76 FREESTANDING



Wider still than the F66, the F76 Freestanding is a woodburning appliance only. However, it has the potential to create an outstanding landscape centrepiece within larger rooms or living spaces, particularly as the airwash system helps keep the extensive window clear, allowing you to enjoy the flames to the full.

The cleanburn technology and 'Opti-Burn' setting also offers you powerful, yet efficient, heating capacity. With up to 9kW available, the prospect of warm winters in front of a real log fire awaits you.

The F76 Freestanding can be hearth-mounted or, for an alternative style and look, placed on either a 100cm, 120cm, 140cm or 180cm Riva Bench. Details of Riva Benches can be found on page 46.

Key Technical Data

Nominal Heat Output	9kW (3.2 - 12kW)
Max. Efficiency	78%
Max. Log Length	500mm (20")
Flue Connection (internal diameter)	153mm (6")
	153mm (6")

Key Options and Accessories

Riva Stove Benches

Stainless Steel Tool Holder



Stove Finishes Storm Metallic Jet Black Metallic

For detailed technical information, including firebox

dimensions see pages 58 - 59.









RIVA | VISION SMALL



The compact and sleek look of the Riva Vision Small encapsulates the defining characteristics of this range of contemporary stoves.

Featuring a stunning black glass door that gives you the best possible view of your fire, this stylish stove will give a generous heat output of up to 5.0kW. With many optional extras available such as the Ceramic Glass Top or Riva Plinth with matching glass front, your styling possibilities are extended even further.

For a compact stove, the Riva Vision Small makes a big impact.

Further image of the Riva Vision Small is shown on front cover.

Key Technical Data

Nominal Heat Output	5kW (1.7 - 7kW)
Max. Efficiency	76%
Max. Log Length	280mm (11")
Flue Connection (internal diameter)	128mm (5")

Key Options and Accessories

Ceramic Glass Top

Decorative Flue Ring Cover*

Riva Benches & Plinths

External Air Kit

Smoke Control Kit (Multi-fuel model only)









Black Metallic	

Black Glass and Jet

Stove Finish



For detailed technical information, including firebox dimensions see pages 58 - 59.



Riva Vision Small Multi-fuel burning logs shown with Riva Glass Plinth, Ceramic Glass Top and Gloss Black Flue Pipe. Also Shown: Black tool set available from Stovax.

RIVA | VISION MIDI





Featuring the same clean, geometric form and reflective detailing, the Riva Vision Midi offers an impressive heat output of up to 6.5kW.

Available in woodburning or multi-fuel models, the Vision Midi offers many optional extras including the external air kit allowing air to be drawn from the outside, minimising drafts in your room as well as a gloss black flue pipe to really personalise your stove.

The addition of a Riva Bench can really extend your individual styling options. Details of Riva Benches can be found on pages 46 - 47.

Key Technical Data		Stove
Nominal Heat Output	6.5kW (2 - 9kW)	Black Jet Bla
Max. Efficiency	76%	
Max. Log Length	330mm (13")	
Flue Connection (internal diameter)	128mm (5")	
Key Options and Acce	essories	_
Ceramic Glass Top		
Decorative Flue Ring C	over*	* Not c optiona
Riva Benches & Plinths	;	For det
External Air Kit		informa

Stove Finish

Black Glass and Jet Black Metallic

Not compatible with the ptional glass top

For detailed technical information, including firebox dimensions see pages 58 - 59.







Smoke Control Kit (Multi-fuel model only)





42





RIVA | VISION MEDIUM



Encompassing all the hallmarks of the Riva Vision Small and Midi, the Medium maximises the contemporary appeal of this magnificent range with its stunning, expansive flame picture and substantial heat output of up to 9.0kW.

Add to this the impressive Glass Plinth or a striking Riva Bench and you can achieve outstanding style and powerful heating potential in equal measure.

Further image of the Riva Vision Medium shown on page 33

Key Technical Data

Nominal Heat Output (Woodburner) (Multi-fuel)	8kW (2.3 - 11kW) 9kW (3.2 - 12kW)
Max. Efficiency	79%
Max. Log Length	430mm (17")
Flue Connection (internal diameter)	152mm (6")

Key Options and Accessories

Ceramic Glass Top

Decorative Flue Ring Cover*

Riva Benches & Plinths

External Air Kit

Smoke Control Kit (Multi-fuel model only)











Black Glass and Jet Black Metallic

Stove Finish

optional glass top For detailed technical

* Not compatible with the

information, including firebox dimensions see pages 58 - 59.



RIVA | BENCHES



180 I ow

RVACLB180B

To assist designers and homeowners in creating a flexible alternative to the 'on hearth' mounting of Riva Freestanding and Riva Vision stoves, Stovax offers ten sizes of Bench to which the stoves may be secured.

Standing 250 or 350mm high with a sturdy steel construction and a durable black finish, you can not only match the Bench to the space available but also accommodate individual styling requirements. For example, appliances can be positioned centrally on the Bench or offset to one side. Finished in a durable Matt Black the Riva Benches can provide either the perfect complement or create a striking contrast depending on your stove colour choice.

The lengths available are 45cm, 100cm, 120cm, 140cm and 180cm with a depth of 420mm (the 180 Bench has a depth of 465mm), and the legs are each 60mm wide.

Dimensions (w x h x d)

High Benches: 450/1000/1200/1400/1800 x 350 x 420/465mm Low Benches: 450/1000/1200/1400/1800 x 250 x 420/465mm

Key Facts

Sturdy steel construction	\checkmark
Choice of 4 widths and 2 heights	\checkmark
Durable Matt Black finish	\checkmark
Proportioned 60mm wide legs	\checkmark
Allows for central or offset stove positioning	\checkmark

*Only suitable for the Riva F40 Freestanding, Riva Vision Small & Riva Vision Midi

180 High RVACB180B



RIVA | OPEN CONVECTOR FIRES

Improved Heating Performance

Everyone loves the warmth and atmosphere of an open fire with dancing flames, crackling logs or glowing coals. Unfortunately, open fires are not always very efficient at heating your room. An exception to this, the latest Riva Open Convectors from Stovax provide you with the best of both worlds – a real open fire yet with a heating efficiency double that of a normal grate or hearth mounted appliance. This is because the Riva Open has been designed to produce warm convected air as well as radiant heat.

Versions for most chimneys

Suitable for most homes (if your house has a chimney* you can almost certainly install a Riva Open), these versatile convector fires are available in five widths and two different heights so that they may be fitted into a wide variety of fireplace types and heat rooms of different proportions. There is also a choice of decorative styles to complement both traditional and contemporary interiors.

*Conforming to Building Regulations for solid fuels. If unsure, please check with your Stovax retailer.

Key Design Features

- 1. Cooler air drawn in
- 2. Specially designed convection chambers
- 3. Warmed convected air flows into room
- 4. Design allows chimney to be swept
- 5. Removable multi-grate & damper control tool
- 6. Removable tray/pan for disposal of ash/cinders
- 7. Dual skin construction in heavy gauge steel





Convector Efficiency

Riva Open Convectors have been specially designed to draw in cooler, ambient air and heat it in the convection chambers positioned either side and behind the visible 'firebox'. The warmed air passes out into the room through the top air vent, adding to the radiant heat emitted by the fire. Furthermore, there is an air control (operated by a removable handle) which allows you to have maximum draught for lighting the fire but, once ablaze, an even more efficient burn can be achieved by reducing the air flow. This control can also be partially closed when the fire is out to reduce down draughts from the chimney.







Riva Open 16 Arts with black Holyrood front. Shown here with Pembroke surround (3567WW) which is also available from Stovax.





RIVA | OPEN TRADITIONAL



Not just a model but a range in itself, the Riva Open Traditional Convectors are available in five widths and two heights to suit the broadest possible variety of fireplace types and living spaces. Furthermore, the subtle styling allows the Riva Open Traditional to blend easily with any style of fireplace from mellow stone to rustic brick and from classic marble to polished slate, so the opportunities to create a distinctive focal point in your home are immense.

For the burning of smokeless fuels there is a cast iron grate/ashpan whilst for woodburning you need to select a log tray together with your choice of log retainer front.

Frame information for the Riva Open Traditional range can be found overleaf.

For those who desire a traditional period aesthetic, there are a range of Victorian and Art Nouveau Tiled Convector Fireplaces from Stovax, rich in authentic detail, available in a selection of finishes and each utilising the same firebox technology as the Riva Open Convector range. For further details, please see the separate 'Classic Fireplaces' brochure which can be requested from your local retailer or can be viewed online at www.stovax.com.





For additional options and technical information, including firebox dimensions see pages 60 - 61. *For more information on Stovax Classic Tiled Convector Fireplaces please see Stovax's separate Classic Fireplaces brochure or speak to your Expert Retailer, alternatively you can visit www.stovax.com





RIVA | OPEN TRADITIONAL





Additional personalisation of your Riva Open fire can be achieved with Profil clip-on frames. These are available in a choice of brass or brushed steel for most sizes of Riva Open Convector.

Additionally there is the Riva 16 Arts Open Convector which echoes the look of the 1920's & 30's with a beautifully curved frame that is finished in a subtle Matt Black to complement perfectly your choice of Holyrood or Portcullis front for a superb log burning fire. Alternatively, select the cast basket for burning smokeless fuels.

The Riva Open Traditional is finished in timeless Matt Black.

Further image on page 48.

Front Options	16"	22"	24"	26"	28"
Cast Iron Basket (required for multi-fuel)	8686	8687	Use 22"	8688	Use 26"
Ashpan (required for multi-fuel)	8652	8653	Use 22"	8654	Use 26"
Black Holyrood front with log tray*	8627	8628	8629	8630	N/A
Polished Holyrood front with log tray*	8627P	8628P	8629P	8630P	N/A
Portcullis front with log tray*	8678	8666	8667	8668	8669
Castle front with log tray*	N/A	8623	8624	8625	N/A

Frame Options

Profil Brass - standard height	8633	8635	8637	8639	8626
Profil Brass - low lintel	8674	8636	8638	8640	N/A
Profil Brushed Stainless - standard height	8633BS	8635BS	8637BS	8639BS	8626BS
Profil Brushed Stainless - low lintel	8674BS	8636BS	8638BS	8640BS	N/A
Arts Matt Black	8700	N/A	N/A	N/A	N/A

For additional options and technical information, including firebox dimensions see pages 60 - 61.







Riva Open 26 Traditional with portcullis front. (NB - Please see installation information on page 60)

RIVA | OPEN CONTEMPORARY





Create a larger and distinctly modern look for your living space with the impressive Riva Open Contemporary. Choose from the Riva 16 with a rectangular frame or, alternatively, opt for the wider Riva 22 and Riva 26 versions which come with both square and rectangular frame styles.

All sizes can be specified for use with smokeless fuels or for the burning of seasoned logs and have a choice of two different log retainers to suit your styling preferences. Plus there's an optional clip-in sparkguard for peace of mind when the fire is left unattended. The Riva Open Contemporary is finished in Matt Black.

Further image on page 49.

Fire Sizes	16"	22"	26"
Nominal Heat Output	4.0kW	6.5kW	9.0kW
Max. Log Length	320mm (12%")	470mm (18½")	570mm (22½")

Frame Options

Steel frame - rectangular	8730	8732	8736
Steel frame - square	N/A	8733	8737

For additional options and technical information, including firebox dimensions see pages 60 - 61.



RIVA CASSETTES | TECHNICAL INFORMATION

300mm[†] M FRONT

OPENING DIMENSIONS



CASSETTES



AVANTI CASSETTE

(all dimensions Riva 40 Riva 45 Riva 50 Riva 55 Riva 66 Riva 66 Avanti Riva 76 in mm) 400 400 540 540 650 760 А 650 В 550 660 550 550 550 630 660 С 395 395 D 492 492 632 632 742 694 862 Е 599 599 599 678 709 709 636 F 234 234 234 234 248 248 248 G 540 N/A N/A 360 420 420 128 128 153/180 ΗØ 128 128 755 К 208 N/A N/A N/A 234 248 480 L 410 410 550 550 660 660 760 Μ 560 670 560 670 560 560 640 Ν 355 360 355 405* 405* 405* Flame Viewing 269 x 325 409 x 325 269 x 435 409 x 435 503 x 325 510 x 330 590 x 375 Area (w x h) Weight 80kg 80kg 80kg 100kg 110kg 134kg 125kg

*Dimension N may be reduced to 355mm when using Profil or Avanti box spacer frame. (3 sided RV66PRO3D/B & RV76PRO3D/B; 4 †Extra height required when fitting Warm Air Ducting kit. sided RV66PRO4D/B, RV76PRO4D/B for Riva cassettes or RV66AVSP for the Riva 66 Avanti cassette)

Please note the minimum distance to combustible materials for the Riva cassettes is 300mm, with the exception of the Riva 76 for which you should allow 150mm. For full details please refer to the installation manual.

RIVA CASSETTES FRAME DIMENSIONS (MM)

Product Code	Description	Height	Width
Riva 40	·	Ū	
RV40PRO3/B	3 Sided, Standard	599	492
RV40PRO3/B	*	646	586
RV40PRO3VV/B	3 Sided, Wide 4 Sided, Standard	645	492
RV40PRO4W/B	4 Sided, Sidiladia 4 Sided, Wide	739	586
KV40FKO4VV/D	4 310ed, vvide	/ 39	500
Riva 45		1	1
RV45PRO3/B	3 Sided, Standard	709	492
RV45PRO3W/B	3 Sided, Wide	756	586
RV45PRO4/B	4 Sided, Standard	755	492
RV45PRO4W/B	4 Sided, Wide	849	586
Riva 50			
RV50PRO3/B	3 Sided, Standard	599	632
RV50PRO3W/B	3 Sided, Wide	646	726
RV50PRO4/B	4 Sided, Standard	645	632
RV50PRO4W/B	4 Sided, Wide	739	726
Riva 55			
RV55PRO3/B	3 Sided, Standard	709	632
RV55PRO3W/B	3 Sided, Wide	756	726
RV55PRO4/B	4 Sided, Standard	755	632
RV55PRO4W/B	4 Sided, Wide	849	726
Riva 66			
RV66PRO3/B	3 Sided, Standard	599	742
RV66PRO3W/B	3 Sided, Wide	645	836
RV66PRO3D/B	3 Sided Spacer⁰	599	742
RV66PRO4/B	4 Sided, Wide	654	586
RV66PRO4W/B	4 Sided, Standard	739	836
RV66PRO4D/B	4 Sided Spacer⁰	645	742
Riva 66 Avanti			
RV66AVSP	Riva 66 Avanti	694	636
Riva 76			
RV76PRO3/B	3 Sided, Standard	678	862
RV76PRO3W/B	3 Sided, Wide	728	962
RV76PRO3D/B	3 Sided Spacer [≬]	678	862
RV76PRO4/B	4 Sided, Wide	730	862
RV76PRO4W/B	4 Sided, Standard	830	962
	. cided, cidiladia	000	,02

RV76PRO4D/B 4 Sided Spacer[◊] 730

862

A HETAS approved installer should undertake a site survey prior to purchase and must install any Riva Cassette Fire or Stove. Your Stovax retailer will be able to advise on this and, in particular, the use of high temperature (1300°C) plaster/screed in the area around Riva Cassettes and Stoves. You may view/download complete installation instructions at our website - **www.stovax.com**. These diagrams cover some of the basic requirements. All fires and stoves should be installed by a competent person to the requirement of Building Regulations (Document J) and include the fitting of adequate ventilation to ensure safe use. Usually older buildings do not need any additional ventilation for appliances up to 5kW, but modern houses will need additional ventilation in all cases. Some models can be fitted with an optional External Air Kit, or dedicated external air supply, offering a discreet and draught reducing solution to standard room venting. The diagrams and dimensions on these pages cover some of the basic requirements and are for initial information purposes only.

RIVA CASSETTES INFORMATION & PRODUCT CODES

Product Code	Description	Heat Output	Fuel Type	Efficiency
RV40	Riva 40 Cassette (Storm)	5.0kW	Multi-fuel	82%
RV40B	Riva 40 Cassette (Jet Black)	5.0kW	Multi-fuel	82%
RV45	Riva 45 Cassette (Storm)	5.0kW	Multi-fuel	83%
RV45B	Riva 45 Cassette (Jet Black)	5.0kW	Multi-fuel	83%
RV50	Riva 50 Cassette (Storm)	7.0kW	Multi-fuel	83%
RV50B	Riva 50 Cassette (Jet Black)	7.0kW	Multi-fuel	83%
RV55	Riva 55 Cassette (Storm)	8.0kW	Multi-fuel	84%
RV55B	Riva 55 Cassette (Jet Black)	8.0kW	Multi-fuel	84%
RV66	Riva 66 Cassette (Storm)	8.0kW	Multi-fuel	80%
RV66B	Riva 66 Cassette (Jet Black)	8.0kW	Multi-fuel	80%
RV76	Riva 76 Cassette (Storm)	9.0kW	Wood	78%
RV76B	Riva 76 Cassette (Jet Black)	9.0kW	Wood	78%

RIVA CASSETTE ACCESSORY PRODUCT CODES

Ash Caddy for Riva 76

RVAC001	Stainless Steel Tool Holder for Riva 40, 45, 50, 55, 66 & 76
RVAC015	Stainless Steel Tool Holder for Riva 66 Avanti
8900	Cast Iron Reeded Back Panel for Riva 40
RV55FK	Fan-assisted convection circulation kit (240v) for Riva 50 & 55 (Storm Metallic)
RV55BFK	Fan-assisted convection circulation kit (240v) for Riva 50 & 55 (Jet Black Metallic)
RV66FK	Fan-assisted convection circulation kit (240v) for Riva 66 (Storm Metallic)
RV66BFK	Fan-assisted convection circulation kit (240v) for Riva 66 (Jet Black Metallic)
RV76FK	Fan-assisted convection circulation kit (240v) for Riva 76 (Storm Metallic)
RV76BFK	Fan-assisted convection circulation kit (240v) for Riva 76 (Jet Black Metallic)
8572	Warm air ducting kit for Riva 50, 55, 66 & 76

Smoke Control Area Kits

4229

RV40SCKIT	Smoke Control Kit for Riva 40 and 45
RV55SCKIT	Smoke Control Kit for Riva 50 and 55
RV66SCKIT	Smoke Control Kit for Riva 66
Multi-fuel Kits*	*Required if smokeless fuel is to be used regularly
RVAC082*	Multi-fuel kit for Riva 40 and 45
RVAC101*	Multi-fuel kit for Riva 50 and 55
RVAC002*	Multi-fuel kit for Riva 66
Ash Caddies	
4227	Ash Caddy for Riva 40, 45, 50, 55, 66 and 66 Avanti

RIVA CASSETTE PROFIL SPACER FRAMES

Like all Riva cassettes the Riva 66 and Riva 76TM fires can be to fitted into a 350mm fireplace recess. However to achieve such an installation the innovative Profil Spacer Frame shown below should be used to accommodate the additional depth of the firebox. Please note the spacer frame is not available as a Wide Profil frame.





Standard (7mm deep)

≬Spacer Frame (50mm deep)



WARM AIR DUCTING KIT FOR RIVA CASSETTES

The kit, for the cassettes only, includes two 3 metre lengths of flexible ducting, allowing you to distribute up to half of the heat output to two other living spaces, extending the heating potential throughout your home.

MULTI-FUEL KIT FOR RIVA CASSETTES AND FREESTANDING STOVES

If you expect to burn smokeless fuels with a Riva Cassette or Riva Freestanding stove then you will need to fit the Multi-fuel Kit. By placing the cast iron guides into the base of the firebox, you will decrease the amount of fuel you need to load and allow the fuel and cinders to fall towards the grate for improved combustion. However, you may still burn logs with equal efficiency.



STAINLESS STEEL TOOL HOLDER FOR RIVA CASSETTES AND FREESTANDING STOVES

A handy place to hold both your ash pan tool and door opening tool, the optional tool holder can be either hearth or wall mounted and, being crafted from high grade stainless steel, is the perfect complement to the contemporary styling of the Riva Cassette and Stove ranges.



RIVA STOVES | TECHNICAL INFORMATION

RIVA FREESTANDING

RIVA F66 PEDESTAL

RIVA VISION



RIVA FREESTANDING DIMENSIONS *

Riva F66

Freestanding

Riva F76

Freestanding





RIVA F66 PEDESTAL DIMENSIONS

Riva F66

Pedestal 699 826

503 x 325

114kg

N S	
	D:

RIVA VISION DIMENSIONS *

Riva Vision Small	Riva Vision Midi	Riva Vision Medium
371	416	525
474	513	600
524	613	750
329	350	368
109	109	122
441 (door)	470 (door)	553 (door)
236	246	309
261	316	408
128	128	153
-	-	-
-	-	-
385	425	496
435	525	646
261 x 236	316 x 246	408 x 309
62kg	70kg (Woodburner) 90kg (Multi-fuel)	93kg (Woodburner) 118kg (Multi-fuel)

Weight	82kg	100kg	125kg
Flame Viewing Area (w x h)	268 x 322	503 x 325	590 x 375
${\sf M}$ (with plinth)			
Μ	458	442	480
К	-	-	-
J	-	-	-
Нø	128	153	153
G	-	-	-
F	-	-	-
E	119	153	145
D E	-	-	-
С	355	405	409
B (with plinth)	-	-	-
В	602	602	663
A	451	698	788

* For stove benches to go with the Freestanding models, please see pages 46 - 47.

Riva F40

Freestanding

(all dimensions

in mm)

A HETAS approved installer should undertake a site survey prior to purchase and must install any Riva Cassette Fire or Stove. Your Stovax retailer will be able to advise on this and, in particular, the use of high temperature (1300°C) plaster/screed in the area around Riva Cassettes and Stoves. You may view/download complete installation instructions at our website - www.stovax.com. These diagrams cover some of the basic requirements. All fires and stoves should be installed by a competent person to the requirement of Building Regulations (Document J) and include the fitting of adequate ventilation to ensure safe use. Usually older buildings do not need any additional ventilation for appliances up to 5kW, but modern houses will need additional ventilation in all cases. Some models can be fitted with an optional External Air Kit, or dedicated external air supply, offering a discreet and draught reducing solution to standard room venting. The diagrams and dimensions on these pages cover some of the basic requirements and are for initial information purposes only.

RIVA STOVE INFORMATION AND PRODUCT CODES

Product Code	Description	Heat Output	Fuel Type	Efficiency
RVF40C	Riva F40 Freestanding (Storm Metallic)	5.0kW	Multi-fuel	81%
RVF40CB	Riva F40 Freestanding (Jet Black Metallic)	5.0kW	Multi-fuel	81%
RVF66	Riva F66 Freestanding (Storm Metallic)	8.0kW	Multi-fuel	80%
RVF66B	Riva F66 Freestanding (Jet Black Metallic)	8.0kW	Multi-fuel	80%
RVF76	Riva F76 Freestanding (Storm Metallic)	9.0kW	Wood	78%
RVF76B	Riva F76 Freestanding (Jet Black Metallic)	9.0kW	Wood	78%
RVN-SMW	Riva Vision Small (Woodburner)	5.0kW	Wood	74%
RVN-SMM	Riva Vision Small (Multi-fuel)	5.0kW	Multi-fuel	76%
rvn-midw	Riva Vision Midi (Woodburner)	6.5kW	Wood	73%
rvn-midm	Riva Vision Midi (Multi-fuel)	6.5kW	Multi-fuel	76%
RVN-MEDW	Riva Vision Medium (Woodburner)	8.0kW	Wood	73%
RVN-MEDM	Riva Vision Medium (Multi-fuel)	9.0kW	Multi-fuel	79%



Riva Vision Small Multi-fuel burning logs shown with Riva Glass Plinth and Ceramic Glass Top

RIVA STOVES ACCESSORY PRODUCT CODES

RVAC001	Stainless Steel Tool Holder for Riva F4	Stainless Steel Tool Holder for Riva F40, F66 & F76 (see page 57)		
RVAC150B [†]	Decorative Flue Ring Cover for Riva V	Decorative Flue Ring Cover for Riva Vision Small & Midi		
RVAC220B [†]	Decorative Flue Ring Cover for Riva V	Decorative Flue Ring Cover for Riva Vision Medium		
rvn-smgb	Ceramic Glass Top Plate (top flue) fo	r Riva Vision Small		
rvn-smgbr	Ceramic Glass Top Plate (rear flue) fo	or Riva Vision Small		
rvn-midgb	Ceramic Glass Top Plate (top flue) fo	r Riva Vision Midi		
RVN-MIDGBR	Ceramic Glass Top Plate (rear flue) fo	or Riva Vision Midi		
rvn-medgb	Ceramic Glass Top Plate (top flue) fo	r Riva Vision Medium		
rvn-medgbr	Ceramic Glass Top Plate (rear flue) fo	Ceramic Glass Top Plate (rear flue) for Riva Vision Medium		
Smoke Control Area Kits	i			
RV40SCKIT	Smoke Control Kit for Riva F40			
RV66SCKIT	Smoke Control Kit for Riva F66			
RVN-SMMSCKIT	Smoke Control Kit for Riva Vision Smo	all (Multi-fuel)		
rvn-midmsckit	Smoke Control Kit for Riva Vision Mid	li (Multi-fuel)		
RVN-MEDMSCKIT	Smoke Control Kit for Riva Vision Me	Smoke Control Kit for Riva Vision Medium (Multi-fuel)		
Multi-fuel Kits For Riva F	reestanding Stoves* (see page 57 for fu	rther information)		
RVAC082*	Multi-fuel kit for Riva F40	See page 57 for further information.		
RVAC002*	Multi-fuel kit for Riva E66	See page 57 for further information.		

External Air Kits for Riva Vision Stoves

rvn-smair	External Air Kit for Riva Vision Small
rvn-midair	External Air Kit for Riva Vision Midi
rvn-medair	External Air Kit for Riva Vision Medium

Ash Caddies

4227	Ash Caddy for Riva F40, F66, Riva Vision Small and Riva Vision Midi
4228	Ash Caddy for Riva Vision Medium
4229	Ash Caddy for Riva 76

Glass Midi

RVN-MIDPG

*Required if smokeless fuel is to be used regularly

† Not compatible with the optional glass top

RIVA VISION GLASS PLINTH FEATURES

- Sturdy steel construction with durable matching black finish
- Small, Midi & Medium sizes compatible respectively
- Glass front matching the Riva Vision door
- Small: 371 x 50 x 311mm (WxHxD)
- Midi: 416 x 100 x 331mm (WxHxD)
- Medium: 525 x 150 x 349mm (WxHxD)



Glass Medium RVN-MEDPG

RIVA OPEN FIRES INFORMATION

A HETAS approved installer should undertake a site survey prior to purchase and must install any Riva Open Convector Fire. Your Stovax retailer will be able to advise on this and, in particular, the use of high temperature (1300°C) plaster/screed in the area around the fire. You may view/download complete installation instructions at our website - **www.stovax.com**. These diagrams cover some of the basic requirements. All fires and stoves should be installed by a competent person to the requirement of Building Regulations (Document J) and include the fitting of adequate ventilation to ensure safe use. Usually older buildings do not need any additional ventilation for appliances up to 5kW, but modern houses will need additional ventilation in all cases.



OPEN CONVECTOR FIRE DIMENSIONS

(all dimensions in mm)	16″	16″ Low	22″	22″ Low	24″	24″ Low	26″	26″ Low	28″
A	420	420	570	570	620	620	670	670	720
В	560	510	620	560	620	560	620	560	620
С	360	360	360	360	360	360	360	360	360
D	474	474	624	624	674	674	724	724	774
E	592	542	652	592	652	592	652	592	652
Weight	62kg	59kg	83kg	76kg	86kg	81kg	89kg	86kg	97kg

RIVA TRADITIONAL & ARTS PRODUCT CODES

	16″	22″	24″	26″	28″
Riva Open Convector - standard height	8610	8604	8606	8608	8673
Riva Open Convector - low lintel	8611	8605	8607	8609	N/A
Front/grate options					
Cast iron basket (required for multi-fuel)	8686	8687	Use 22″	8688	Use 26″
Ashpan (required for multi-fuel)	8652	8653	Use 22″	8654	Use 26″
Black Holyrood front with log tray †	8627	8628	8629	8630	N/A
Polished Holyrood front with log tray †	8627P	8628P	8629P	8630P	N/A
Portcullis front with log tray [†]	8678	8666	8667	8668	8669
Castle front with log tray †	N/A	8623	8624	8625	N/A
Frame options					
Profil Brass – standard height	8633	8635	8637	8639	8626
Profil Brass – low lintel	8674	8636	8638	8640	N/A
Profil Brushed Stainless – standard height	8633BS	8635BS	8637BS	8639BS	8626BS
Profil Brushed Stainless – low lintel	8674BS	8636BS	8638BS	8640BS	N/A
Arts Matt Black	8700	N/A	N/A	N/A	N/A
Other options					
Clip-in sparkguard - standard height*	8690	8691	8692	8693	8694
Clip-in sparkguard - low lintel*	8695	8696	8697	8698	N/A
Standard flue gather	N/A	8658	8659	8660	8661
Offset flue gather	N/A	8663	8664	8665	8662

RIVA CONTEMPORARY PRODUCT CODES

	16″	22″	26″
Riva Open Convector - standard height	8610	8604	8608
Frame options			
Steel Frame - rectangular	8730	8732	8736
Steel Frame - square	N/A	8733	8737
Tray options			
Multi-fuel tray	8705	8710	8720
Log tray	8706	8711	8721
Log retainer options			
4 bar log retainer (multi-fuel)	8708	8713	8723
3 bar log retainer (wood only)	8707	8712	8722
Solid log retainer (wood or multi-fuel)	8709	8714	8724
Other options			
Clip-in sparkguard	8740	8741	8743
Standard flue gather	N/A	8658	8660
Offset flue gather	N/A	8663	8665

*Can be used with Holyrood front options, but as freestanding only † For woodburning only

RIVA OPEN TRADITIONAL FRONTS



Portcullis front

Castle front



Holyrood polished front (NB: Black version of Holyrood features brass finials - see page 53)

FLUE GATHERS



Aid installation by allowing Riva Open Convector Fires to be connected to 200mm enamelled twin-wall or flexible insulated flue pipe. Available in standard (central outlet) or offset versions to suit site conditions.

RIVA OPEN FRAME DIMENSIONS

Product Code	Description	Height (mm)	Width (mm)		
Traditional Frames					
8633/BS	Profil 16	595	489		
8674/BS	Profil 16L	545	489		
8635/BS	Profil 22	655	639		
8636/BS	Profil 22L	595	639		
8637/BS	Profil 24	655	689		
8638/BS	Profil 24L	595	689		
8639/BS	Profil 26	655	739		
8640/BS	Profil 26L	595	739		
8626/BS	Profil 28	655	789		
Arts Frame					
8700	Arts 16	595	481		

Contemporary Frames

8730	Rectangular 16	637	850
8732	Rectangular 22	700	1280
8736	Rectangular 26	720	1380
8733	Square 22	700	765
8737	Square 26	800	865

OPTIONAL LOG RETAINERS

With the Riva Open Contemporary, you have a choice of log retainer styles.



3 bar log retainer (wood only)



4 bar log retainer (multi-fuel only)



SPARKGUARDS



Clip-in sparkguards. For security and peace of mind when the Riva Open is left unattended, these guards will help to prevent sparks from entering the room.

Please note: the above image shows a Riva Traditional Sparkguard.

FURTHER INFORMATION

Extended Warranty and Safety Details



When you choose a Stovax cassette or freestanding fire, quality and technology are assured. Accordingly, your Stovax retailer Stovax Expert Retailer will provide

you with a Five Year Extended Warranty for your new cassette or freestanding fire, provided it is registered with Stovax. Please note, this warranty excludes certain consumable parts. Stoves purchased outside of Stovax's Expert Retailer Network will carry a standard 1 Year Warranty. Full warranty terms & conditions are available to view at www.stovax.com

Stovax pursue a policy of continuous product improvement, therefore, whilst our products are correct at the time of the photography, we reserve the right to make alterations and amendments. Exact product details should be discussed with your retailer at the time of purchase.

Please note that all parts of these fires, particularly the glass panel in the door, become extremely hot during operation and can result in serious injury and burns if touched. It is therefore recommended that a fireguard complying with BS 8423:2002 is used in the presence of young children, the elderly or infirm.



Professional XQ[™] Chimney Systems and Enamelled Flue Pipe

Stovax also offers a comprehensive range of stove and fireplace chimney systems: the Stovax Professional XQ[™] collection. Crafted from 304L grade stainless steel for a durable outer finish, the fully sealed components offer water tight protection for the insulation within.



With innovative decorative options, the ability to specify a colour for your system and with a host of technical advancements such as their Twist-Lock system, the Professional XQ[™] range provides an attractive, versatile and reliable solution for your flue system. Furthermore, the Professional XQ[™] range carries a 10 year conditional warranty offering complete peace of mind. For further information or to request a brochure, simply contact your local retailer or visit **www.stovax.com/chimneysystems.**



4616GB

ENAMELLED FLUE PIPE PRODUCT CODES

90° tee piece with end cap (for rear exit)

Description	128mm (5″) Diameter	153mm (6″) Diameter		
Matt Black Flue Pipe				
1′ (305mm) straight without door	4500	4600		
1′ (305mm) straight with door	4504	4604		
2' (610mm) straight without door	4501	4601		
2' (610mm) straight with door	4505	4605		
3' (915mm) straight without door	4502	4602		
3' (915mm) straight with door	4506	4606		
1'3" - 2'1" (380 - 635mm) telescopic without door	4542	4642		
3'4" - 4'6" (1015 - 1370mm) telescopic without door	4540	4640		
90° tee piece with end cap (for rear exit)	4516	4616		
Gloss Black Flue Pipe				
1′ (305mm) straight without door	4500GB	4600GB		
2' (610mm) straight without door	4501GB	4601 GB		
3' (915mm) straight without door	4502GB	4602GB		

4516GB



Photography and Installation

Owing to variations in studio lighting and printing inks, the finishes/colours of fires illustrated in this brochure may differ slightly from actual models. Before purchasing, please ask you retailer to show you finish/colour samples.

All of the flame pictures shown in this brochure are taken from real fires. Please note however that flame pictures will vary depending on the exact fuel used, flue conditions and surrounding geographical features. Some of the photography in this brochure may not appear to comply with the requirements of the latest Building Regulations and you should always check your proposed installation arrangement with your HETAS trained installer before proceeding. Certain settings in this brochure have been created for aesthetic purposes or are dependant on the use of heat shields to reduce the required separation from combustible material, please observe the minimum distance to combustible materials as stated in the installation instructions when designing your own installation.

The 'Nominal' heat output is to be used for calculating the ventilation provision as required by ADJ Building Regulations and for calculating its suitability for heating the size of room it will be fitted into. The heat output 'Range' is to be used as a guide only as the maximum and minimum performance will depend on local conditions such as flue pull, fuel quality and the way in which the product is used.



STOVAX | STOVE & FIREPLACE ACCESSORIES

Care of your Stove or Fire



To help you get the best performance from your stove or fireplace and keep it in good condition, inside and out, Stovax offers a wide range of cleaning and maintenance products. Stovax also supplies a wide variety of fireplace accessories including fire screens and tool sets. Your local retailer will be able to give you full details or you may view the complete range at www.stovax.com.



Fireplace, Stove and Hearth Accessories

Included in the brochure is an outstanding selection of fireplace and stove tools. Expertly crafted with a variety of styling options and available in wrought iron, black, brass and chrome finishes, this exquisite range of accessories comprises individual tools alongside complete companion sets. There are also a number of classically designed pails, scuttles and



e also a number of classically designed pails, scuttles and holders for your coals, logs and kindling – functional and stylish accompaniments to your stove or fireplace.

Contemporary Fire Tools and Log Holders

For more modern interiors, Stovax has developed a range of contemporary fire tools and log holders. That are both sturdy and attractive. These minimalist accessories offer a superb pairing to Stovax's Riva range of fires and stoves. See pages 19, 30 and 65 for contemporary tools and log holders in situ.





STUDIO | CASSETTE FIRES & STOVES



In addition to the exciting products shown throughout this brochure, Stovax also offer another range of larger format, woodburning cassettes fires and freestanding stoves, truly distinctive in appearance and ideal for the most modern of interiors.

The Studio range offers all the appeal of a traditionally fuelled fire, but with sleek contemporary designs and exemplary technological features. Available with a wide choice of sizes and complementary frame and styling options, the versatile Studio can make a real style statement and allow you to find the perfect woodburning fire for your home.

For further information about this exciting range can be found in a separate, dedicated brochure which can be requested from your local retailer or viewed online at www.stovax.com.







Riva 50 with handle removed and standard 3 sided frame, both in Jet Black metallic



Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, England EX2 7LF

 Trade Sales
 Tel: 01392 474000

 Export Sales
 Tel: +44 1392 261990

 Other depts
 Tel: 01392 474011

Fax: 01392 219932 Email: info@stovax.com www.stovax.com

A member of the Stovax Group

Stovax gratefully acknowledges the assistance of the following companies with photographic settings:

Furnishings & Ornaments; www.furniturevillage.co.uk, www.debenhams.com, www.habitat.com, www.houseoffraser.co.uk, www.eclectique.co.uk, www.johnlewis.com, www.next.co.uk, www.faginsantiques.com, www.lauraashley.com, www.theorangetree.co.uk, www.romo.com
Paintings; www.easyart.com, www.tritongalleries.com Stone Mantels; www.farmington.co.uk Tiles & Stone Floors: www.originalstyle.com
Flooring; www.beachbros.co.uk, www.carpetright.co.uk Lighting: www.amoslighting.co.uk

© All material copyright Stovax Limited 2014 E & O E

Paper sourced from sustainable forests and printed using vegetable based inks

To view and download our complete range of brochures, simply scan this code or visit www.stovax.com

Your Stovax stockist:

£2.00

















Brochure ref: RIVA1114